

#### **SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

# 1.1. Product identifier

Product name	:	INSPARATION SPA BATH APRIL SHOWERS LIQUID
Product code	:	755558001114

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

: SU21 Consumer product. PC0 Other. Pool and spa maintenance. Application

### 1.3. Details of the supplier of the safety data sheet

Supplier	: inSPAration Europe Industrieweg 8b
Telephone E-mail	5571 LJ Bergeijk, The Netherlands : +31 497 555562 : info@insparation.com

# 1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:		
NL - Telephone	: +31 497 555562	(During office hours only)

SECTION 2 HAZARDS IDENTIFICATIO
---------------------------------

#### 2.1. Classification of the substance or mixture

CLP classification (1272/2008/EC)	:	Hazardous to the aquatic environment — Chronic category 3.
Human health hazards Physical/chemical hazards Environmental hazards	:	May produce an allergic reaction. Not classified as dangerous according to statutory EC-Directives. Combustible. Harmful to aquatic life with long lasting effects.

# 2.2. Label elements

Label elements (1272/2008 Hazard pictograms	3/EC): : None.	
Signal word	: Not applicable	e.
H- and P-phrases	: H412 EUH208	Harmful to aquatic life with long lasting effects. Contains May produce an allergic reaction. Reference is made to additional labelling for full text of EUH208*.
	P501 P273	Dispose of contents/container to an official chemical waste depot. Avoid release to the environment.
Labelling of packagings wh Hazard pictograms	ere the contents : None.	do not exceed 125 ml and it is technically impossible to list all phrases:
Signal word	: Not applicable	e.
H- and P-phrases	: H412 EUH208	Harmful to aquatic life with long lasting effects. Contains May produce an allergic reaction. Reference is made to additional

labelling for full text of EUH208\*.

Additional labelling (for all packaging sizes)



: \* Contains Alpha-Amylcinnamaldehyde ; Benzyl salicylate ; Citronellol ; 4-(4-Hydroxy-4methylpentyl)cyclohex-3-enecarbaldehyde . May produce an allergic reaction.

### 2.3. Other hazards

Other information

: Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

#### **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

#### 3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

	-	·			
Substance name	Concentration	CAS nr.	EC number	Remark	REACH nr.
	(w/w) (%)				
Propyleneglycol	> 75	57-55-6	200-338-0	MAC	01-2119456809-23
Diethyl phthalate	0,1 - < 1	84-66-2	201-550-6	MAC	
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-	0,1 - < 0,25	1222-05-5	214-946-9		
hexamethylindeno[5,6-c]pyran					
2-Benzylideneheptanal	0,1 - < 1	122-40-7	204-541-5		
Benzyl salicylate	0,1 - < 1	118-58-1	204-262-9		
Pentyl salicylate	0,1 - < 0,25	2050-08-0	218-080-2		
Citronellol	0,1 - < 1	106-22-9	203-375-0		
4-(4-Hydroxy-4-methylpentyl)cyclohex-	0,01 - < 0,1	31906-04-4	250-863-4		
3-enecarbaldehyde					

Substance name	Hazard Class	H-phrases	Pictograms	
Propyleneglycol				
Diethyl phthalate				
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-	Aquatic Acute 1;	H400; H410	GHS09	M (chronic) = 1
hexamethylindeno[5,6-c]pyran	Aquatic Chronic 1			
2-Benzylideneheptanal	Aquatic Chronic 2; Skin Sens. 1	H317; H411	GHS07; GHS09	
Benzyl salicylate	Aquatic Chronic 3; Eye Irrit. 2; Skin Sens. 1	H317; H319; H412	GHS07; GHS09	
Pentyl salicylate	Acute Tox. 4; Aquatic Acute 1; Aquatic Chronic 1	H302; H400; H410	GHS07; GHS09	M (acute) = 1 M (chronic) = 1
Citronellol	Eye Irrit. 2; Skin Irrit. 2; Skin Sens. 1B	H315; H317; H319	GHS07	
4-(4-Hydroxy-4-methylpentyl)cyclohex- 3-enecarbaldehyde	Skin Sens. 1A	H317	GHS07	

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

#### **SECTION 4 FIRST-AID MEASURES**

### 4.1. Description of first aid measures

First aid measures	
Inhalation	: Move victim into fresh air. Consult a doctor if victim feels unwell.
Skin contact	: Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation occurs.
Eye contact	: Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.



Ingestion	: Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth
	to an unconscious person. Consult a doctor if victim feels unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms	
Inhalation	: May cause headache, dizziness and a feeling of sickness.
Skin contact	: May produce an allergic reaction. May cause dry skin.
Eye contact	: May cause stinging of eyes and redness.
Ingestion	: May cause a feeling of sickness, vomiting and diarrhoea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

**SECTION 5 FIRE-FIGHTING MEASURES** 

#### 5.1. Extinguishing media

Extinguishing media	
Suitable	: Carbondioxide (CO2). Alcohol resistant foam. Dry chemical. Water fog.
Not suitable	: None known.

#### 5.2. Special hazards arising from the substance or mixture

Special exposure hazards	:	None known.
Hazardous thermal	:	Carbon monoxide may be evolved if incomplete combustion occurs.
decomposition products		

### 5.3. Advice for firefighters

Special protective : Use adequate respiratory equipment in case of insufficient ventilation. equipment for fire-fighters

**SECTION 6 ACCIDENTAL RELEASE MEASURES** 

### 6.1. Personal precautions, protective equipment and emergency procedures

: Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with Personal precautions spilled or released material. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

### 6.2. Environmental precautions

Environmental precautions		Avoid release of product into sewers, surface water and/or ground water. In case of large spills:
		contain with dike. Waste product should not be allowed to contaminate soil or water.
Other information	1	Notify authorities if any exposure to the general public or the environment occurs or is likely to
		occur.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an
	authorised waste collection point. Wash away remainder with plenty of water and soap.

### 6.4. Reference to other sections

Reference to other sections : See also section 8.

#### **SECTION 7** HANDLING AND STORAGE



# 7.1. Precautions for safe handling

: Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Keep away from sources of ignition - No smoking. Do not breathe vapour. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage	:	Keep in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents.
Recommended packaging	:	Keep only in the original container.
Non recommended	:	None known.
packaging		

# 7.3. Specific end use(s)

Use

: Use only as directed.

#### **SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

# 8.1. Control parameters

Occupational exposure : Occupational exposure limits have not been established for this product. Derived no-effect levels limits (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m<sup>3</sup>):

Chemical name	Country	TWA 8 hour	STEL 15 min	Comments	Source
		(mg/m3)	(mg/m3)		
Propyleneglycol	GB	474	-	Total Vapour and	
				Particulates	
Propyleneglycol		474		Total Vapour and	MAC: UK
				Particulates	
Diethyl phthalate	GB	5	10	-	
Diethyl phthalate		5	-		MAC: EU Member States

# Derived no-effect level (DNEL) for workers:

Chemical name	Route of	,		DNEL, long-term	
	exposure				
	· ·	Local effect	Systemic effect	Local effect	Systemic effect
Propyleneglycol	Inhalation			10 mg/m3	168 mg/m3
Diethyl phthalate	Dermal	0,017 mg/kg bw		0,0084 mg/kg bw/day	1,5 mg/kg bw/day
	Inhalation	52,8 mg/m3	52,8 mg/m3	10,56 mg/m3	10,56 mg/m3
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6-c]pyran	Dermal				28,85 mg/kg bw/day
	Inhalation				5,29 mg/m3
Benzyl salicylate	Inhalation Dermal				3,17 mg/m3 0,9 mg/kg bw/day
Pentyl salicylate	Inhalation Dermal				3,17 mg/m3 0,9 mg/kg bw/day
Citronellol	Inhalation Dermal				161,6 mg/m3 45,8 mg/kg bw/day



		Local effect	Systemic effect	Local effect	Systemic effect
Propyleneglycol	Inhalation			10 mg/m3	50 mg/m3
Diethyl phthalate	Dermal	0,0084 mg/kg	3,75 mg/kg bw	0,0042 mg/kg	0,75 mg/kg bw/day
		bw		bw/day	
	Inhalation	13 mg/m3	13 mg/m3	2,6 mg/m3	2,6 mg/m3
	Oral		3,75 mg/kg bw		0,75 mg/kg bw/day
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-	Dermal				14,43 mg/kg bw/day
hexamethylindeno[5,6-c]pyran					
	Inhalation				1,3 mg/m3
	Oral				0,75 mg/kg bw/day
Benzyl salicylate	Inhalation				0,78 mg/m3
	Dermal				0,45 mg/kg bw/day
	Oral				0,45 mg/kg bw/day
Pentyl salicylate	Inhalation				0,78 mg/m3
	Dermal				0,45 mg/kg bw/day
	Oral				0,45 mg/kg bw/day
Citronellol	Inhalation				47,8 mg/m3
	Dermal				27,5 mg/kg bw/day
	Oral				13,75 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Propyleneglycol	Water	260 mg/l	26 mg/l	
	Sediment	572 mg/kg	57,2 mg/kg	
	Intermittent water			183 mg/l
	STP			20000 mg/l
	Soil			50 mg/kg
	Oral			1133 mg/kg food
Diethyl phthalate	Water	0,012 mg/l	0,0012 mg/l	
	Sediment	0,137 mg/kg	0,0137 mg/kg	
	Intermittent water			0,12 mg/l
	STP			2 mg/l
	Soil			0,137 mg/kg
	Oral			33 mg/kg food
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6-c]pyran	Water	0,0044 mg/l	0,0004 mg/l	
	Sediment	2 mg/kg	0,394 mg/kg	
	Intermittent water			0,047 mg/l
	STP			1 mg/l
	Soil			0,31 mg/kg
	Oral			3,3 mg/kg food
Benzyl salicylate	Water	0,00103 mg/l	0,00010 mg/l	
	Sediment	0,583 mg/kg	0,0583 mg/kg	
	Intermittent water			0,01030 mg/l
	STP			10 mg/l
	Soil			0,116 mg/kg
	Oral			80 mg/kg food
Pentyl salicylate	Water	0,077 mg/l	0,0077 mg/l	
5	Sediment	0,389 mg/kg	0,039 mg/kg	
	STP			10 mg/l
	Soil			1,786 mg/kg
	Oral			80 mg/kg food
Citronellol	Water	0,0024 mg/l	0,00024 mg/l	
	Sediment	0,0256 mg/kg	0,00256 mg/kg	
	Intermittent water			0,024 mg/l
	STP		1	580 mg/l



	Soil		0,00371 mg/kg
8.2. Exposure controls			
Engineering measures	: Use only in well-ventilated area chemicals.	s. Comply with standard	precautionary measures for working with
Hygienic measures	: When using do not eat, drink or	smoke.	
professional advice for the Body protection	<ul> <li>protective equipment depends amo particular local situation.</li> <li>Use of specific protective indus case of large scale exposure w Suitable material: nitril. Indication</li> </ul>	trial clothing is not require ear suitable protective cl on of permeation breakth	•
Respiratory protection		•	ory protection in case of large scale igher on e.g. a facemask in accordance
Hand protection		n case of large scale exp	equired. Wear appropriate gloves in case of posure. Suitable material: nitril. ± 0,5 mm.
Eye protection	: Wear appropriate safety glasse	s when there is danger o	f possible eye contact.

#### **SECTION 9** PHYSICAL AND CHEMICAL PROPERTIES

# 9.1. Information on basic physical and chemical properties

Appearance	: Liquid.	
Colour	: Violet.	
Odour	: Perfumed.	
Odour threshold	: Not known.	
рН	: 7	
Solubility in water	: Soluble.	
Partition coefficient (n-oc-	: Not known.	Not measured. Not relevant for mixtures.
tanol/water)		
Flash point	: 99 °C	Closed cup.
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: 371 °C	
Boiling point/boiling range	: 188 °C	
Melting point/melting range	: -59 °C	
Explosive properties	: Not an explosive.	
Explosion limits (% in air)	: 2,6 - 12,6	
	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	: Not applicable.	
	: 43 mm2/sec	(1  mm2/sec = 1 cSt)
<b>,</b>	: > 20,5 mm2/sec	
Vapour pressure (20°C)	: 20 Pa	
Vapour density (20°C)	: >1	(air = 1)
Relative density (20°C)	: 1,035 g/ml	
Evaporation rate	: Not known.	(n-butyl acetate = 1) Not relevant. Mixture of liquids and solids.
9.2 Other information		

9.2. Other information

Other information : Not relevant.

#### **SECTION 10** STABILITY AND REACTIVITY



# 10.1. Reactivity

Reactivity	: See sub-sections below.
10.2. Chemical stability	
Stability	: Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Reactivity	: No other hazardous reactions know

# 10.4. Conditions to avoid

Conditions to avoid : See section 7.

# 10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

# 10.6. Hazardous decomposition products

Hazardous decomposition : Not known. products

**SECTION 11 TOXICOLOGICAL INFORMATION** 

# 11.1. Information on toxicological effects

No toxicological research has been carried out on this product.

Inhalation	
------------	--

Acute toxicity	: Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.
Corrosion/irritation	: Not classified - based on available data, the classification criteria are not met.
Sensitisation	: Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
Carcinogenicity	: Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Skin contact	
Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: Slight irritation possible. Not classified - based on available data, the classification criteria are not met.
Sensitisation	: May produce an allergic reaction.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Eye contact	
Corrosion/irritation	: Slight irritation possible. Not classified - based on available data, the classification criteria are not met.
Ingestion	
Acute toxicity	: Calculated LD50: > 2035 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Aspiration	: Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.



Corrosion/irritation Carcinogenicity	<ul> <li>May cause a feeling of sickness, vomiting and diarrhoea.</li> <li>Not expected to be carcinogenic. Not classified - based on available data, the classification criteria</li> </ul>
Carcinogenicity	are not met.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Reprotoxicity	: Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

# Toxicological information:

Chemical name	Property		Method	Test animal
2-Benzylideneheptanal	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium
	LD50 (dermal)	> 2000 mg/kg bw		Rabbit
	Skin irritation	Irritant		Rabbit
	Skin sensitisation	2942 ug/cm2	OECD 429	Mouse
	LD50 (oral)	3730 mg/kg bw		Rat
	Eye irritation	Mildly irritant		Rabbit
Benzyl salicylate	LD50 (oral)	2227 mg/kg bw		Rat
	Skin sensitisation	725 ug/cm2	OECD 429	Mouse
	Skin irritation	Non-irritant		Rabbit
	NOAEL (oral) -	> 360 mg/kg bw/d	Read across	Rat
	estimate			
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOAEL (fertility) -	180 mg/kg.d	Read across	Rat
	estimate			
	NOAEL (development)	> 360 mg/kg.d	Read across	Rat
	- estimate			
	Eye irritation	Moderately irritant		Rabbit
Citronellol	Genotoxicity - in vitro	Not genotoxic		
	Skin sensitisation	10875 ug/cm2	OECD 429	Mouse
	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium
	NOAEL (oral)	> 50 mg/kg bw/d		Rat
	Skin irritation	Moderately irritant		Rabbit
	LD50 (oral)	3450 mg/kg bw		Rat
	LD50 (dermal)	2650 mg/kg bw		Rabbit
	NOAEL (fertility,	300 mg/kg bw/d	OECD 421	Rat
	dermal)			
	NOAEL (developmental	> 300 mg/kg bw/d	OECD 421	Rat
	toxicity, dermal)			
	Skin irritation	Moderately irritant	Patch test	Human
	Eye irritation	Moderately irritant		Rabbit
4-(4-Hydroxy-4-methylpentyl)cyclohex-		Not genotoxic		Mouse
3-enecarbaldehyde				
, , , , , , , , , , , , , , , , , , ,	NOAEL (fertility, oral)	25 mg/kg bw/d		Rat
	Skin irritation	Irritant		Rabbit
	Skin irritation	Non-irritant	Patch test	Human
	LD50 (oral)	> 5000 mg/kg bw		Rat
	LD50 (dermal)	> 5000 mg/kg bw		Rabbit
	Eye irritation	Mildly irritant		Rabbit
	Skin sensitisation	4275 ug/cm2	OECD 429	Mouse
		• • • • • • • • • •		

#### **SECTION 12 ECOLOGICAL INFORMATION**

# 12.1. Toxicity



No ecotoxicological research has been carried out on this product.

: Harmful to aquatic organisms. Calculated LC50 (fish): 135 mg/l. Calculated EC50 (waterflea): 54 Ecotoxicity mg/l. Contains 0 % of components with unknown hazards to the aquatic environment.

# 12.2. Persistence and degradability

Persistence - degradability : May cause long-term adverse effects in the aquatic environment.

### 12.3. Bioaccumulative potential

Bioaccumulative potential : Contains bioaccumulating substances.

### 12.4. Mobility in soil

Mobility

: If product enters soil, it will be highly mobile and may contaminate groundwater.

### 12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

# 12.6. Other adverse effects

Other information : Not applicable.

Ecological information:

Chemical name	Property		Method	Test animal
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-	Ultimate aerobic	2 %	OECD 301 B	
hexamethylindeno[5,6-c]pyran	biodegradation (%)			
	IC50 (algea)	> 0,85 mg/l	OECD 201	Pseudokirchnerella
				subcapitata
	NOEC (waterflea) -	0,111 mg/l.d	OECD 202	Daphnia magna
	chronic			
	LC50 (fish)	1,36 mg/l	OECD 204	Lepomis macrochirus
	NOEC (fish)	0,068 mg/l.d	OECD 210	Pimephales promelas
	EC50 (waterflea)	0,47 mg/l		
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6-c]pyran	Log P(ow)	5,9		
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-	BCF	1584		
hexamethylindeno[5,6-c]pyran				
Pentyl salicylate	EC50 (waterflea)	2,8 mg/l		Daphnia magna
	LC50 (fish)	1,34 mg/l		Brachydanio rerio
	Ultimate aerobic	86 %	OECD 301 F	
	biodegradation (%)			
Pentyl salicylate	Log P(ow)	4,4000		
Pentyl salicylate	BCF	55		

#### **SECTION 13 DISPOSAL CONSIDERATIONS**

# 13.1. Waste treatment methods

Product residues	: Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.
Additional warning	: None.
Waste water discharge	: Do not dispose into the environment, in drains or in water courses.
European waste catalogue	: Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
Local legislation	: Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.



SECTION 14	TRANSPORT INFORMATION
14.1. UN numbe	r
UN nr.	: None.
14.2. UN proper	shipping name
Transport name	: Not regulated.
14.3/14.4/14.5. T	ransport hazard class(es)/Packing group/Environmental hazards
ADR/RID/ADN (I Class	road/railway/inland waterways) : This product is not classified according to ADR/RID/ADN.
IMDG (sea) Class Marine pollu	: This product is not classified according to IMDG. utant : No
IATA (air) Class	: This product is not classified according to IATA.
14.6. Special pre	ecautions for user
Other information	: Country specific variations may apply.
14.7. Transport i	in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Marpol	: Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.
SECTION 15	REGULATORY INFORMATION

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

: Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other Community regulations regulations.

### 15.2. Chemical safety assessment

Chemical safety		Not applicable.
assessment		

#### **SECTION 16 OTHER INFORMATION**

### 16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:



ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008: Aquatic Chronic 3 : Calculation method.

Full text of hazard classes mentioned in section 3:

	me	
Acute Tox. 4	:	Acute toxicity, category 4.
Skin Irrit. 2	:	Skin irritation, category 2.
Eye Irrit. 2	:	Eye irritation, category 2.
Skin Sens. 1/1A/1B	:	Skin sensitization, category 1/1A/1B.
Aquatic Chronic 1	:	Hazardous to the aquatic environment — Chronic category 1.
Aquatic Chronic 2	:	Hazardous to the aquatic environment — Chronic category 2.
Aquatic Chronic 3	:	Hazardous to the aquatic environment — Chronic category 3.
Aquatic Acute 1	:	Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.

Number format

: "," used as decimal separator.

End of safety data sheet.

: ----