

**SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

Product name : WELLNESS AROMATHERAPY BERGAMOT LIQUID  
Product code : 755558005013

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Application : SU21 Consumer product. PC0 Other. Pool and spa maintenance.

**1.3. Details of the supplier of the safety data sheet**

Supplier : inSPAration Europe  
Burgemeester Magneestraat 55  
5571 HC Bergeijk, The Netherlands

**1.4. Emergency telephone number**

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:  
NL - Telephone : (24/7)

**SECTION 2 HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

CLP classification : Hazardous to the aquatic environment — Chronic category 3.  
(1272/2008/EC)

Human health hazards : May produce an allergic reaction.  
Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Combustible.  
Environmental hazards : Harmful to aquatic life with long lasting effects.

**2.2. Label elements**

Label elements (1272/2008/EC):

Hazard pictograms : None.

Signal word : Not applicable.

H- and P-phrases : H412 Harmful to aquatic life with long lasting effects.  
EUH208 Contains ... May produce an allergic reaction. Reference is made to additional labelling for full text of EUH208\*.  
P501 Dispose of contents/container to an official chemical waste depot.  
P273 Avoid release to the environment.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms : None.

Signal word : Not applicable.

H- and P-phrases : H412 Harmful to aquatic life with long lasting effects.  
EUH208 Contains ... May produce an allergic reaction. Reference is made to additional labelling for full text of EUH208\*.

Additional labelling (for all packaging sizes)

: \* Contains d-Limonene ; Linalyl acetate ; Linalool ; alpha-Hexylcinnamaldehyde . May produce an allergic reaction.

### 2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

## SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Propyleneglycol	> 75	57-55-6	200-338-0	MAC	01-2119456809-23
d-Limonene	0,25 - < 1	5989-27-5	227-813-5		
Linalyl acetate	0,1 - < 1	115-95-7	204-116-4		
Linalool	0,1 - < 1	78-70-6	201-134-4		
alpha-Hexylcinnamaldehyde	0,1 - < 1	101-86-0	202-983-3		
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	0,1 - < 0,25	1222-05-5	214-946-9		

Substance name	Hazard Class	H-phrases	Pictograms	
Propyleneglycol	-----	-----	-----	
d-Limonene	Aquatic Acute 1; Aquatic Chronic 1; Asp. Tox. 1; Flam. Liq. 3; Skin Irrit. 2; Skin Sens. 1B	H226; H304; H315; H317; H400; H410	GHS02; GHS07; GHS08; GHS09	M (acute) = 1
Linalyl acetate	Eye Irrit. 2; Skin Irrit. 2; Skin Sens. 1B	H315; H317; H319	GHS07	
Linalool	Eye Irrit. 2; Skin Irrit. 2; Skin Sens. 1B	H315; H317; H319	GHS07	
alpha-Hexylcinnamaldehyde	Aquatic Acute 1; Aquatic Chronic 2; Skin Sens. 1B	H317; H400; H411	GHS07; GHS09	M (acute) = 1
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Aquatic Acute 1; Aquatic Chronic 1	H400; H410	GHS09	M (chronic) = 1

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

## SECTION 4 FIRST-AID MEASURES

### 4.1. Description of first aid measures

First aid measures

- Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation occurs.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.
- Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation : May cause headache, dizziness and a feeling of sickness.  
Skin contact : May produce an allergic reaction. May cause dry skin.  
Eye contact : May cause stinging of eyes and redness.  
Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

### SECTION 5 FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing media

Extinguishing media

Suitable : Carbondioxide (CO2). Alcohol resistant foam. Dry chemical. Water fog.  
Not suitable : None known.

#### 5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known.  
Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

#### 5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

### SECTION 6 ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

#### 6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.  
Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

#### 6.4. Reference to other sections

Reference to other sections : See also section 8.

### SECTION 7 HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Keep away from sources of ignition — No smoking. Do not breathe vapour. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents.  
Recommended packaging : Keep only in the original container.  
Non recommended packaging : None known.

## 7.3. Specific end use(s)

Use : Use only as directed.

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour (mg/m3)	STEL 15 min (mg/m3)	Comments	Source
Propyleneglycol	GB	474	-	Total Vapour and Particulates	MAC: UK MAC: DE, CH
Propyleneglycol		474		Total Vapour and Particulates	
d-Limonene		28	80		

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Propyleneglycol	Inhalation			10 mg/m3	168 mg/m3
d-Limonene	Inhalation				33,3 mg/m3
Linalyl acetate	Dermal	0,2362 mg/kg bw		0,2362 mg/kg bw/day	2,5 mg/kg bw/day
Linalool	Inhalation		16,5 mg/m3		2,75 mg/m3
	Inhalation		5 mg/kg bw		2,8 mg/m3
	Dermal				2,5 mg/kg bw/day
alpha-Hexylcinnamaldehyde	Inhalation	6,28 mg/m3			0,078 mg/m3
	Dermal	0,525 mg/kg bw		0,525 mg/kg bw/day	18,2 mg/kg bw/day
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Dermal				28,85 mg/kg bw/day
	Inhalation				5,29 mg/m3

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Propyleneglycol	Inhalation			10 mg/m3	50 mg/m3
d-Limonene	Inhalation				8,33 mg/m3
	Oral				4,76 mg/kg bw/day

Linalyl acetate	Dermal	0,2362 mg/kg bw		0,2362 mg/kg bw/day	1,25 mg/kg bw/day
	Inhalation				0,68 mg/m3
	Oral				0,2 mg/kg bw/day
Linalool	Dermal		2,5 mg/kg bw	15 mg/kg bw/day	1,25 mg/kg bw/day
	Inhalation		4,1 mg/m3		0,7 mg/m3
	Oral		1,2 mg/kg bw		0,2 mg/kg bw/day
alpha-Hexylcinnamaldehyde	Inhalation	4,71 mg/m3			0,019 mg/m3
	Dermal	0,0787 mg/kg bw		0,0787 mg/kg bw/day	9,11 mg/kg bw/day
	Oral				0,056 mg/kg bw/day
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Dermal				14,43 mg/kg bw/day
	Inhalation				1,3 mg/m3
	Oral				0,75 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Propyleneglycol	Water	260 mg/l	26 mg/l	
	Sediment	572 mg/kg	57,2 mg/kg	
	Intermittent water			183 mg/l
	STP			20000 mg/l
	Soil			50 mg/kg
d-Limonene	Oral			1133 mg/kg food
	Water	0,0054 mg/l	0,0005 mg/l	
	Sediment	1,32 mg/kg	0,13 mg/kg	
	STP			1,8 mg/l
	Soil			0,262 mg/kg
Linalyl acetate	Oral			3,33 mg/kg food
	Water	0,011 mg/l	0,001 mg/l	
	Sediment	0,609 mg/kg	0,061 mg/kg	
	Intermittent water			0,11 mg/l
	STP			10 mg/l
Linalool	Soil			0,115 mg/kg
	Water	0,2 mg/l	0,02 mg/l	
	Sediment	2,22 mg/kg	0,222 mg/kg	
	Intermittent water			2 mg/l
	STP			10 mg/l
alpha-Hexylcinnamaldehyde	Soil			0,327 mg/kg
	Oral			7,8 mg/kg food
	Water	0,03 mg/l	0,003 mg/l	
	Sediment	47,7 mg/kg	4,77 mg/kg	
	Intermittent water			0,03 mg/l
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	STP			10 mg/l
	Soil			9,51 mg/kg
	Oral			6,6 mg/kg food
	Water	0,0044 mg/l	0,0004 mg/l	
	Sediment	2 mg/kg	0,394 mg/kg	
	Intermittent water			0,047 mg/l
	STP			1 mg/l
	Soil			0,31 mg/kg
	Oral			3,3 mg/kg food

## 8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection : Use of specific protective industrial clothing is not required under normal conditions of use. In case of large scale exposure wear suitable protective clothing, overalls or suit, and similar boots. Suitable material: nitril. Indication of permeation breakthrough time: 6 hours.

Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.

Hand protection : Under normal conditions of use specific gloves are not required. Wear appropriate gloves in case of frequent or prolonged use and in case of large scale exposure. Suitable material: nitril.  $\pm 0,5$  mm. Indication of permeation breakthrough time: 6 hours.

Eye protection : Wear appropriate safety glasses when there is danger of possible eye contact.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance	: Liquid.	
Colour	: Violet.	
Odour	: Perfumed.	
Odour threshold	: Not known.	
pH	: 7	
Solubility in water	: Soluble.	
Partition coefficient (n-octanol/water)	: Not known.	Not measured. Not relevant for mixtures.
Flash point	: 99 °C	Closed cup.
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: 371 °C	
Boiling point/boiling range	: 188 °C	
Melting point/melting range	: -59 °C	
Explosive properties	: None known.	Does not contain explosives.
Explosion limits (% in air)	: 2,6 - 12,6	
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: 43 mm <sup>2</sup> /sec	(1 mm <sup>2</sup> /sec = 1cSt)
Viscosity (40°C)	: > 20 mm <sup>2</sup> /sec	
Vapour pressure (20°C)	: 20 Pa	
Vapour density (20°C)	: > 1	(air = 1)
Relative density (20°C)	: 1,035 g/ml	
Evaporation rate	: Not known.	(n-butyl acetate = 1)

### 9.2. Other information

Other information : Not relevant.

## SECTION 10 STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactivity : See sub-sections below.

**10.2. Chemical stability**

Stability : Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

Reactivity : No other hazardous reactions known.

**10.4. Conditions to avoid**

Conditions to avoid : See section 7.

**10.5. Incompatible materials**

Materials to avoid : Keep away from oxidizing agents.

**10.6. Hazardous decomposition products**

Hazardous decomposition products : Not known.

**SECTION 11 TOXICOLOGICAL INFORMATION****11.1. Information on toxicological effects**

No toxicological research has been carried out on this product.

**Inhalation**

- Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

**Skin contact**

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not met.
- Sensitisation : May produce an allergic reaction.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

**Eye contact**

- Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not met.

**Ingestion**

- Acute toxicity : Calculated LD50: > 2057 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Aspiration : Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.

Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
d-Limonene	Genotoxicity - in vivo	> 2000 mg/kg bw/d		Rat
	NOEL (carcinogenicity, oral)	> 300 mg/kg bw/d	OECD 451	Rat
	Eye irritation	Non-irritant	OECD 405	Rabbit
	Mutagenicity	Negative	OECD 471	
	Skin sensitisation	10075 ug/cm2	OECD 429	Mouse
	NOAEL (development, oral)	600 mg/kg bw/d		Rat
	Skin irritation	Irritant	-----	-----
	LD50 (dermal)	> 2000 mg/kg bw	-----	Rabbit
	LD50 (oral)	4400 mg/kg bw	-----	Rat
	Genotoxicity - in vitro	Not genotoxic		
Linalyl acetate	NOAEL (oral)	150 mg/kg bw/d		Rat
		1000 mg/kg bw/d	OECD 414	Rat
	LD50 (oral)	13934 mg/kg bw	-----	Rat
	LC50 (inhalation)	> 2740 mg/m3	-----	Mouse
	Skin irritation	Non-irritant	-----	Human
	Skin irritation	Irritant	OECD 404	Rabbit
	Eye irritation	Irritant	OECD 405	Rabbit
	NOAEL (oral)	160 mg/kg bw/d	OECD 407	Rat
	NOAEL (dermal)	250 mg/kg bw/d	OECD 411	Rat
	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium
Linalool	Genotoxicity - in vitro	Not genotoxic	OECD 476	Mouse
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse
	NOAEL (development, oral)	> 1000 mg/kg bw/d	OECD 414	Rat
	LC50 (inhalation) - estimate	> 5000 mg/m3	-----	Rat
	Skin sensitisation	Sensitizing	OECD 429	Mouse
	NOAEL (development, oral)	365 mg/kg bw/d	-----	Rat
	Eye irritation	Non-irritant	OECD 405	Rabbit
	Skin sensitisation	12650 ug/cm2	OECD 429	Mouse
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOAEL (fertility, oral)	500 mg/kg bw/d		Rat
alpha-Hexylcinnamaldehyde	Skin irritation	Irritant	OECD 404	Rabbit
	NOAEL (dermal)	250 mg/kg bw/d	OECD 411	Rat
	Genotoxicity - in vivo	Not genotoxic	OECD 475	Mouse
	LD50 (dermal)	5610 mg/kg bw	-----	Rabbit
	Skin irritation	Mildly irritant	-----	Human
	LD50 (oral)	2790 mg/kg bw	-----	Rat
	NOAEL (oral)	117 mg/kg bw/d	-----	Rat
	NOAEL (development, oral)	100 mg/kg bw/d	OECD 421	Rat
	Genotoxicity - in vivo	Not genotoxic	OECD 474	
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Eye irritation	Non-irritant		Rabbit



	NOAEL (oral) - estimate	30 mg/kg bw/d	Read across	Rat
	LD50 (dermal)	> 3000 mg/kg bw	OECD 402	Rabbit
	LC50 (inhalation)	> 5000 mg/m3	OECD 403	Rat
	LD50 (oral)	> 2450 mg/kg bw	OECD 401	Rat
	Skin sensitisation	2372 ug/cm2	OECD 429	Mouse
	Skin irritation	Moderately irritant	OECD 404	Rabbit
	NOAEL (dermal)	25 mg/kg bw/d		Rat

## SECTION 12 ECOLOGICAL INFORMATION

### 12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Harmful to aquatic organisms. Calculated LC50 (fish): 125 mg/l. Calculated EC50 (waterflea): 70 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment.

### 12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment.

### 12.3. Bioaccumulative potential

Bioaccumulative potential : Contains bioaccumulating substances.

### 12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

### 12.5. Results of PBT and vPvB ass

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

### 12.6. Other adverse effects

Other information : Not applicable.

Ecological information:

Chemical name	Property		Method	Test animal
d-Limonene	LC50 (fish)	0,720 mg/l	OECD 203	Pimephales promelas
	EC50 (waterflea)	0,36 mg/l	OECD 202	Daphnia magna
	Ultimate aerobic biodegradation (%)	> 92 %		
	NOEC (waterflea) - chronic	0,15 mg/l.d		Daphnia magna
d-Limonene	Log P(ow)	4,38		
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Ultimate aerobic biodegradation (%)	2 %	OECD 301 B	
	IC50 (algae)	> 0,85 mg/l	OECD 201	Pseudokirchnerella subcapitata
	NOEC (waterflea) - chronic	0,111 mg/l.d	OECD 202	Daphnia magna
	LC50 (fish)	1,36 mg/l	OECD 204	Lepomis macrochirus
	NOEC (fish)	0,068 mg/l.d	OECD 210	Pimephales promelas
	EC50 (waterflea)	0,47 mg/l	----	----
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Log P(ow)	5,9		
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	BCF	1584		

**SECTION 13 DISPOSAL CONSIDERATIONS****13.1. Waste treatment methods**

- Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.
- Additional warning : None.
- Waste water discharge : Do not dispose into the environment, in drains or in water courses.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

**SECTION 14 TRANSPORT INFORMATION****14.1. UN number**

- UN nr. : None.

**14.2. UN proper shipping name**

- Transport name : Not regulated.

**14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards**

ADR/RID/ADN (road/railway/inland waterways)

- Class : This product is not classified according to ADR/RID/ADN.

IMDG (sea)

- Class : This product is not classified according to IMDG.

- Marine pollutant : No

IATA (air)

- Class : This product is not classified according to IATA.

**14.6. Special precautions for user**

- Other information : Country specific variations may apply.

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

- Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

**SECTION 15 REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

- Community regulations : Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.

**15.2. Chemical safety assessment**

- Chemical safety assessment : Not applicable.

**SECTION 16 OTHER INFORMATION****16.1. Other information**

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Aquatic Chronic 3 : Calculation method.

Full text of hazard classes mentioned in section 3:

Flam. Liq. 3	: Flammable liquid, category 3.
Skin Irrit. 2	: Skin irritation, category 2.
Eye Irrit. 2	: Eye irritation, category 2.
Skin Sens. 1/1A/1B	: Skin sensitization, category 1/1A/1B.
Asp. Tox. 1	: Aspiration hazard, category 1.
Aquatic Chronic 1	: Hazardous to the aquatic environment — Chronic category 1.
Aquatic Chronic 2	: Hazardous to the aquatic environment — Chronic category 2.
Aquatic Acute 1	: Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

---

End of safety data sheet.