

---

FIFTH EDITION

---

2023 -

# SPA PARTS VORTEX



**EUROPE'S LARGEST  
HOT TUB PARTS DISTRIBUTOR**

---

CATALOGUE

---

# CONTENTS

---

PUMPS & PUMP PARTS

**5**

SKID PACKS & SPA PACKS

**23**

CONTROL BOXES, PCB'S,  
TOUCH PANELS & OVERLAYS

**31**

HEATERS

**61**

AIR BLOWERS

**71**

PLUMBING

**75**

JETS & JET PARTS

**93**

OZONE

**117**

CHEMICALS

**133**

SMALLER COMPONENTS

**143**

LIGHTING

**155**

HEADRESTS

**161**

# LATEST PRODUCTS



Spa Touch H2 Panel



Spa Touch H2 Sq. Panel



Spa Touch H2T Panel



3.0KW Heater M7 Plus

These touch panels are compatible with the *BP Series*. They have a touch screen functionality with a *Hi-Tec* digital screen. With easy navigation, these panels feature *multiple languages* with a *friendly user interface*.

Heater assembly with *M7 Technology* by using a sensor at each end of the assembly. *BP200 Compatibility*

SKU TS-ST392

SKU TS-ST393

SKU TS-ST394

SKU HT-GM437



TP500 Topside Control



Balboa Bluetooth Audio



BP200UX Control Box



Balboa Exp. Board

The TP500 works with Balboa BP Series such as *BP601* and *BP2100*. Also using 4 black plastic pins in a grid formation, this topside uses *Serial Standard style* - 4 large digits in a horizontal line with scrolling text. *Overlay included.*

Listen to your favorite tunes playlist or stream music from the convenience of easy to use menus.

The *bba™* can be controlled via your smart device or topside panel (*spaTouch™1* and *™2*).

This electronic control pack and heater has been designed to be able to run from the comfort of your home or whilst you are away.

With a new WiFi receiver, the BP200 can be operated via *Android®* or *iPhone®*

This PCB is used in the *BP200UX Balboa System* to add a 1 speed pump or blower.

Compatible with *BP200UX control boxes. (CB-EX231)*

SKU TS-TP500

SKU AV-BBA20

SKU BX-BP101

SKU CB-EX233

# PUMPS & PUMP PARTS

## PUMPS

BALBOA	7
LX	8
ESPA	10
WATERWAY	10
AQUA-FLO	12
LAING	12
DXD	13

## WETENDS

WATERWAY	15
AQUA-FLO	16
BALBOA	17
LX	17

## MOTORS

ALL MOTORS	14
------------	----

## IMPELLERS

WATERWAY	18
AQUA-FLO	18

## PARTS

ALL PARTS	19
-----------	----



# BALBOA®

water group

## NIAGARA





All seals are *carbon ceramic* with *Viton®* elastomers for *long-lasting performance*.

*Multi-directional volute mountings* provide the flexibility to accommodate any configuration.

*High flow rates* exceeding 44m<sup>3</sup>/h for *maximum performance* in your luxury applications

The *Niagara pumps* are *VDE approved* according to European norms *EN60335-1* and *EN60335-2-41*



### Material Numbers

Pump Dimensions (MM) - D & E represent center line of mounting holes

SKU	Volt	Hz	KW	Amps	HP	Speed	Cable	A	B	C	D	E	F	G	H
PW-NG210	230V	50Hz	1.9	9.0	2HP	Single	3m with AMP plug	397	67	109	102	125	203	168	94
PW-NG220	230V	50Hz	1.9/ 0.40	9.0/ 1.9A	2HP	2-Speed	3m with AMP plug	459	67	109	125	140	203	203	94
PW-NG310	230V	50Hz	2.5	11.5A	3HP	Single	3m with AMP plug	459	67	109	125	140	203	203	94
PW-NG320	230V	50Hz	2.5/ 0.55	11.5/ 2.5A	3HP	2-Speed	3m with AMP plug	459	67	109	125	140	203	203	94

The pumps with 2 values for the amps, are the 2 speed pumps, so it is at high and low speed.

## Balboa/Pentair Durajet 2.0 HP 1 SPD Pump

**Motor HP:** 2.0  
**Amps:** 8.7

**Length:** 438mm  
**Height:** 221mm  
**Width:** 165mm



SKU

**PW-DJ201**

## Balboa/Pentair Durajet 2.0 HP 2 SPD Pump

**Motor HP:** 2.0  
**Amps:** 1.9/9.0

**Length:** 438mm  
**Height:** 221mm  
**Width:** 165mm



SKU

**PW-DJ202**

## Balboa HA350 Circulation Pump

Found on larger whirlpool bath settings and also some smaller Hot Tubs or Spas. This pump is a scoop neck suction with 1.5 inch inlet and outlets.

**Motor HP:** 0.75  
**Amps:** 3.1  
**Length:** 335mm  
**Height:** 165mm  
**Depth:** 135mm



SKU

**PW-HA350**

## Balboa Perseus 460 Whirlpool Pump

Found on larger whirlpool bath settings and also some smaller Hot Tubs or Spas. It has 1.5 inch inlet and outlets.

**Motor HP:** 1.61  
**Amps:** 6.2

**Length:** 335mm  
**Height:** 210mm  
**Depth:** 175mm



SKU

**PW-PE460**

## Balboa Economic Circulation Pump

This pump is a lot stronger than your average whirlpool bath pump. The circ pump needs to be installed close to the heater and preferably upstream.

**Motor HP:** 0.25  
**Amps:** 0.8

**Length:** 343mm  
**Height:** 177mm  
**Depth:** 160mm



SKU

**PC-BA104**

## Balboa HA440NG

The HA440NG replaces the old HA440 used on Spaform with the aid of a thick flat gasket on the outlet.

**Length:** 390mm  
**Height:** 230mm  
**Depth:** 190mm

**Connections:** 2" intake x 2" outlet  
**Cable supplied:** 3m AMP cord



Model	Amps	SKU
1.5 HP 1 speed	5.7	<b>PW-HA442</b>
1.5 HP 2 speeds	1.5 / 5.7	<b>PW-HA443</b>

## Balboa Niagara

This pump is based on the previous Sta-Rite model sometimes used in Spas such as Master Spas etc.

Two 2 inch and two 63mm unions are included with this pump.

Model	Amps	Length	Height	Depth	SKU
2 HP, 1 speed	9.0	459	203	203	<b>PW-NG210</b>
2 HP, 2 speed	1.9 / 9.0	459	203	203	<b>PW-NG220</b>
3 HP, 1 speed	11.5	459	203	203	<b>PW-NG310</b>
3 HP, 2 speed	2.5 / 11.5	459	203	203	<b>PW-NG320</b>

**Connections:** 2" intake x 2" outlet  
**Cable supplied:** 3m AMP cord



## LX JA Series

The JA series can be found in many different brands of Hot Tubs and not only those manufactured in China. The JA series starts right from the low power circ pumps moving up to single speed boost pumps. All use the same style of self-draining, scooped neck intake and all units are 1.5" socket connection for both the intake and the outlet. Most models have an optional air switch. Unions 1.5" included.



JA35 & JA50



JA75 & JA100



JA200

Model	Amps	Motor HP	Length	Height	Depth	SKU
JA35	1.6	0.33	325	185	155	<b>PC-JA350</b>
JA50	2.0	0.5	325	185	155	<b>PC-JA500</b>
JA75	3.2	0.75	325	185	155	<b>PC-JA750</b>
JA100	3.8	1	350	205	160	<b>PC-JA100</b>
JA200	7.0	2	400	215	190	<b>PW-JA200</b>

## LX TDA Series

The TDA series can be found in many different brands of Hot Tubs mainly of Chinese origin. The TDA series starts from the low power circ pumps moving up to single speed boost pumps. All use the same style of self-draining, scooped neck intake and all units use 1.5" socket connections. Most models have an optional air switch. This series also has a distinct yellow design. Unions 1.5" included.



TDA50



TDA150 & TDA200

Model	Amps	Motor HP	Length	Height	Depth	SKU
TDA50	2.0	0.5	320	190	160	<b>PC-TD050</b>
TDA75	3.2	0.75	350	205	160	<b>PC-TD075</b>
TDA100	3.8	1	350	190	140	<b>PC-TD100</b>
TDA150	5.8	1.5	400	205	175	<b>PW-TD150</b>
TDA200	7.0	2.14	400	205	175	<b>PW-TD200</b>

## LX EA Series

**Length:** 380mm  
**Height:** 205mm  
**Depth:** 160mm

**Connections:** 1.5"  
**Cable Supplied:** Plain wire



Model	Amps	Motor HP	SKU
EA350	3.8	1	<b>PC-EA350</b>
EA390	4.6	1.2	<b>PC-EA390</b>
EA450	5.8	1.5	<b>PC-EA450</b>

## LX DH1.0 with Air Switch (optional)

**Motor HP:** 1.0  
**Amps:** 3.6

**Length:** 350mm  
**Height:** 190mm  
**Depth:** 140mm



SKU
<b>PC-DH100</b>

## LX WTC50M Circulation Pump

**Length:** 290mm  
**Height:** 200mm  
**Width:** 160mm



Model	Amps	Motor HP	SKU
WTC50	1.6	0.33	<b>PC-WTC50</b>
WTC100	3.8	1.0	<b>PC-WTC10</b>
WTC120	4.6	1.2	<b>PC-WTC12</b>
WTC150	6.1	1.5	<b>PC-WTC15</b>
WTC200	7.0	2.0	<b>PC-WTC20</b>

## LX Swim Series



Model	Amps	Motor HP	SKU
SWIM025	1.9	0.5	<b>PP-SWP50</b>
SWIM035	2.7	0.75	<b>PP-SWP75</b>
SWIM050	3.8	1.0	<b>PP-SWP10</b>
SWIM100	5.8	1.5	<b>PP-SWP15</b>
SWIM150	7.0	2.0	<b>PP-SWP20</b>

## LX LP & WP Series

The LP series pumps are single speed units. The WP series are dual speed units to offer both filtration and massage capabilities. Both series of pumps come with two 2" connections and are supplied with unions. Once only used by Chinese manufacturers, these pumps have become reliable enough that manufacturers such as Sundance, Jacuzzi, Canadian Spas etc. are now using them.



LP150, LP200, LP250 & LP300



WP200, WP250 & WP300



WP400-I & WP500-II

Model	Amps	Motor HP	Length	Height	Depth	SKU
LP150	5.8	1.5	382	218	202	<b>PW-LP150</b>
LP200	7.0	2	382	218	202	<b>PW-LP200</b>
LP250	8.0	2.5	382	218	202	<b>PW-LP250</b>
LP300	10.0	3	397	218	202	<b>PW-LP300</b>
WP200-II	2.0 / 7.0	3/8 / 2	434	235	202	<b>PW-WP200</b>
WP250-II	2.5 / 9.0	1/2 / 2.5	434	235	202	<b>PW-WP250</b>
WP300-II	3.0 / 10.0	5/8 / 3	434	235	202	<b>PW-WP300</b>
WP400-I	12.0	4	415	197	202	<b>PW-WP400</b>
WP500-II	4.5 / 15.0	4	415	197	202	<b>PW-WP500</b>

## LX WE Series

**Electrical Connections:** Comes fitted with cable.



WE10



WE14

Model	Amps	Connections	Motor HP	Length	Height	Depth	SKU
WE14	0.8	1.5" x 1.5"	0.14	215	160	150	<b>PC-WE014</b>
WE10	0.8	3/4 x 3/4"	0.25	243	152	146	<b>PC-WE100</b>

## Waterway Viper 56f 5HP (motor 2HP)

Popular pump used in various Swim Spas.

2.5" intake x 2.5" outlet.

Comes with no unions.

**Length:** 430mm  
**Height:** 240mm  
**Depth:** 200mm



Model	Amps	Motor HP	SKU
5HP, 1 spd	9.5	2.01	<b>PW-WV150</b>
5HP, 2 spd	1.8 / 9	0.54 / 2.01	<b>PW-WV250</b>

## Espa Wiper 0

**Length:** approx. 300mm  
**Height:** approx. 175mm  
**Depth:** approx. 155mm



Model	Amps	Motor HP	SKU
M 4P	0.6	1/15 HP	<b>PC-ES115</b>
50M	2.3	0.67 HP	<b>PC-ES067</b>
70M	2.9	0.87 HP	<b>PC-ES087</b>
90M	3.7	1 HP	<b>PC-ES077</b>

## Espa Wiper 3

**Length:** approx. 430mm  
**Height:** approx. 270mm  
**Depth:** approx. 191mm



Model	Amps	Motor HP	SKU
150M 2-spd	1.4 / 6.4	1.5	<b>PW-ES152</b>
200M 1-spd	8.8	2.0	<b>PW-ES201</b>
200M 2-spd	2.0 / 8.8	2.0	<b>PW-ES202</b>
300M 1-spd	11	3.0	<b>PW-ES301</b>

## Waterway Exec 48 (EMG)

**Length:** 400mm  
**Height:** 225mm  
**Depth:** 200mm



Model	Amps	Motor HP	SKU
2" x 2"	2.2 / 6.8	0.63 / 2.11	<b>PW-W4858</b>
2" x 2.5"	2.2 / 6.8	0.63 / 2.11	<b>PW-W4859</b>

## Waterway Exec 48 Replacement

**Length:** 430mm  
**Height:** 220mm  
**Depth:** 200mm



Model	Amps	Motor HP	SKU
2" x 2"	3.2 / 8.6	0.25 / 2.00	<b>PW-W4823</b>
2" x 2.5"	3.2 / 8.6	0.25 / 2.00	<b>PW-W4824</b>

## Waterway Replacement Pump 48 Frame

Comes with no unions.



2" x 2" Side Discharge

HP	Connections	Discharge	Length	Height	Depth	Amps	Motor HP	SKU
<b>Single Speed</b>								
1.5	2" x 2"	Side	360	195	175	6.0	1.5	<b>PW-W4851</b>
2	2" x 2"	Side	360	195	175	6.0	2.0	<b>PW-W4821</b>
<b>Dual Speed</b>								
1.5	2" x 2"	Side	360	220	175	1.5 / 6.3	0.3 / 1.5	<b>PW-W4852</b>
2	2" x 2"	Side	360	220	175	2.2 / 6.8	0.63 / 2.11	<b>PW-W4822</b>

## Waterway Replacement Pump 56 Frame

Comes with no unions.



2" x 2" Side Discharge



2.5" x 2" Side Discharge

HP	Connections	Discharge	Length	Height	Depth	Amps	Motor HP	SKU
<b>Single Speed</b>								
2	2" x 2"	Side	430	220	200	9.5	2	<b>PW-W5621</b>
2	2.5" x 2"	Side	430	220	200	9.5	2	<b>PW-W5622</b>
3	2" x 2"	Side	430	240	200	12.3 - 12.8	3.21	<b>PW-W5630</b>
3	2.5" x 2"	Side	430	240	200	12.3 - 12.8	3.21	<b>PW-W5631</b>
<b>Dual Speed</b>								
2	2" x 2"	Side	430	240	200	1.8 / 9	0.53 / 2.14	<b>PW-W5620</b>
2	2.5" x 2"	Side	430	240	200	1.8 / 9	0.53 / 2.14	<b>PW-W5623</b>
2.5*	2" x 2"	Side	430	240	200	3 / 10.9	0.74 / 3.54	<b>PW-W5625</b>
2.5*	2.5" x 2"	Side	430	240	200	3 / 10.9	0.74 / 3.54	<b>PW-W5626</b>

\* Equals to a performance of 2.5HP but motor is 3HP.

## Waterway Tiny Might

1" connections. Comes with no unions (to buy separately)

**Length:** 250mm  
**Height:** 150mm  
**Depth:** 125mm



Amps	Motor HP	SKU
1.1/1.3	0.28	<b>PC-WW110</b>

## Waterway Iron Might

1.5" connections. Comes with no unions (to buy separately)

**Length:** 320mm  
**Height:** 210mm  
**Depth:** 175mm



Amps	Motor HP	SKU
0.9	0.21	<b>PC-WW118</b>

## Aqua-flo Circ Master (New Model)

Comes complete with unions.

Motor HP: 0.07  
Amps: 0.63

Length: 330mm  
Height: 210mm  
Width: 200mm



SKU	Discharge
<b>PC-CM113</b>	Side
<b>PC-CM114</b>	Centre

## Aqua-flo Circ Pump for Jacuzzi / Sundance (2 x 2) (New)

Motor HP: 1/15  
Amps: 0.62

Length: 330mm  
Height: 210mm  
Width: 175mm



SKU
<b>PC-CM118</b>

## Aqua-flo XP2e

This pump can be used on a variety of Spas.

**Connections:** 2" intake x 2" outlet  
**Cable supplied:** AMP cord

Model	Amps	Length	Height	Depth	SKU
1.5 HP, 2 speed	1.2/6	378	203	200	<b>PW-AF152</b>
2 HP, 1 speed	6.7	378	203	200	<b>PW-AF201</b>
2 HP, 2 speed	1.6 / 7.9	378	203	200	<b>PW-AF202</b>
2.5 HP, 1 speed	7.8	378	203	200	<b>PW-AF251</b>
2.5 HP, 2 speed	1.7 / 9.8	414	243	200	<b>PW-AF252</b>
3 HP, 1 speed	10.3	414	243	200	<b>PW-AF301</b>



## Laing E10 circulation pumps

**Power:** 65 watts

**Length:** 154mm  
**Height:** 125mm  
**Depth:** 105mm

Connection	SKU
3/4" Smooth Barb	<b>PC-LG124</b>
3/4" Thread Barb	<b>PC-LG128</b>
1" Smooth Barb	<b>PC-LG127</b>



PC-LG124

## Laing E10 Fixed Speed Pump w/Built In Flow Switch (Smooth Barb)

This pump is the well known common E10 used by Dimension 1 with a Built In Flow Switch to connect to the PCB.

**Length:** 154mm  
**Height:** 125mm  
**Width:** 105mm

**Power:** 70 watts

SKU

**PC-LG129**



## Laing E14

Silent running circ pump with 1.5" connections. Comes fitted with Amp Cable.

**Power:** 110 watts  
**Connections:** 1.5" x 1.5"

**Length:** 154mm  
**Height:** 162mm  
**Depth:** 105mm

SKU

**PC-LG126**



## DXD-320E Pump Single Speed 2.0HP

**Manufactured:** DXD

**Type:** Water pump / Jet pump

**Motor HP:** 2.0

**Length:** 415 mm  
**Height:** 245 mm  
**Width:** 160 mm

SKU

**PW-DX320**



## DXD-325A Pump Single Speed 2.5HP

**Manufactured:** DXD

**Type:** Water pump / Jet pump

**Motor HP:** 2.5

**Length:** 463 mm  
**Height:** 256 mm  
**Width:** 160 mm

SKU



## DXD-325AS Pump Dual Speed 2.5HP

**Manufactured:** DXD

**Type:** Water pump / Jet pump, 2 speed filtration pump

**Motor HP:** 2.5

**Length:** 463 mm  
**Height:** 256 mm  
**Width:** 160 mm

SKU

**PW-DX326**



## DXD Circulation Pump

**Manufactured:** DXD

**Type:** Circulation pump



Model	Motor HP	Length	Height	Depth	SKU
300E	0.5	325	218	156	<b>PW-DX300</b>
310E	1.0	421	226	160	<b>PW-DX310</b>
310T	0.4	330	196	134	<b>PW-DX311</b>

## EMG 48 frame motor only

Works with any of our 48 frame wet ends.

**Single Speed:** Length: 300mm Height: 200mm Depth: 163mm

**Dual Speed:** Length: 300mm Height: 220mm Depth: 163mm

Model	Amps	Motor HP	SKU
1.5HP, 1 spd	6.0	1.5	<b>PM-E4816</b>
1.5HP, 2 spd	1.5 / 6.5	0.3 / 1.5	<b>PM-E4815</b>
2HP, 1 spd	6.0	2.0	<b>PM-E4821</b>
2HP, 2 spd	2.2 / 6.8	0.63 / 2.11	<b>PM-E4822</b>




## EMG 56 frame motor only

Work with all 6.3" 56 frame wet ends we supply.

**Length:** 340mm **Height:** 240mm **Depth:** 175mm

Model	Amps	Motor HP	SKU
2HP, 1 spd	9.5	2.0	<b>PM-E5621</b>
2HP, 2 spd	1.8 / 9.0	0.53 / 2.14	<b>PM-E5622</b>
3HP, 1 spd	12.8	3.21	<b>PM-E5631</b>
3HP, 2 spd	2.0 / 10.9	0.6 / 3.16	<b>PM-E5632</b>



## 48F 2hp 2spd Smooth Body

Emerson / US Motors - smooth body motor only

Motor HP: 0.25 / 2.0  
Amps: 2.9 / 9.0

**Length:** 345mm  
**Height:** 215mm  
**Depth:** 145mm

SKU

**PM-ES482**



## Waterway 1/8HP Iron Might

Also fits AF Circ Master wet end and other 48 frames

**Motor HP:** 0.21  
**Amps:** 0.8

**Length:** 185mm  
**Height:** 160mm  
**Depth:** 120mm

SKU

**PM-WW118**



## Waterway 48 Frame Wet Ends



PW-W4827,  
PW-W4828



PW-W4831



PW-W4826



PW-W4825



PW-W5648

HP	Connections	Discharge	Intake	Height	Width	Depth	SKU
1	1.5" x 1.5"	Side	Variable	200mm	160mm	140mm	<b>PW-W4831</b>
2	1.5" x 1.5"	Side	Centre	200mm	160mm	140mm	<b>PW-W4828</b>
2	1.5" x 1.5"	Centre	Centre	180mm	160mm	140mm	<b>PW-W4826</b>
4*	2" x 2"	Side	Centre	190mm	170mm	130mm	<b>PW-W4825</b>
4**	2" x 2"	Side	Centre	220mm	190mm	150mm	<b>PW-W5649</b>
4**	2.5" x 2"	Side	Centre	220mm	190mm	150mm	<b>PW-W5648</b>

\* most common universal solution used throughout Europe, although the pump will be labelled up as 2HP in most cases the impellor will be sized up to 4HP to enable better output

\*\* Waterway Executive Euro 48 (56 frame wet end but with lugs to fit 48 frame motor).

## Waterway 56 Frame Wet Ends



PW-W5640, PW-W5651



PW-W5641, PW-W5650



PW-W5642

HP	Connections	Discharge	Intake	Height	Width	Depth	SKU
4*	2" x 2"	Side	Centre	220mm	190mm	150mm	<b>PW-W5640</b>
4*	2.5" x 2"	Side	Centre	220mm	190mm	150mm	<b>PW-W5641</b>
4*	2.5" x 2.5"	Side	Centre	220mm	190mm	150mm	<b>PW-W5642</b>
5**	2" x 2"	Side	Centre	220mm	190mm	150mm	<b>PW-W5651</b>
5**	2.5" x 2"	Side	Centre	220mm	190mm	150mm	<b>PW-W5650</b>

\* Although the pump will be labelled up as 2HP, in most cases the impellor will be sized up to 4HP to enable better output

\*\* Although the pump will be labelled up as 2.5 or 3HP, in most cases the impellor will be sized up to 5HP to enable better output

## Aqua-Flo Wet Ends

Overall, almost all Aqua-Flo Euro pumps with 80 and 90 frame (also referred to as 56 frame) are assembled with a 6.1" wet end (volute number 92770715). But some manufacturers used "north american" 50Hz motors for spas exported to Europe, so you may find in the field some pumps with a 6.3" wet end. The best way to know for sure is to measure the distance between opposite legs as shown in the picture below.



Distance	Volute #	Size
5.134" or 13.04cm	92770705	48f
5.688" or 14.45cm	92770715	56f (6.1")
5.810" or 14.75cm	92770725	56f (6.3")

Size	HP	Connections	Discharge	Intake	Height	Width	Depth	SKU
48f	1/15	1.5" x 1.5"	Side	Centre	200mm	160mm	140mm	<b>PW-AF534</b>
48f	0.75	1.5" x 1.5"	Side	Centre	200mm	160mm	140mm	<b>PW-AF375</b>
48f	0.75	1.5" x 1.5"	Centre	Centre	185mm	160mm	140mm	<b>PW-AF374</b>
48f	2	1.5" x 1.5"	Centre	Centre	175mm	160mm	140mm	<b>PW-AF320</b>
48f	2	2" x 2"	Side	Centre	200mm	185mm	140mm	<b>PW-AF536</b>
48f	2	2" x 2"	Side	Centre	200mm	185mm	140mm	<b>PW-AF420</b>
48f	3	2" x 2"	Side	Centre	200mm	185mm	140mm	<b>PW-AF430</b>
6.1	1.5	2" x 2"	Side	Centre	192mm	185mm	140mm	<b>PW-AF525</b>
6.1	2	2" x 2"	Side	Centre	192mm	185mm	140mm	<b>PW-AF530</b>
6.1	2.5	2" x 2"	Side	Centre	192mm	185mm	140mm	<b>PW-AF526</b>
6.1	3	2" x 2"	Side	Centre	192mm	185mm	140mm	<b>PW-AF531</b>
6.3	1.5	2" x 2"	Side	Centre	192mm	185mm	140mm	<b>PW-AF515</b>
6.3	2	2" x 2"	Side	Centre	192mm	185mm	140mm	<b>PW-AF520</b>



PW-AF375



PW-AF374



PW-AF320



PW-AF420  
PW-AF430



PW-AF525, PW-AF530  
PW-AF526, PW-AF531



PW-AF515  
PW-AF520

## Balboa / Vico Ultrajet (Ultima)

Fits with 48 frame motor.

**Height:** 180mm  
**Width:** 150mm  
**Depth:** 128mm

**Connection:** 2" x 2"



HP	SKU
2	<b>PW-VU201</b>
3	<b>PW-VU301</b>

## Balboa / Vico Ultimax (Niagara)

Fits with 48 frame motor.

**Height:** 195mm  
**Width:** 170mm  
**Depth:** 160mm

**Connection:** 2" x 2"



HP	SKU
2	<b>PW-VU200</b>
3	<b>PW-VU300</b>

## Sta-Rite (HA440NG) Wet End

Fits with both single speed and dual speed HA440NG

**Height:** 210mm  
**Width:** 180mm  
**Depth:** 140mm

**Wet end HP:** 1.5  
**Connection:** 2" x 2"



SKU
<b>PW-SR150</b>

## Wet End 2.0HP Durajet

Fits with 48 frame motor.

**Height:** 190mm  
**Width:** 188mm  
**Depth:** 130mm

**Wet end HP:** 2.0  
**Connection:** 2" x 2"



SKU
<b>PW-DU200</b>

## LX Wet Ends



DH1.0

WTC50M

JA

LP/WP

TDA

EA

WP

Models	Height	Width	Depth	SKU
DH1.0	180mm	130mm	160mm	<b>PC-LX301</b>
WTC50M	200mm	100mm	160mm	<b>PC-LX303</b>
JA35 / JA50	180mm	130mm	160mm	<b>PC-LX302</b>
JA75 / JA100	190mm	260mm	160mm	<b>PC-LX304</b>
JA200	200mm	150mm	190mm	<b>PC-LX305</b>
LP200 / WP200	200mm	150mm	200mm	<b>PW-LX203</b>
LP300 / WP300	200mm	150mm	200mm	<b>PW-LX300</b>
TDA35 / TDA50	180mm	130mm	160mm	<b>PC-LX306</b>
TDA75 / TDA100	190mm	260mm	160mm	<b>PC-LX307</b>
TDA150	220mm	290mm	190mm	<b>PC-LX308</b>
TDA200	200mm	150mm	190mm	<b>PC-LX311</b>
EA350	180mm	165mm	165mm	<b>PW-LX304</b>
EA450	180mm	165mm	165mm	<b>PC-LX310</b>
WP400	202mm	195mm	140mm	<b>PW-LX401</b>
WP500	202mm	195mm	140mm	<b>PC-LX502</b>

## Waterway Impellers

PW-W6040



PW-W6031



PW-W6050



HP	Compatibility	Outer diam.	Intake outer diam.	Height if stood on shaft	Space between front and rear plate	SKU
3	Hi-Flo Wet End	95mm	42mm	80mm	11mm	<b>PW-W6033</b>
2	Executive Wet End	115mm	55mm	75mm	6mm	<b>PW-W6030</b>
3	Executive Wet End	115cm	55mm	75mm	10mm	<b>PW-W6031</b>
4	Executive Wet End	104cm	55mm	85mm	15mm	<b>PW-W6040</b>
5	Executive Wet End	115cm	55mm	85mm	15mm	<b>PW-W6050</b>

## Aqua-Flo Impellers



PW-AF434



PW-AF377



PW-AF376



PW-AF432



PW-AF431

HP	Compatibility	Outer diam.	Intake outer diam.	Height if stood on shaft	Space between front and rear plate	SKU
1	FMCP/FMHP	90mm	44mm	90mm	5mm	<b>PW-AF377</b>
1.5	XP2e CE	114mm	61mm	78mm	13mm	<b>PW-AF435</b>
2	FMCP/FMHP	90mm	44mm	90mm	12mm	<b>PW-AF376</b>
2	XP2e CE	111mm	48mm	78mm	11mm	<b>PW-AF436</b>
2	HP and CP CE					<b>PW-AF440</b>
2	Flo-Master XP2	110mm	53mm	80mm	6mm	<b>PW-AF432</b>
2.5	Circ Master	100mm	44mm		5mm	<b>PW-AF439</b>
2.5	XP2e	103mm	60mm	85mm	12mm	<b>PW-AF434</b>
3	Flo-Master XP2	110mm	53mm	80mm	11mm	<b>PW-AF431</b>
3	XP2e CE	113mm	55mm	85mm	13mm	<b>PW-AF438</b>

### Aqua-flo Wear Ring Flanged for XP2e & XP3 CE

This helps keep the impellor aligned when rotating at high speeds.



SKU

**PW-AF080**

### Aqua-flo XP2 Wear Ring

Ø: 64mm

**Intake Ø:** 54mm

**Works with:** 1.0, 2.0 & 3.0hp



SKU

**PW-AF433**

### Waterway 56f 2 inch face plate

Ø: 200mm

Intake Ø: 77mm



SKU  
**PW-W2562**

### Waterway 56f 2.5 inch face plate

Ø: 200mm

Intake Ø: 92mm



SKU  
**PW-W2563**

### Bleed Screw for Face Plate LP and WP Series



SKU  
**PL-10088**

### Self Bleed Plug



PL-10089



PL-10085

Thread	SKU
11mm (OD)	<b>PL-10089</b>
3/8 inch MPT	<b>PL-10085</b>

### Face Plate Adapters

To use to adapt a 2" pump to a different plumbing.



Size	SKU
2" - 1.5"	<b>PW-20026</b>
2" - 2.5"	<b>PW-20025</b>

### O-Ring for 56f Executive Face Plate

**Thickness:** 3mm  
**Diameter:** 177mm



SKU  
**PW-W2560**

### Waterway Executive Euro 48/56f Wear Ring

Ø: 83mm

Intake Ø: 60mm

**Works with:**  
1.0, 2.0 & 3.0hp



SKU  
**PW-W6044**

### Waterway Executive Euro 56f Wear Ring

Ø: 85mm

Intake Ø: 65mm

**Works with:**  
4.0 & 5.0hp only



SKU  
**PW-W6043**

## Pump Fan Casings



Models	SKU
Waterway 48 Frame	<b>PW-WW048</b>
Waterway 56 Frame	<b>PW-WW056</b>

## Waterway EMG pump base (pair)

Used to quieten down noise through vibration, also can be used to help level an uneven floor when mounting the pump. Works with our Executive Euro 56 frame range.

**Manufacturer:** Waterway  
**Colour / finish:** Black / Rubber  
**Dimensions:** 165mm x 48mm



SKU
<b>PW-W1000</b>

## Waterway Seal Kit

**Pump models:** Waterway, Executive Euro, Euro 48, Iron Might and more from the Waterway range.

**Length:** 31mm  
**Diameter:** Ceramic and  
**Spring = 32mm**  
**Spring Base = 41mm**



SKU
<b>SK-PS100</b>

## Aqua-flo Seal Kit

**Pump models:** Aqua-flo, XP2 Flo-Master, Circ Master, XP2E and more from this range.

**Length:** 31mm  
**Diameter:** 31mm



SKU
<b>SK-PS200</b>

## Spaform GC150 Seal Kit

**Pump models:** Spaform or Hydroair Genesis GC150

**Length:** 31mm  
**Diameter:** Ceramic and  
**Spring = 34mm**



SKU
<b>SK-PS201</b>

## Davey QB Pumps Seal Kit

**Pump models:** Davey QB

**Length:** 31mm  
**Diameter:** Ceramic and  
**Spring = 42mm**



SKU
<b>SK-SP16S</b>

## LX Pump NEW Seal Kit Carbon/Sic/ Viton (multi pump 2008 onwards)

This will not fit the other LX pumps prior to 2008.

**Length:** 30mm  
**Outer diameter:** Ceramic and  
**Spring = 40mm**



SKU
<b>SK-LX302</b>

## DH1.0 Seal Kit

Pump models: LX DH1.0. This will not fit other LX pumps.

**Length:** 29mm  
**Diameter:** Ceramic and  
**Spring = 30mm**



SKU
<b>SK-LX100</b>

## Impeller Tools



Type SKU

Closed Face Impeller Tool **TL-PT127**

Impeller Wedge **TL-PT111**

## Armature Holding Tool

**Length:** 30mm

**Diameter:** 15mm

**Socket:** 13mm



SKU

**TL-PT128**

## Capacitor without Leads

**Connections:** Rear fixing stud 7mm with nut.  
2 x flat spade connections to connect wires from pump.



50-63 mfd Start Capacitor

uF / MFD	Length	Diameter	SKU
5	60mm	35mm	<b>CP-MF050</b>
8	75mm	35mm	<b>CP-MF080</b>
10	98mm	37mm	<b>CP-MF100</b>
14	70mm	40mm	<b>CP-MF140</b>
16	70mm	40mm	<b>CP-MF160</b>
20	70mm	40mm	<b>CP-MF200</b>
25	90mm	45mm	<b>CP-MF250</b>
30	90mm	45mm	<b>CP-MF300</b>
35	100mm	50mm	<b>CP-MF350</b>
40	95mm	50mm	<b>CP-MF400</b>
45	100mm	50mm	<b>CP-MF450</b>
50	100mm	50mm	<b>CP-MF500</b>
50-63	100mm	50mm	<b>CP-MF563</b>

## Capacitor with Leads

**Connections:** Rear fixing stud 7mm with nut.  
2 core wire ready for crimp connections.



uF / MFD	Length	Diameter	SKU
5	60mm	35mm	<b>CP-MF051</b>
8	75mm	35mm	<b>CP-MF081</b>
10	98mm	37mm	<b>CP-MF101</b>
14	70mm	40mm	<b>CP-MF141</b>
16	70mm	40mm	<b>CP-MF161</b>
20	70mm	45mm	<b>CP-MF201</b>
25	90mm	45mm	<b>CP-MF251</b>
30	90mm	45mm	<b>CP-MF301</b>
35	100mm	50mm	<b>CP-MF351</b>
40	95mm	50mm	<b>CP-MF401</b>
45	100mm	50mm	<b>CP-MF451</b>
50	100mm	50mm	<b>CP-MF501</b>

# RETRO•FIT REVOLUTION

What's included?



A kit that can get the job done in ONE

M8



Including Balboa M8 technology



Includes artificial intelligence



Reduces energy consumption



Maintains pump durability



Your spa will be quieter

\* WiFi Ready.  
WiFi Module not included.



VIAN POWER  
RETROFIT BOX



Balboa TP600  
Control Panel



Bezel Retrofit Panel



AMP Connector incl. 2 Pins  
AMP Connector incl. 4 Pins



Temp Scale: °C

Setup #	Circ Pump	Pump 1	Pump 2	Pump 3	Blower
1	Programmable Filtration + Polling	2-Speed	1-Speed	1-Speed	1-Speed
2	Programmable Filtration + Polling	2-Speed	1-Speed	1-Speed	None
3	Programmable Filtration + Polling	2-Speed	1-Speed	None	1-Speed
4	Programmable Filtration + Polling	1-Speed	1-Speed	1-Speed	1-Speed
5	Programmable Filtration + Polling	1-Speed	1-Speed	1-Speed	None
6	Programmable Filtration + Polling	1-Speed	1-Speed	None	1-Speed
7	None	2-Speed	1-Speed	1-Speed	1-Speed
8	None	2-Speed	1-Speed	1-Speed	None
9	None	2-Speed	1-Speed	None	1-Speed
10	Programmable Filtration + Polling	2-Speed	1-Speed	None	None
11	Programmable Filtration + Polling	1-Speed	1-Speed	None	None
12	Programmable Filtration + Polling	2-Speed	None	None	1-Speed
13	Programmable Filtration + Polling	1-Speed	None	None	1-Speed
14	Programmable Filtration + Polling	2-Speed	None	None	None
15	Programmable Filtration + Polling	1-Speed	None	None	None
16	None	2-Speed	1-Speed	None	None
17	None	2-Speed	None	None	1-Speed
18	None	2-Speed	None	None	None



Item	SKU
Retrofit Kit	PK-VP610
Replacement Kit	PK-611,612, 613,614
Overlay - 1 Pump	OL-60050

Item	SKU
Overlay - 1 pump + Aux	OL-60051
Overlay - 2 pump + Aux	OL-60052
Overlay - 3 pump + Aux	OL-60053

# SKID & SPA PACKS

## *SKID & SPA PACKS*

BALBOA	24
AEWARE	28
JOYONWAY	28
VIAN	30



### Skid Packs

As an addition to our popular complete spa packs section we also supply a flat pack, easy to assemble (with instructions), complete skid pack. This generally includes a spa pack, a topside, cables, a pump, an inline filter, an air blower if required and pre-cut plumbing for quick assembly. All sat neatly on a durable, double plastic skid base.

These complete skid packs are perfect for semi commercial projects or slightly more complex residential projects. You can then add on a suitable number of jets and housings in the style you prefer if required.



SKU	System	Topside	Pumps/Blowers	Filtration
<b>SP-BP601</b>	BP6013G1	TP600	Waterway 56f 2spd 2HP (2x2) pump	Waterway 50sq ft In-line Top Load Filter Assembly
<b>SP-BP602</b>	BP6013G1	TP600	Waterway 56f 2spd 2HP (2x2) pump Genesis 900 watt air blower with heater	Waterway 50sq ft In-line Top Load Filter Assembly
<b>SP-BP603</b>	BP6013G1	TP600	Waterway 56f 2spd 2HP (2x2) pump Waterway 1 speed 2HP Pump 2"x2"	Waterway 50sq ft In-line Top Load Filter Assembly
<b>SB-DS101</b>			Double Skid Base	

### (Pack 1.1) Balboa GS100 2.0kW with Mini Oval touch pad

Balboa GS100 control box and Balboa Mini Oval LCD 3 Buttons topside control (VL200)

Topside Buttons: Jets, Temp and Light

Topside Dimensions: 110mm x 40mm



SKU	Pump 1	Pump 2	Pump 3	Blower	Circ Pump	Heater	Light	Topsides
<b>PK-GS101</b>	1 or 2 spd	-	-	-	230V	2kw (separate)	10V	VL200 3 buttons

### (Balboa Retrofit Kit 2.3) Balboa BP200UX + TP400

Balboa BP200G1 control box and Balboa TP400 topside control

Topside Buttons: Jets, Temp, Light and AUX

Topside Dimensions: 210mm x 63mm




SKU	Pump 1	Pump 2	Pump 3	Blower	Circ Pump	Heater	Light	Topsides
<b>PK-BBP23</b>	1 or 2 spd	-	-	-	230V	3kw		TP400 4 buttons

**CABLE KITS**  
 Cable kits come separately

All Official Balboa Retrofit packs no longer include cable kits and must be purchased separately.

We have created cable kit packs to make it easy for you to add on to your purchase.

SKU	2Pin amp	3Pin amp	4Pin amp
<b>CA-AM500</b>	x1	x4	x1
<b>CA-AM501</b>	x1	x3	x1
<b>CA-AM502</b>	x1	x2	x1



### (Balboa Retrofit Kit 3.1) Balboa GS501Z + MVP260

Balboa GS501Z control box and Balboa MVP260 topside control

Topside Buttons: Jets, Blower, Temp and Light

Topside Dimensions: 178mm x 54mm



SKU	Pump 1	Pump 2	Pump 3	Blower	Circ Pump	Heater	Light	Topsides
<b>PK-Z5011</b>	1 or 2 spd			1 (optional)		3kW	1	MVP260 4 buttons

### (Balboa Retrofit Kit 3.3) Balboa BP6013G1 + TP600

Balboa BP6013G1 control box and Balboa TP600 topside control (6 buttons)

Topside Buttons: Jets, AUX, Flip, Warm, Light and Cool

Topside Dimensions: 178mm x 86mm

Includes: 1x spa light assembly without lens and 1x retrofit bezel for the TP600



SKU	Pump 1	Pump 2	Pump 3	Blower	Circ Pump	Heater	Light	Topsides
<b>PK-BBP33</b>	1 or 2 spd	1 spd	-	230V	230V	3kW	10V	TP600 6 buttons

### (Balboa Retrofit Kit 4.1) Balboa GS510SZ + VL701S

Balboa BP6013G1 control box and Balboa VL701S topside control.

Topside Buttons: Warm, Cool, Blower, Mode, Jets 1, Jets 2 and Light

Topside Dimensions: 178mm x 86mm



SKU	Pump 1	Pump 2	Pump 3	Blower	Circ Pump	Heater	Light	Topsides
<b>PK-51041</b>	1 or 2 spd	1 spd		1 (optional)		3kW	12V	VL701S 7 buttons

### (Balboa Retrofit Kit 4.2) Balboa GS510DZ + VL801D

Balboa GS510DZ control box and Balboa VL801D topside control

Topside Buttons: Time, Mode, Warm, Cool, Blower, Light, Jets 1 and Jets 2

Topside Dimensions: 187mm x 83mm



SKU	Pump 1	Pump 2	Pump 3	Blower	Circ Pump	Heater	Light	Topsides
<b>PK-BGS42</b>	1 or 2 spd	1 spd	-	1 (optional)	230V	3kW	12V	VL801D 8 buttons

### (Balboa Retrofit Kit 5.1) Balboa GS523DZ + VL801D

Balboa GS523DZ control box and Balboa VL801D topside control

Topside Buttons: Time, Mode, Warm, Cool, Blower, Light, Jets 1 and Jets 2

Topside Dimensions: 187mm x 83mm



SKU	Pump 1	Pump 2	Pump 3	Blower	Circ Pump	Heater	Light	Topsides
<b>PK-BGS51</b>	1 or 2 spd	1 spd	1 spd	1 (optional)	230V	3kW	12V	VL801D 8 buttons

### (Balboa Retrofit Kit 5.2) Balboa BP2100G1 + TP800

Balboa BP2100 control box and Balboa TP800 topside control

Topside Buttons: Jets 1, Jets 2, AUX, Light, Up, Left, Select, Right, Down

Topside Dimensions: 250mm x 90mm

Includes: 1x spa light assembly without lens and 1x BP2X-WIRE blower kit



SKU	Pump 1	Pump 2	Pump 3	Blower	Circ Pump	Heater	Light	Topsides
<b>PK-BBP52</b>	1 or 2 spd	1 or 2 spd	1 or 2 spd	230V	230V	3kW	10V	TP800 9 buttons

### Pack Aeware IN.YJ 3 / IN.K300

Gecko IN.YJ3 Control Box and in.k300 topside control

Topside Buttons: Pump 1, Light, Up, and Down

Topside Dimensions: 159mm x 75mm



SKU	Pump 1	Pump 2	Pump 3	Blower	Circ Pump	Heater	Light	Topside
<b>PK-AE300</b>		Up to 3 outputs, dual speed uses 2				2kW	12V	TS-AE300 4 buttons

### Pack Aeware IN.YE 5 / IN.K8

Gecko IN:YE5 Control Box and in.k8 topside control

Topside Buttons: Settings, Mode, P1, P2, P3, AUX1, AUX2, Light, Up, and Down

Topside Dimensions: 222mm x 108mm



SKU	Pump 1	Pump 2	Pump 3	Blower	Circ Pump	Heater	Light	Topside
<b>PK-AE500</b>		Up to 5 outputs, dual speed uses 2				3kW	12V	TS-AE800 10 buttons

### Pack Joyonway P20B29 + PB553

Joyonway electronic control pack with paired topside control

Topside Buttons: Jets1, Jets2, Flip, Mode, Light, Navigation and Confirm buttons

Topside Dimensions: 225mm x 78mm



SKU	Pump 1	Pump 2	Pump 3	Blower	Circ Pump	Heater	Light	Topsides
<b>PK-JO290</b>	1 or 2 spd	1 (if no blower)	-	1 (if no pump 2)	✓	3kW	1	PB553

### Pack Joyonway P23B32 + PB554

Joyonway electronic control pack with paired topside control

Topside Buttons: Jets, Light, Flip, Navigation and Confirm buttons

Topside Dimensions: 170mm x 58mm



SKU	Pump 1	Pump 2	Pump 3	Blower	Circ Pump	Heater	Light	Topsides
<b>PK-JO320</b>	1 or 2 spd	1 spd	-	1	✓	3kW	1	PB554

### Pack Joyonway P25B85 + PB557

Joyonway electronic control pack with paired topside control

Topside Buttons: Jets1, Jets2, Flip, Mode, Light, Navigation and Confirm buttons

Topside Dimensions: 225mm x 78mm



SKU	Pump 1	Pump 2	Pump 3	Blower	Circ Pump	Heater	Light	Topsides
<b>PK-JO850</b>	1 or 2 spd	n/a	-	1 (if no pump 2)	✓	2kW	1,12	PB557

### Vian Power Retrofit Kit (No Overlays)

Vian Power Electronic Control pack

3 Pumps + Circulation Pump + Air

Items Included: x6 AMP connector 4 pins, x1 AMP connector 2 pins, x1 Bezel, x1 Topside, x1 System Vian Power 3Kw 825 CZm8

Topside Dimensions: 178 mm x 86 mm



SKU	Pump 1	Pump 2	Pump 3	Blower	Circ Pump	Heater	Light	Topsides
<b>PK-VP609</b>	1 or 2 spd	1 spd	1 spd	YES	✓	3kW	✓	TP600

## Vian Power Retrofit Kit (Starter Kit). From 1 Pump no air, up to 3 Pumps + Circulation Pump + Air

Vian Power Electronic Control pack

From 1 Pump no air, up to 3 Pumps + Circulation Pump + Air

Items Included: 1 Pump no air, 1 Pump with air, 2 Pumps with air, 3 pumps with air

Topside Dimensions: 120 mm x 300 mm



SKU	Pump 1	Pump 2	Pump 3	Blower	Circ Pump	Heater	Light	Topsides
<b>PK-VP610</b>	1 spd	1 spd	1 spd	YES	✓	3 KW	✓	TP600



## Did you know we can build specialised spa packs to order in-house?

If you require a particular spa pack or cannot find your perfect combination in the catalogue, please get in contact with our sales team for to see what we can swap! From touch panels to cables, there are many different options available to build your perfect pack.

\*Cables to be purchased separately.



# CONTROL BOXES, PCB'S TOUCH PANELS & OVERLAYS

## CONTROL BOXES

BALBOA	32
AEWARE	34
GECKO	36
DAVEY	36
JOYONWAY	37

## TOUCH PANELS

BALBOA	41
AEWARE	46
GECKO	48
HYDROQUIP	48
JOYONWAY	49
DAVEY	49

## PCB'S

BALBOA	38
GECKO	40
HYDROQUIP	40
DAVEY	40

## OVERLAYS

BALBOA	52
AEWARE	56
GECKO	56
VIAN	57
DAVEY	58
HYDROQUIP	58
WELLIS	59



## Balboa GS Control Boxes



The Global Series (GS) is designed using Balboa’s M7 temperature flow and sensor technology which increases the reliability, ease of installation, and serviceability of the control. All controls have the following features:

- Circulation Pump, 24 hrs or 1.5C safety shut off
- Spa Light 10V / 12W on/off
- Audio/visual device power output
- Ozone Ready

System	SKU	Pump 1	Pump 2	Pump 3	Circ. Pump	Blower	Heater	Compatible Topsides
GS100	<b>BX-GS100</b>	230V 2 Speed	-	-	-	-	-	VL200, 240, 260, VL401, 402, 403,404
GS100	<b>BX-GS102</b>	230V 2 Speed	-	-	✓	-	2kW	VL200, 240, 260, VL401, 402, 403,404
GS500Z	<b>BX-G5002</b>	230V 2 Speed	-	-	✓	-	2kW	VL200, 240, 260, VL400, 401, 402, 403, 404, 406
GS500Z	<b>BX-GS500</b>	230V 2 Speed	-	-	✓	-	3kW	VL200, 240, 260, VL400, 401, 402, 403, 404, 406
GS501Z	<b>BX-GZ501</b>	230V 2 Speed	230V 1 Speed (if no blower)	-	✓	230V 1 Speed (if no pump 2)	3kW	VL200, 240, 260, VL400, 401, 402, 403, 404, 406
GS501SZ	<b>BX-SZ501</b>	230V 2 Speed	230V 1 Speed (if no blower)	-	✓	230V 1 Speed (if no pump 2)	3kW	VL600S, VL700S, 701S, 702S
GS510SZ	<b>BX-SZ510</b>	230V 2 Speed	230V 1 Speed	-	✓	230V 1 Speed	3kW	VL700S, 701S, 702S
GS510DZ	<b>BX-DZ510</b>	230V 2 Speed	230V 1 Speed	-	✓	230V 1 Speed	3kW	VL801D, 802D
GS520DZ	<b>BX-DZ520</b>	230V 2 Speed	230V 2 Speed	-	✓	230V 1 Speed	3kW	VL801D, 802D
GS523DZ	<b>BX-DZ523</b>	230V 2 Speed	230V 1 Speed	230V 1 Speed	✓	230V 1 Speed	3kW	VL801D, 802D

## Balboa GL Control Boxes



The Global Series (GL) is designed using Balboa’s M7 temperature flow and sensor technology which increases the reliability, ease of installation, and serviceability of the control. All controls have the following features :

- Circulation Pump, 24 hrs or 1.5C safety shut off
- Spa Light 10V / 12W on/off. The GL8000 is the only model which can have a 230V Fibre Optic Light.
- Audio/visual device power output
- Ozone Ready

System	SKU	Pump 1	Pump 2	Pump 3	Circ. Pump	Blower	Heater	Compatible Topsides
GL2000	<b>BX-GL200</b>	230V 2 Spd	230V 2 Spd	230V 1 Spd	✓	230V 1 Speed	3kw	ML400, 550, 551, 700, 900
GL2001	<b>BX-GL201</b>	230V 2 Spd	230V 2 Spd	230V 1 Spd	✓	230V 1 Speed	3kW	ML400, 550, 551, 700, 900
GL8000	<b>BX-GL800</b>	230V 2 Spd	230V 2 Spd	Optional	✓	230V 1 Speed (if no pump 4)	3kW	ML400, 550, 551, 700, 900

## Balboa BP Control Boxes

The BP Series is user-friendly, reliable and corrosion and chemical resistant. It is Wi-Fi enabled with press and hold buttons for ease of use, which means you can have full control of your spa with additional hardware. Please note that you also need to have the Kit Wi-Fi module to activate the Wi-Fi feature (sold separately). The system uses the new plug ‘n’ click heater connection.

- Spa Light 10V
- Audio/visual device power output
- Ozone Ready



System	SKU	Pump 1	Pump 2	Pump 3	Blower	Circ Pump	Heater	Compatible Topsides
BP2001G1	<b>BX-BP210</b>	230V 2 Speed	230V 2 Speed	230V 2 Speed	Optional	✓	3kw	TP400, 600, 800 and 900
BP200UX (Box Only)	<b>BX-BP101</b>	230V 2 Speed	-	-	Optional	✓		TP400, 600, 800 and 900
BP200UX (+Heater)	<b>BX-BP102</b>	230V 2 Speed	-	-	Optional	✓	2KW	TP400, 600, 800 and 900
BP2100G0 (Box Only)	<b>BX-BP211</b>	230V 2 Speed	230V 1 Speed	NO	YES	✓	3KW	TP400, 600, 800 and 900
BP6013G1 (Box Only)	<b>BX-BP602</b>	YES	230V 1 Speed (if no blower)	NO	YES (if no pump2)	✓	3KW	TP400, 600, 800 and 900
BP6013G1 (Box Only)	<b>BX-BP603</b>	230V 2 Speed	1 Speed	YES (if no blower)	1 Speed	✓	3KW	TP400, 600, 800 and 900
BP6013G1 (Box Only)	<b>BX-BP604</b>	YES	230V 1 Speed (if no blower)	NO	YES (if no pump2)	✓	3KW	TP400, 600, 800 and 900
Wi-Fi Module	<b>CB-BW503</b>	-	-	-	-	-	-	-

## Aeware IN.X Series Control Boxes

### IN.XE



in.touch ready!

Width	Height	Depth	Weight
490 mm	253 mm	136 mm	4.76 kg
19.58"	11.75"	5.1"	4.76 kg

### IN.XM2



in.touch ready!

Width	Height	Depth	Weight
451 mm	253 mm	101 mm	3.4 kg
17.8"	10"	4"	3.4 kg

Systems	IN.XE	IN.XM2
<b>SKU</b>	<b>BX-AE101</b>	<b>BX-AE100</b>
<b>Pump 1</b>	1 or 2 spd	1 or 2 spd*
<b>Pump 2</b>	1 spd	1 or 2 spd*
<b>Pump 3</b>	-	1 spd
<b>Pump 4</b>	-	1 spd
<b>Pump 5</b>	-	1 spd
<b>Blower</b>	<b>2 of them: Blower &amp; Ozone or Blower &amp; Circ or Circ &amp; Ozone</b>	✓
<b>Circ Pump</b>		✓
<b>Ozone</b>		✓
<b>Light</b>	12W @ 12V AC	12W @ 12V AC
<b>Direct Outlet</b>	✓	✓
<b>Connection</b>	in.link	in.link
<b>Heater</b>	3 kW	sold separately 2kW: HT-AE120 3kW: HT-AE138
<b>Topsides</b>	in.k19, in.k35, in.k45, in.k200, in.k450, in.k600 Static	in.k45, in.k300, in.k400, in.k450, in.k500, in.k600 Static, in.k600 Graphic, in.k800.
<b>Aux. Topsides</b>	in.k120	in.k100, in.k120
<b>In.Touch WiFi</b>	✓	✓

\* Allowed Current Draw is 7amp per pump on 4 & 5 pump systems. Pump 1 and 2 low speed relays can be used to control 5 single speed pump systems.

## Aeware IN.Y Series Control Boxes



in.touch ready!

Width	Height	Depth	Weight
497 mm	273 mm	126 mm	4.40 kg
19.58"	10.75"	4.98"	4.40 kg

System	IN.YE-5
<b>SKU</b>	<b>BX-YE500</b>
<b>Pump 1</b>	<b>Up to 5 out of the list.</b> <i>Dual speed pumps use 2 outputs.</i>
<b>Pump 2</b>	
<b>Pump 3</b>	
<b>Pump 4</b>	
<b>Pump 5</b>	
<b>Blower</b>	<b>Examples using 5 outputs:</b> P1-2spd, P2-1spd, Blower and Ozone
<b>Circ Pump</b>	P1-1spd, P2-1spd, P3-1spd, Circ pump and Ozone.
<b>Ozone</b>	
<b>Light</b>	12W @ 12V AC
<b>Direct Outlet</b>	✓
<b>Connection</b>	AMP or Quick Connect
<b>Heater</b>	3 kW
<b>Topsides</b>	in.k19, in.k35, in.k45, in.k200, in.k300, in.k450, in.k500, in.k600 Static, in.k800
<b>Aux. Topsides</b>	in.k120
<b>In.Touch WiFi</b>	✓

## Aeware IN.YJ-3 Control Box



System	IN.YJ-3
<b>SKU</b>	<b>BX-AE102</b>
<b>Pump 1</b>	<b>3 outputs (dual speed pumps use 2 outputs):</b> Pump 1, Pump 2, Pump 3, Pump 4, Pump 5, Blower, Circ Pump
<b>Pump 2</b>	
<b>Pump 3</b>	
<b>Pump 4</b>	
<b>Pump 5</b>	
<b>Blower</b>	<b>Example:</b> P1-2spd (2 outputs), Blower, and Ozone
<b>Circ Pump</b>	
<b>Ozone</b>	
<b>Light</b>	12V DC (6W max)
<b>Direct Outlet</b>	✓
<b>Connection</b>	
<b>Heater</b>	4 kW
<b>Topsides</b>	in.k200, in.k19, in.k35, in.k450, in.k600 static
<b>Aux. Topsides</b>	in.k120
<b>In.Touch WiFi</b>	in.touch Wi-Fi module


## Aeware IN.YT-7 Control Box



Width	Height	Depth	Weight
497mm	273mm	126mm	
19.6"	10.8"	5"	

System	IN.YT-7
<b>SKU</b>	<b>BX-YT700</b>
<b>Pump 1</b>	<b>7 outputs (dual speed pumps use 2 outputs):</b> pump 1, Pump 2, Pump 3, Pump 4, Pump 5, Blower, CP, Ozone
<b>Pump 2</b>	
<b>Pump 3</b>	
<b>Pump 4</b>	
<b>Pump 5</b>	
<b>Blower</b>	<b>Example:</b> P1-2spd (2 outputs), P2-2spd, P3-1spd, Blower, and Ozone
<b>Circ Pump</b>	
<b>Ozone</b>	
<b>Light</b>	12W @ 12V
<b>Direct Outlet</b>	✓
<b>Connection</b>	AMP or Quick Connect
<b>Heater</b>	4 kW
<b>Topsides</b>	IN.K200, IN.K300, IN.K19, IN.K35, IN.K45, IN.K450, IN.K600 Static (not compatible with the Graphic one), IN.K500, IN.K800, IN.K1000, IN.K1001
<b>Aux. Topsides</b>	IN.K120 auxiliary panel
<b>In.Touch WiFi</b>	IN.TOUCH Wi-Fi

## Gecko SSPA Control Boxes



The S-Class systems are quite common on the field. All boxes can program filter cycles. Single Phase compatible only. All controls have the following features :

- **JJM Receptacles**
- **Circulation Pump**
- **Spa Light 12V / 12W**
- **Audio/visual device power output**
- **Ozone Ready**

System	SKU	Pump 1	Pump 2	Pump 3	Circ. Pump	Blower	Heater	Topsides
SSPA1	<b>BX-SSPA1</b>	230V 1 or 2 spd	230V 1 Speed (if no blower)	-	✓	230V 1 Speed (if no pump 2)	2KW	TSC-9, TSC-18, TSC-19 or TSC-35

## (Davey) Spa Power SP601 Control Box

**Connections:** 50mm socket heater union sleeves.  
AMP cables plug onto the PCB to operate the components.

**Length:** 360mm  
**Width:** 95mm  
**Height:** 220mm

No electrical cables are supplied.



SKU	Pump 1A (1 or 2 spd)	Pump 1B (1 spd)	Pump 2A (1 or 2 spd)	Pump 2B (1 spd)	Aux	Blower Variable spd	Circ	Light Davey	Heater
<b>BX-Q621A</b>	✓	n/a	n/a	n/a	✓	✓	✓	1	2kW

## (Davey) Spa Power SP800 Control Box

**Connections:** 50mm socket heater union sleeves.  
AMP cables plug onto the PCB to operate the components.

**Length:** 360mm  
**Width:** 95mm  
**Height:** 220mm

No electrical cables are supplied.



SKU	Pump 1A (1 or 2 spd)	Pump 1B (1 spd)	Pump 2A (1 or 2 spd)	Pump 2B (1 spd)	Aux	Blower Variable spd	Circ	Light Davey	Heater
<b>BX-Q800A</b>	✓	✓	n/a	n/a	✓	✓	✓	4	2kW
<b>BX-Q801A</b>	✓	✓	n/a	n/a	✓	✓	✓	4	3kW

## (Davey) Spa Power SP1200 Control Box

**Connections:** 50mm socket heater union sleeves.  
AMP cables plug onto the PCB to operate the components.

**Length:** 360mm  
**Width:** 95mm  
**Height:** 310mm

No electrical cables are supplied.



SKU	Pump 1A (1 or 2 spd)	Pump 1B (1 spd)	Pump 2A (1 or 2 spd)	Pump 2B (1 spd)	Aux	Blower Variable spd	Circ	Light Davey	Heater
<b>BX-Q1200</b>	✓	✓	✓	✓	✓	✓	✓	4	3.5kW
<b>BX-Q1202</b>	✓	✓	✓	✓	✓	✓	✓	4	6kW

## Joyonway P20B29 Control Box

**Type:** Joyonway electronic control pack

**Connections:** 2-inch socket heater union sleeves

**Length:** 360mm  
**Width:** 82mm  
**Height:** 278mm




P20B29

System	SKU	Pump 1	Pump 2	Pump 3	Blower	Circ Pump	Heater	Compatible Topsides
P20B29	<b>BX-JO290</b>	1-2 Speed	230V 1 Speed (if no blower)	-	YES (if no pump2)	✓	3kw	PB553
P23B32	<b>BX-JO290</b>	1-2 Speed	230V 1 Speed (if no blower)	-	✓	✓	3kw	PB553
P25B85	<b>BX-JO850</b>	1-2 Speed	n/a	-	✓	✓	2kw	PB557

## Balboa GS PCB's

We often have customers who buy this PCB because on their board it says "GS500 or GS500Z" in the bottom left hand corner but this is just a standard print on all boards of this kind. You need to check the label on the software chip as this will give you the exact model you need. If you have an air blower or more than one large pump, you will most certainly need a higher spec board.



The Global Series (GS) is designed using Balboa's M7 temperature flow and sensor technology which increases the reliability, ease of installation, and serviceability of the control. All controls have the following features :

- Circulation Pump, 24 hrs or 1.5C safety shut off
- Spa Light 10V / 12W on/off
- Audio/visual device power output
- Ozone Ready

System	SKU	Pump 1	Pump 2	Pump 3	Circ. Pump	Blower	Compatible Topsides
GS500Z	<b>CB-ZZ500</b>	230V 2 Speed	-	-	✓	-	VL200, 240, 260 VL400, 401, 402, 403, 404, 406
GS501Z	<b>CB-GZ501</b>	230V 2 Speed	230V 1 Speed (if no blower)	-	✓	230V 1 Speed (if no pump 2)	VL200, 240, 260 VL400, 401, 402, 403, 404, 406
GS501SZ	<b>CB-SZ501</b>	230V 2 Speed	230V 1 Speed (if no blower)	-	✓	230V 1 Speed (if no pump 2)	VL600S VL700S, 701S, 702S
GS510SZ	<b>CB-SZ510</b>	230V 2 Speed	230V 1 Speed	-	✓	230V 1 Speed	VL700S, 701S, 702S
GS510DZ	<b>CB-DZ510</b>	230V 2 Speed	230V 1 Speed	-	✓	230V 1 Speed	VL801D, 802D
GS520DZ	<b>CB-DZ520</b>	230V 2 Speed	230V 2 Speed	-	✓	230V 1 Speed	VL801D, 802D
GS523DZ	<b>CB-DZ523</b>	230V 2 Speed	230V 1 Speed	230V 1 Speed	✓	230V 1 Speed	VL801D, 802D

### Balboa GL2000 mach3 PCB (Plastic Box Only)

If you have a GL2000 with a metal box, you need to change the full box.

This PCB won't be compatible.



SKU	Size
<b>CB-GL200</b>	290mm x 155mm

### Balboa GL8000 PCB




SKU	Size
<b>CB-GL800</b>	290mm x 250mm

### Balboa BP2100 PCB



SKU	Size
<b>CB-BP210</b>	280mm x 170mm

### Balboa Exp. Board 2 Pump Relay (GS523DZ)



SKU	Size
<b>CB-EX138</b>	115mm x 47mm

### Balboa Exp. Board Pump Relay (GS-GL)



SKU	Size
<b>CB-EX535</b>	80mm x 41mm

### Balboa Exp. Board Relay 30amp



CB-EX550

CB-EX551

Size: 135mm x 46mm

Type	SKU
1 x additional pump or blower (GS&GL)	<b>CB-EX550</b>
1 x 2-speed pump (GL only)	<b>CB-EX551</b>

### Balboa PCB CZM8

Type: PCB or Circuit Board

Compatible: BP600/601 control box. Topside controls from the serial standard TP range such as the TP800, TP600, and TP400.

Dimensions: 280 mm x 170 mm



System	SKU	Pump 1	Pump 2	Pump 3	Blower
BP601G1	<b>CB-BP602</b>	230V 1-2 Speed	230V 1 Speed (if no blower)	-	230V 1 Speed (if no pump 2)
BP6013G1	<b>CB-BP603</b>	230V 1-2 Speed	230V 1 Speed (if no blower)	-	230V 1 Speed (if no pump 2)
BP6013G2	<b>CB-BP604</b>	230V 1-2 Speed	230V 1-2 Speed	-	YES
BP6013G3	<b>CB-BP606</b>	230V 1-2 Speed	230V 1 Speed (if no blower)	-	230V 1 Speed (if no pump 2)

### Balboa Exp. Board (BP200UX)

**Length**   **Height**

85 mm   41 mm



SKU	Fuse
<b>CB-EX231</b>	Clear
<b>CB-EX233</b>	Solid

### Gecko MSPA Board

This is the only board available from Gecko. The control box is discontinued, you can only change the PCB.




SKU	Size
<b>CB-GEC01</b>	284 mm x 220mm

### HydroQuip PCB for CS-9707 and all CS-9000 series (Export)




SKU	Size
<b>CB-HQ825</b>	213mm x 207mm

### Screw Standoff Kit For an Expansion Board



SKU	Size
<b>CB-EX933</b>	

### (Davey) Spa Power SP600/601 PCB



SKU	Size
<b>CB-SP601</b>	145mm x 80mm

### (Davey) Spa Power SP800 PCB



SKU	Size
<b>CB-SP801</b>	223mm x 128mm

### (Davey) Spa Power SP1200 PCB

**Pump 1:** Single or dual speed pump + circulation pump if required.

**Pump 2:** Single Speed (Only If Pump 1 Is Single Speed With Circ)

**Air Blower:** Single Or Variable Speed Heater: x 1 Ozone: x 1 Light: x1, 12 volt

SKU	Size
<b>CB-SP121</b>	223mm x 125mm



## Balboa AX10 Aux Control

**Diameter:** 54mm

**Hole size:** 32mm

**Cable length:** 5m

**Compatible with:** Balboa GL and BP systems



Button Layout	SKU
Jets 1 (AX10-A1)	<b>TS-AX101</b>
Jets 2 (AX10-A2)	<b>TS-AX102</b>
Blower (AX10-A3)	<b>TS-AX103</b>
Light (AX10-A4)	<b>TS-AX104</b>

## Balboa AX20 Aux Control

**Size:** 150mm x 60mm

**Hole size:** 89mm x 31mm

**Cable length:** 5m

**Compatible with:** Balboa GL and BP systems



Button Layout	SKU
Jets 1 & Light	<b>TS-AX201</b>
Jets 1 & Blower	<b>TS-AX202</b>
Jets 1 & Jets 2	<b>TS-AX203</b>

## Balboa AX40 Aux Control

**Size:** 193mm x 60mm

**Hole size:** 135mm x 33mm

**Cable length:** 5m

**Compatible with:** Balboa GL and BP systems



Button Layout	SKU
Jets 1-2, Blower & Light	<b>TS-AX401</b>


## Balboa VX20 Aux Control

**Size:** 114mm x 57mm

**Hole size:** 90mm x 35mm

**Cable length:** 5.5m

**Compatible with:** GS Series above GS501 spec



Button Layout	SKU
2 buttons	<b>TS-VX204</b>

## Balboa VX40D Aux Control

**Size:** 160mm x 55mm

**Hole size:** 135mm x 33mm

**Cable length:** 5.5m

**Compatible with:** GS (DZ) Series above GS501DZ spec.



Button Layout	SKU
Jets 1, Jets 2, Blower & Light	<b>TS-VX404</b>

## Balboa VX40S Aux Control

**Size:** 190mm x 58mm

**Hole size:** 90mm x 35mm

**Cable length:** 5.5m

**Compatible with:** GS (SZ) Series above GS501SZ spec.



Button Layout	SKU
Jets1, Aux & Light	<b>TS-VX405</b>

## Balboa Lite Leader Panel

**Size:** 114mm x 57mm

**Hole size:** 90mm x 35mm

**Cable length:** 3m

**Compatible with:** depending on plug



Button Layout	SKU	Plug
Lights/Jets & Temp	<b>TS-LITE1</b>	RJ12 (6 wires)
Lights/Jets & Temp	<b>TS-LITE2</b>	RJ45 (8 wires)

## Balboa VL200

**Size:** 110mm x 40mm

**Hole size:** 95mm x 25mm

**Connections:** RJ45

**Compatible with:** GS100, GS500, GS500Z, GS501, GS501Z



Button Layout	SKU
3: Jets, Temp & Light	<b>TS-VL201</b>
4: Blower, Jets, Temp & Light	<b>TS-VL200</b>

## Balboa MVP240 (VL240)

**Size:** 134mm x 49mm

**Hole size:** 95mm x 25mm

**Connections:** RJ45

**Compatible with:** GS100, GS500, GS500Z, GS501, GS501Z, Duplex Control Systems.



Button Layout	SKU
3: Jets, Temp & Light	<b>TS-VL241</b>
4: Blower, Jets, Temp & Light	<b>TS-VL240</b>

## Balboa MVP260 (VL260)

**Size:** 178mm x 54mm

**Hole size:** 95mm x 25mm

**Connections:** RJ45

**Compatible with:** GS100, GS500, GS500Z, GS501, GS501Z, Duplex Control Systems.



Button Layout	SKU
3: Jets, Temp & Light	<b>TS-VL261</b>
4: Blower, Jets, Temp & Light	<b>TS-VL260</b>

## Balboa VL400

**Size:** 193mm x 59mm

**Hole size:** 157mm x 55mm

**Connections:** RJ45

**Compatible with:** GS100, GS500, GS500Z, GS501, GS501Z, Duplex Control Systems.



Button Layout	SKU
4: Light, Temp, Jets & Aux	<b>TS-VL400</b>

## Balboa VL401

**Size:** 160mm x 57mm

**Hole size:** 157mm x 55mm

**Connections:** RJ45

**Compatible with:** GS100, GS500, GS500Z, GS501, GS501Z, Duplex Control Systems.



Button Layout	SKU
4: Blower, Jets, Temp & Light	<b>TS-VL401</b>
4: Jets, Light, Cool, Warm	<b>TS-VL405</b>

## Balboa VL402

**Size:** 187mm x 83mm

**Hole size:** 157mm x 55mm

**Connections:** RJ45

**Compatible with:** GS100, GS500, GS500Z, GS501, GS501Z, Duplex Control Systems.



Button Layout	SKU
4: Temp, Blower, Jets & Light	<b>TS-VL402</b>

## Balboa VL403

**Size:** 160mm x 57mm

**Hole size:** 157mm x 55mm

**Connections:** RJ45

**Compatible with:** GS100, GS500, GS500Z, GS501, GS501Z, Duplex Control Systems.



Button Layout	SKU
4: Temp, Blower, Jets & Light	<b>TS-VL403</b>

## Balboa VL404

**Size:** 187mm x 83mm

**Hole size:** 157mm x 55mm

**Connections:** RJ45

**Compatible with:** GS100, GS500, GS500Z, GS501, GS501Z, Duplex Control Systems.



Button Layout	SKU
4: Temp, Blower, Jets & Light	<b>TS-VL404</b>

## Balboa VL600S

**Face:** 178mm x 86mm

**Hole size:** 150mm x 60mm

**Compatible with:** GS501SZ, GS510S, GS510SZ, GS511SZ, Master Spas amongst others.

**Connections:** RJ45

TS-VL601



Button Layout	SKU
6: Jets 1, Jets 2, Light, Warm, Mode & Cool	<b>TS-VL601</b>
6: Jets 1, Blower, Light, Warm, Mode & Cool	<b>TS-VL600</b>

## Balboa VL701S

**Face:** 187mm x 83mm

**Hole size:** 160mm x 55mm

**Connections:** RJ45

**Compatible with:** GS501SZ, GS510S, GS510SZ, GS511SZ, 2005 LE, M3TUV

TS-VL701



Button Layout	SKU
6: Warm, Cool, Blower, Mode, Jets 1 & Light	<b>TS-VL711</b>
6: Warm, Cool, Blower, Mode, Jets 1 & Light	<b>TS-VL721</b>
7: Warm, Cool, Blower, Mode, Jets 1, Jets 2 & Light	<b>TS-VL701</b>
7: Warm, Cool, Aux, Mode, Jets 1, Jets 2 & Light	<b>TS-VL731</b>

## Balboa VL700S

**Size:** 248mm x 79mm

**Hole size:** 210mm x 55mm

**Connections:** RJ45

**Compatible with:** GS501SZ, GS510S, GS510SZ, GS511SZ, 2005 LE, M3TUV



Button Layout	SKU
7: Mode, Warm, Cool, Light, Blower, Jets 1, Jets 2	<b>TS-VL700</b>

## Balboa VL702S

**Size:** 265mm x 117mm

**Hole size:** 160mm x 55mm

**Connections:** RJ45

**Compatible with:** GS501SZ, GS510S, GS510SZ, GS511SZ, 2005 LE, M3TUV



Button Layout	SKU
7: Blower, Mode, Jets 1, Jets 2, Light, Warm, Cool	<b>TS-VL702</b>

## Balboa VL801D

**Size:** 187mm x 83mm

**Hole size:** 160mm x 55mm

**Connections:** RJ45

**Compatible with:** GS501DZ, GS510DZ, GS511DZ, GS523DZ, M3TUV, Elite M7



Button Layout	SKU
8: Time, Mode/Prog, Warm, Blower, Light, Cool, Jets 1, Jets 2	<b>TS-VL801</b>

## Balboa VL802D

**Size:** 265mm x 117mm

**Hole size:** 160mm x 55mm

**Connections:** RJ45

**Compatible with:** GS501DZ, GS510DZ, GS511DZ, GS523DZ, M3TUV, Elite M7



Button Layout	SKU
8: Time, Mode/Prog, Warm, Blower, Light, Cool, Jets 1, Jets 2	<b>TS-VL802</b>

## Balboa ML240

**Size:** 133mm x 49mm

**Hole size:** 95mm x 25mm

**Connections:** 8 pin (2x4) molex

**Compatible with:** GL2000, GL8000



Button Layout	SKU
4: Jets, Aux, Temp & Light	<b>TS-ML240</b>

## Balboa ML260

**Size:** 178mm x 54mm

**Hole size:** 95mm x 25mm

**Connections:** 8 pin (2x4) molex

**Compatible with:** GL2000, GL8000



Button Layout	SKU
4: Jets, Aux, Temp & Light	<b>TS-ML260</b>

## Balboa ML400

**Size:** 190mm x 58mm

**Hole size:** 135mm x 35mm

**Connections:** 8 pin (2x4) molex

**Compatible with:** GL2000, GL8000



Button Layout	SKU
4: Jets, Aux, Temp & Light	<b>TS-ML400</b>

## Balboa ML550

**Size:** 348mm x 64mm

**Connections:** 8 pin (2x4) molex

**Compatible with:** GL2000, GL8000



Button Layout	SKU
7: Cool, Warm, Jets 1, Jets 2, Blower / Jets 3, Light & Mode	<b>TS-ML550</b>

## Balboa ML551

**Size:** 187mm x 83mm

**Hole size:** 160mm x 55mm

**Connections:** 8 pin (2x4) molex

**Compatible with:** GL2000, GL8000



Button Layout	SKU
7: Light, Mode, Jets 1, Jets 2, Blower, Warm, Cool	<b>TS-ML551</b>

## Balboa ML900

**Size:** 295mm x 80mm

**Hole size:** 245mm x 45mm

**Connections:** 8 pin (2x4) molex

**Compatible with:** GL2000, GL8000



Button Layout	SKU
9: Time, Warm, Mode/Prog, Cool, Jets 1, Jets 2, Jets 3, Option, Invert, Fiber, Light, Blower	<b>TS-ML900</b>

## Balboa ML700

**Size:** 248mm x 79mm

**Hole size:** 200mm x 45mm

**Connections:** 8 pin (2x4) molex

**Compatible with:** GL2000, GL8000



Button Layout	SKU
8: Time, Mode, Warm, Cool, Light, Blower, Jets 1 & Jets 2	<b>TS-ML700</b>

## Balboa TP200T

**Size:** 110mm x 40mm

**Connections:** 4 pin

**Compatible with:** Balboa BP Series such as BP601 and BP2100



Button Layout	SKU
4: Temp, Light, Jets & Aux	<b>TS-TP200</b>

## Balboa TP260T

**Size:** 175mm x 52mm

**Connections:** 4 pin

**Compatible with:** Balboa BP Series such as BP601 and BP2100



Button Layout	SKU
4: Temp, Light, Jets & Aux	<b>TS-TP260</b>

## Balboa TP400 + TP400W

**Size:** 210mm x 63mm

**Hole size:** 190mm x 38mm

**Connections:** 4 pin (2x2) molex

**Compatible with:** Viper, Revolution, Colossus & BP Series



Button Layout	SKU
4: Temp, Jet, Light & Aux	<b>TS-TP400</b>
4: Warm, Cool, Light & Jets	<b>TS-TP401</b>

## Balboa TP500

**Size:** 160mm x 57mm

**Hole size:** 142mm x 40mm

**Connections:** 4 pin (2x2) molex

**Compatible with:** Viper & BP Series



Button Layout	SKU
6: Warm, Cool, Menu, Light, Jets & Aux	<b>TS-TP500</b>

## Balboa TP500S

**Size:** 181mm x 89mm

**Connections:** 4 pin (2x2) molex

**Compatible with:** Balboa BP Series such as BP601 and BP2100



Button Layout	SKU
6: Warm, Cool, Menu, Light, Jets & Aux	<b>TS-TP501</b>

## Balboa TP600 + TP610

**Size:** 178mm x 86mm

**Hole size:** 150mm x 60mm

**Connections:** 4 pin (2x2) molex

**Compatible with:** Viper & BP Series



Button Layout	SKU
6: Jets, Aux, Flip, Warm, Light & Cool	<b>TS-TP600</b>
6: Jets, Aux, Flip, Warm, Light & Cool	<b>TS-TP610</b>

## Balboa TP700

**Size:** 250mm x 90mm

**Connections:** 4 pin (2x2) molex

**Compatible with:** All BP Series



Button Layout	SKU
10: Left: Jets 1, Jets 2, Jets 3, Light, Aux Right: Up, Down, Left. Right and Select.	<b>TS-TP700</b>

## Balboa TP800

**Size:** 250mm x 90mm

**Hole size:** 220mm x 60mm

**Connections:** 4 pin (2x2) molex

**Compatible with:** Viper & BP Series



Button Layout	SKU
9: Jets 1, Jets 2, Aux, Light & Navigation	<b>TS-TP800</b>

## Balboa Spa Touch Trapezoid Panel

**Size:** max 195mm x 120mm

**Hole size:** 120mm x 90mm

**Connections:** 4 black plastic pins in a grid formation.

**Compatible with:** Balboa BP Series.



Button Layout	Form	SKU
Touchscreen	Trapezoid	<b>TS-ST390</b>

## Balboa Spa Touch Panel 1

Button Layout  
Touchscreen

**Compatible with:**  
Balboa BP Series.



Form	SKU
Square	<b>TS-ST391</b>

## Balboa Spa Touch H2 Trapezoid Panel

Button Layout  
Touchscreen

**Size:** 200mm x 120mm

**Compatible with:**  
Balboa BP Series

Hi-Tec digital screen



Form	SKU
Trapezoid	<b>TS-ST392</b>

## Balboa Spa Touch H2 Square Panel

### Button Layout

Touchscreen

**Size:** 173mm x 145mm

**Compatible with:**  
Balboa BP Series

Hi-Tec digital screen



Form	SKU
Square	<b>TS-ST393</b>

## Balboa Spa Touch H2T Square Panel

**Size:** 147mm x 107mm

**Compatible with:**  
Balboa BP Series

Hi-Tec digital screen



Form	SKU
Square	<b>TS-ST394</b>

## Balboa Spa Touch ST3

### Button Layout

Touchscreen

**Size:** 145mm x 102mm

**Compatible with:**  
Balboa BP Series

Hi-Tec digital screen



Color	SKU
Clear Panel	<b>TS-ST354</b>
Black Panel	<b>TS-ST355</b>

## Balboa Spa Touch ST3 + Black Panel

### Button Layout

Touchscreen

**Size:** 185mm x 116mm

**Compatible with:**  
Balboa BP Series

Hi-Tec digital screen



Color	SKU
Black Panel	<b>TS-ST357</b>

## Balboa Spa Touch 3 + Clear Panel

### Button Layout

Touchscreen

**Size:** 185mm x 117mm

**Compatible with:**  
Balboa BP Series

Hi-Tec digital screen



SKU
<b>TS-ST399</b>

## Aeware IN.K8

**Size:** 178mm x 83mm

**Connections:** Click in plug

**Compatible with:** IN.XE and  
IN.Y Systems



Button Layout	SKU
8: Pump 1, Pump 2, Blower, Light, On/Off, Timer, Up & Down	<b>TS-AE008</b>

## Aeware IN.K110

**Diameter:** 38mm

**Hole size:** 22mm

**Connections:** Click in plug

**Compatible with:** IN.Touch Wi-Fi  
Module



Button Layout	SKU
1: control pump	<b>TS-AE110</b>

## Aeware IN.K120

**Size:** 140mm x 54mm

**Connections:** Click in plug

**Compatible with:** IN.XE,  
IN.XM, IN.XM2, IN.Y  
systems



Button Layout	SKU
4: Pump 1, Pump 2, Pump 3, Light	<b>TS-AE120</b>

## Aeware IN.K200

**Size:** 120mm x 51mm

**Connections:** Click in plug

**Compatible with:** IN.XE systems



Button Layout	SKU
4: Jets 1, Jets 2, Light, Temp	<b>TS-AE200</b>
4: Pump 1, Light, Up, Down	<b>TS-AE202</b>

## Aeware IN.K200 (IN.CLEAR)

**Size:** 120mm x 51mm

**Connections:** Click in plug

**Compatible with:** IN.CLEAR systems



Button Layout	SKU
4: Boost, Program, Up, Down	<b>TS-AE201</b>

## Aeware IN.K300

**Size:** 159mm x 75mm

**Connections:** Click in plug

**Compatible with:** IN.Y systems

TS-AE300



TS-AE301



Button Layout	SKU
4: Pump 1, Light, Up & Down	<b>TS-AE300</b>
4: Pump 1, Pump 2, Light, Up & Down	<b>TS-AE301</b>

## Aeware IN.K450

**Size:** 181mm x 73mm

**Hole size:** 160mm x 55mm

**Connections:** Click in plug

**Compatible with:** IN.XM and IN.XE systems



Button Layout	SKU
6: Power, 1, 2, 3, Light and Temp	<b>TS-AE451</b>

## Aeware IN.K500

**Size:** 182mm x 85mm

**Hole size:** 140mm x 50mm

**Connections:** Click in plug

**Compatible with:** IN.Y systems



Button Layout	SKU
7: Settings, Light, Mode, Pump 1, Pump 2, Up, Down	<b>TS-AE500</b>

## Aeware IN.K600 Static

**Size:** 220mm x 107mm

**Hole size:** 175mm x 90mm

**Connections:** Click in plug

**Compatible with:** IN.XM, IN.XE, IN.Y systems.



Button Layout	SKU
11: Streamlined version	<b>TS-AE601</b>

## Aeware IN.K800

**Size:** 222mm x 108mm

**Hole size:** 170mm x 70mm

**Connections:** Click in plug

**Compatible with:** IN.Y systems



Button Layout	SKU
10: Settings, Mode, P1, P2, P3, AUX1, AUX2, Light, Up, Down	<b>TS-AE800</b>

### Aeware IN.K1000

**Size:** 190mm x 130mm

**Connections:** Click in plug

**Compatible with:** IN.Y & IN.X systems



Button Layout	SKU
Touch Screen	<b>TS-GCK10</b>

### Gecko TSC-35 (K-35)

**Size:** 178mm x 83mm

**Connections:** White Plastic Strip Plug

**Compatible with:** SSPA Series



2 choices of overlay included

Button Layout	SKU
6: Pump 1, Pump 2, Blower, Light, Up, Down	<b>TS-GCK35</b>

### Gecko TSC-4 (K-4)

**Size:** 178mm x 83mm

**Connections:** White Plastic Strip Plug

**Compatible with:** MSPA Series



TS-GCK04



TS-GCK05

Button Layout	SKU
8: Up, Pump 1, Pump 2, Prog, Down, Blower, Light, Mode	<b>TS-GCK05</b>
10: Jets1, Jets 2, Jets 3, Blower, Light, Clock, Econo, Filter, Up and Down	<b>TS-GCK04</b>

### Gecko TSC-8 (K-8)

**Size:** 178mm x 83mm

**Connections:** White Plastic Strip Plug

**Compatible with:** MSPA Series



TS-GCK08



TS-GCK07

Button Layout	SKU
8: Jets 1, Jets 2, Blower, Light then bottom row ON/OFF, Filter, Up and Down	<b>TS-GCK08</b>
10: Power, Pump 1, Pump 2, Light, Up, Economy, Pump 3, Blower, Filter, Down	<b>TS-GCK07</b>

### Gecko TSC-9 (K-9)

**Size:** 115mm x 50mm

**Connections:** White Plastic Strip Plug

**Compatible with:** SSPA Series



2 choices of overlay included

Button Layout	SKU	Price
Pump, Light, Up, Down or Pump 1, Pump 2, Light, Up/Down	<b>TS-GCK09</b>	£145.47

### HydroQuip Eco-3

**Size:** 175mm x 85mm

**Connections:** White Plastic Strip Plug



Button Layout	SKU
6: Jets 1, Jets 2, Blower, Light, Temp up, Temp down	<b>TS-HQE03</b>

### HydroQuip Eco-5

**Size:** 127mm x 65mm

**Connections:** White Plastic Strip Plug



Button Layout	SKU
4: Jets, Light, Up, Down	<b>TS-HQE05</b>

### HydroQuip Eco-6

**Size:** 127mm x 65mm

**Connections:** White Plastic Strip Plug



Button Layout	SKU
4: Jets, Blower, Light, Temp	<b>TS-HQE06</b>

### HydroQuip Eco-7

**Size:** 178mm x 83mm

**Connections:** White Plastic Strip Plug



Button Layout	SKU
4: Jets, Light, Up, Down	<b>TS-HQE07</b>

### Joyonway PB553 Topside Control

**Size:** 225mm x 78mm

**Hole size:** 210mm x 55mm

**Compatible with:** P20B29 Joyonway Box



Button Layout	SKU
Jets1, Jets2, Flip, Mode, light, Navigation and Confirm Buttons	<b>TS-JO553</b>

### Joyonway PB554 Topside Control

**Size:** 170mm x 58mm

**Compatible with:** P23B32 Joyonway Box



Button Layout	SKU
Jets, Flip, Light, Navigation and Confirm Buttons	<b>TS-JO554</b>

### Joyonway PB557 Topside Control

**Size:** 160mm x 50mm

**Compatible with:** P25B85 Joyonway Box



Button Layout	SKU
Jets, Aux, Light, Program	<b>TS-JO557</b>

### (Davey) SP800

**Connections:** Ribbon cord style

**Compatible with:** SP800 Control Box

**Connections:** RJ10



TS-SP800



TS-SP801

Shape	SKU	Button Layout	Size
Oval	<b>TS-SP800</b>	Up, Down, Display, Light Up, Light Down, Pump 1, Pump 2, Blower, Cycle	173mm x 90mm
Rectangular	<b>TS-SP801</b>	Up, Down, Display, Light Up, Light Down, Pump 1, Pump 2, Blower, Cycle	170mm x 88mm

## (Davey) SP1200

**Connections:** Ribbon cord style

**Compatible with:** SP1200 Control Box

**Connections:** RJ10




Shape	SKU	Button Layout	Size
Oval	<b>TS-SP120</b>	Up, Down, Display, Light Up, Light Down, Pump 1, Pump 2, Pump 3, Pump 4, Blower, Cycle	173mm x 90mm
Rectangular	<b>TS-SP121</b>	Up, Down, Display, Light Up, Light Down, Pump 1, Pump 2, Pump 3, Pump 4, Blower, Cycle	170mm x 89mm

## Balboa Touch Panel Bezel

Touch panel bezels are used to cover the hole left by the previous topside. It also includes a new hole just big enough to fit the new retro fit touch panel.


**Outside dimension:** 218mm x 90mm

Compatible with	SKU
Mini Oval	<b>BZ-11718</b>
Lite Leader	<b>BZ-11110</b>
Lite Duplex	<b>BZ-11109</b>
Standard and Deluxe	<b>BZ-10165</b>



## Balboa Cable Extension Coupler 1:1

**Compatible with:** All VL touch panels that use the ethernet style connection (RJ45)



SKU  
**TS-EX125**

## VL Touch Panel 2:1 Modular Adapter

**Compatible with:** All VL touch panels that use the ethernet style connection (RJ45)



SKU  
**TS-JM174**

## Extension Cable (VL)

**Connections:** RJ45

**Compatible with:** VL touch panels



Length	SKU
3ft	<b>TS-EXV03</b>
10ft	<b>TS-EXV10</b>
25ft	<b>TS-EXV25</b>

## Extension Cable (ML)

**Connections:** 8 pin (2x4) molex

**Length:** 25ft

**Compatible with:** ML touch panels



SKU  
**TS-EXM25**

TS-EXV10

## Extension Cable (TP)

**Connections:** 4 black plastic pins in a grid formation

**Length:** 25ft

**Compatible with:** TP touch panels



SKU

**TS-EXP25**

## Tubing - 3.2mm (1/8inch) black (per metre)

Tubing for Air button / transmitter.

**Sold by the metre.**

**Internal Diameter:** 3.2mm



SKU

**TA-71000**

## Air Button - low profile (long distance)

**Diameter:** 64mm  
**Height:** 80mm

AB-FL100



Colour

SKU

White

**AB-FL100**

## Air Button - mini, dome

**Diameter:** 45mm  
**Height:** 67mm

AB-MD100

AB-MD105



Colour

SKU

White

**AB-MD100**

Chrome

**AB-MD105**

## Air Button - mini, flat

**Diameter:** 45mm  
**Height:** 65mm

Colour

SKU

White

**AB-MF100**

Chrome

**AB-MF105**



AB-MF100



AB-MF105

## Air Button - mini, dome

**Diameter:** 45mm  
**Height:** 75mm

Colour

SKU

White

**AB-MR100**

Chrome

**AB-MR105**



AB-MR100



AB-MR105

## Balboa AX10

Diameter approx. 50mm



OL-AX112

Button Layout	SKU
Jets 2	<b>OL-AX112</b>
Jets 3	<b>OL-AX113</b>
Jets 4	<b>OL-AX116</b>
Jets 5	<b>OL-AX117</b>
Light	<b>OL-AX115</b>
Blower	<b>OL-AX114</b>

## Balboa AX20

Size: 145mm (L) x 50mm (W)



Button Layout	SKU
Jets 1, Jets 2	<b>OL-AX202</b>

## VX40S Overlay 1p Aux and Light

Size: 145mm (L) x 45mm (W)



Button Layout	SKU
Jets 1, AUX, Light (Blue)	<b>OL-VX402</b>

## Balboa Lite Leader

Size: 103mm (L) x 47mm (W)



Button Layout	SKU
Light/Jets, Temp	<b>OL-LITE1</b>

## Balboa VL200

Size: 105mm (L) x 35mm (W)



OL-20040

Button Layout	SKU
Jets, Temp, Light	<b>OL-20031</b>
Blower, Jets, Temp, Light	<b>OL-20041</b>
Jets, Light, Cool, Warm	<b>OL-20040</b>
Jets, Jets, Temp, Light	<b>OL-20042</b>
Warm, Cool, Jets, Light	<b>OL-20043</b>

## Balboa VL240

Size: 128mm (L) x 41mm (W)



OL-24041

Button Layout	SKU
Jets, Temp, Light	<b>OL-24031</b>
Blower, Jets, Temp, Light	<b>OL-24041</b>
Jets, Light, Cool, Warm	<b>OL-24040</b>
Jets, Jets, Temp, Light	<b>OL-24042</b>

## Balboa VL260

Size: 168mm (L) x 48mm (W)



OL-26041

Button Layout	SKU
Jets, Temp, Light	<b>OL-26031</b>
Blower, Jets, Temp, Light	<b>OL-26041</b>
Jets, Light, Cool, Warm	<b>OL-26040</b>
Jets, Jets, Temp, Light	<b>OL-26042</b>

### Balboa VL400

Size: 185mm (L) x 50mm (W)



OL-40011

Button Layout	SKU
Light, Temp and Jets	<b>OL-40013</b>
Light, Jet, Temp and Aux	<b>OL-40011</b>
Light, Temp, Jets and Jets	<b>OL-40012</b>

### Balboa VL401

Size: 150mm (L) x 47mm (W)



OL-40141

Button Layout	SKU
Jets, Temp, Light	<b>OL-40131</b>
Blower, Jets, Temp, Light	<b>OL-40141</b>
Jets, Light, Cool, Warm	<b>OL-40140</b>
Jets, Jets, Temp, Light	<b>OL-40142</b>

### Balboa VL600S

Size: 168mm (L) x 68mm (W)



OL-60061

Button Layout	SKU
J, Blwr, Light, Warm, Mode, Cool	<b>OL-60061</b>
J, Aux, Light, Warm, Mode, Cool	<b>OL-60062</b>
J1, J2, Light, Warm, Mode, Cool	<b>OL-60063</b>

### Balboa VL700S

Size: 243mm (L) x 68mm (W)



OL-70062

Button Layout	SKU
Mode, Wm, Cl, Light, J1, J2	<b>OL-70063</b>
Mode, Wm, Cl, Light, Blwr, J1, J2	<b>OL-70062</b>

### Balboa VL402

Size: 170mm (L) x 70mm (W)



OL-40241

Button Layout	SKU
Jets, Temp, Light	<b>OL-40231</b>
Blower, Jets, Temp, Light	<b>OL-40241</b>
Jets, Jets, Light, Temp	<b>OL-40242</b>

### Balboa VL403

Size: 150mm (L) x 47mm (W)



OL-40341

Button Layout	SKU
Jets, Temp, Light	<b>OL-40331</b>
Blower, Jets, Temp, Light	<b>OL-40341</b>
Jets, Light, Cool, Warm	<b>OL-40340</b>

### Balboa VL404

Size: 170mm (L) x 69mm (W)



Button Layout	SKU
Jets, Temp, Light	<b>OL-40431</b>
Jets, Jets, Light, Temp	<b>OL-40442</b>

### Balboa VL406

Size: 170mm (L) x 70mm (W)



OL-40611

Button Layout	SKU
Blower, Jets, Temp, Light	<b>OL-40610</b>
Jets 1, Jets 2, Temp, Light	<b>OL-40611</b>
Jets, Temp, Light	<b>OL-40612</b>

### Balboa VL701S

Size: 177mm (L) x 74mm (W)



OL-70121

Button Layout	SKU
Blwr, Mode, Jets, Light, Warm, Cool	<b>OL-70111</b>
Mode, Jets, Blwr, Light, Warm, Cool	<b>OL-70112</b>
J1, J2, Light, Mode, Warm, Cool	<b>OL-70122</b>
Blwr, Mode, J1, J2, Light, Warm, Cool	<b>OL-70121</b>
Aux, Mode, J1, J2, Light, Warm, Cool	<b>OL-70123</b>

### VL802D Overlay (8) 2p + air

Size: 225cm (L) x 102mm (W)



Button Layout	SKU
Time, Warm, Blower, Light, Mode/Prog, Cool, J1, J2	<b>OL-VL802</b>

### Balboa VL702S

Size: 207mm (L) x 105mm (W)



OL-70221

Button Layout	SKU
Blwr, Mode, J1, J2, Lt, Wm, Cool	<b>OL-70223</b>
Aux, Mode, J1, J2, Lt, Wm, Cool	<b>OL-70221</b>

### Balboa VL801D

Size: 178mm (L) x 75mm (W)

OL-80121



Button Layout	SKU
Time, Mode, Warm, Cool, Jets, Aux, Light	<b>OL-80131</b>
Time, Mode, Warm, Cool, Jets, Aux, Blower, Lightz	<b>OL-80111</b>
Time, Mode, Warm, Cool, Jets 1, Jets 2, Blower, Light	<b>OL-80121</b>
Time, Mode, Warm, Cool, Jets 1, Jets 2&3, Blower, Light	<b>OL-80122</b>

### Balboa ML200

Size: 105mm (L) x 35mm (W)



Button Layout	SKU
Jets, Aux, Temp, Light	<b>OL-20141</b>

### Balboa ML550

Size: 338mm (L) x 48mm (W)



Button Layout	SKU
Cool, Warm, Jets 1, Jets 2, Jets 3, Light, Mode	<b>OL-55030</b>

### Balboa ML551

Size: 175mm (L) x 75mm (W)



Button Layout	SKU
Light, Mode, Warm, Jets 1, Jets 2, Blower, Cool	<b>OL-55121</b>

### ML700 Overlay (8) 2p + air

Size: 238mm (L) x 65mm (W)



Button Layout	SKU
Time, Warm, Leight, Blower, Mode / Prog, Cool, Jets 1, Jets 2	<b>OL-70021</b>

### ML700 Overlay (8) 3p no air

Size: 238mm (L) x 65mm (W)



Button Layout	SKU
Time, Warm, Light, Jets 3, Mode / Prog, Cool, Jets 1, Jets 2	<b>OL-70030</b>

### ML900 Overlay (12) 3p + air

Size: 286mm (L) x 68mm (W)



Button Layout	SKU
Time, Warm, Jets 1, Jets 2, Jets 3, Option, Mode / Prog, Cool, Invert, Fiber, Light, Blower	<b>OL-90031</b>

### ML900 Overlay (12) 4p no air

Size: 286mm (L) x 68mm (W)



Button Layout	SKU
Time, Mode/Prog, Warm, Cool, Jets 1, Jets 2, Jets 3, Jets 4, Invert, Fibre, Light and Option	<b>OL-90040</b>

### Balboa TP400

Size: 206mm (L) x 50mm (W)



OL-40014

Button Layout	SKU
Warm, Cool, Light, Jets	<b>OL-40010</b>
Temp, Jets, Light, Aux	<b>OL-40014</b>

### TP500S Overlay 2 Pump

Size: 168mm (L) x 68mm (W)



Button Layout	SKU
Warm, Cool, Menu, Light, Jets, Aux	<b>OL-TP500</b>

### Balboa TP600

Size: 168mm (L) x 68mm (W)



OL-60011

Button Layout	SKU
Jets, Aux, Flip, Warm, Light, Cool	<b>OL-60011</b>
J1, J2, Flip, Warm, Light, Cool	<b>OL-60010</b>

### Balboa TP800

Size: 243mm (L) x 72mm (W)



Button Layout	SKU
Jets 1, Jets 2, Aux, Light, Up, Down, Left, Right, Select	<b>OL-40015</b>

### Balboa TP900

Size: 245mm (L) x 95mm (W)



Button Layout	SKU
Up, Down, Left, Right & Select	<b>OL-40016</b>

### Aeware IN.K450-30P

Size: 184mm (L) x 76mm (W)



Button Layout	SKU
On, P1, P2, P3, Light, Up, Down	<b>OL-GC453</b>

### Aeware IN.K600 Graphic

Size: 210mm (L) x 95mm (W)



Button Layout	SKU
Light/Pump 1 to 5/OK/+/-/Prog/Power	<b>OL-GC492</b>

### Gecko Overlay IN.K800

Size: 210mm (L) x 95mm (W)



Button Layout	SKU
Settings/Mode/P1/P2/P3/AUX1/AUX2/Light/Up/Down	<b>OL-GC490</b>

### Gecko Overlay IN.K500

Size: 180mm (L) x 85mm (W)



Button Layout	SKU
Settings/Light/Mode/Pump 1/Pump 2/Up/Down	<b>OL-GC491</b>

### Gecko Overlay IN.K200



OL-GC494



OL-GC489

Pumps	Size	Button Layout	SKU
1	L: 104mm H: 45mm	Pump /Light/Up/Down	<b>OL-GC494</b>
2	L: 114mm H: 44mm	Pump 1/Pump 2/Light/Up,Down	<b>OL-GC489</b>

### Gecko Overlay IN.K300



OL-GC486



OL-GC487

Pumps	Size	Button Layout	SKU
1	L: 146mm H: 44mm	Pump /Light/Up/Down	<b>OL-GC486</b>
2	L: 146mm H: 44mm	Pump 1/Pump 2/Light/Up,Down	<b>OL-GC487</b>

### Gecko TSC-4 (K-4)



OL-GC411

**Size:** 178mm (L) x 82mm (W)  
164mm (L) x 69mm (W)

Button Layout	SKU
8 buttons: Up, Pump 1, Pump 2, Prog, Down, Blower, Light, Mode	<b>OL-GC481</b>
10 buttons: Filter Pump, Pump 1, Pump 2, Blower, Light, Clock, Econ, Filter, Up, Down	<b>OL-GC411</b>

### Gecko Overlay TSC-8




OL-GEC81

**Size:** 178mm (L) x 82mm (W)  
164mm (L) x 69mm (W)

Button Layout	SKU
8 buttons: Pump 1, Pump 2, Blower, Light, Power, Filter, Temp up, Temp down	<b>OL-GEC81</b>
10 buttons: Power/Pump 1/Pump 2/Light/Up/Economy/Pump	<b>OL-GC493</b>

### Gecko Overlay TSC-9



OL-GC485

**Size:** 104mm (L) x 42mm (H)

Pumps	Button Layout	SKU
1	Pump/Light/Up/Down	<b>OL-GC484</b>
2	Pump 1/Pump 2 / Light/Up,Down	<b>OL-GC485</b>

### Gecko TSC-35 (K-35)

**Size:** 178mm (L) x 82mm (W)




Button Layout	SKU
Pump 1, Pump 2, Blower, Light, Up, Down	<b>OL-GC351</b>

### Gecko Overlay TSC-18 GE1



OL-GC482



OL-GC483

Pumps	Size	Button Layout	SKU
1	L: 113mm H: 52mm	Pump/Light/Up/Down	<b>OL-GC482</b>
2	L: 113mm H: 52mm	Pump 1/Pump 2/Light/Up,Down	<b>OL-GC483</b>

### Gecko TSC-19 (K-19)

**Size:** 178mm (L) x 82mm (W)



Button Layout	SKU
Pump 1, Pump 2, Light, Up/Down	<b>OL-GC192</b>

### Vian Power TP600

**Size:** 168mm (L) x 68mm (W)




OL-60051

Button Layout	SKU
Jets, Flip, Warm, Light, Cool	<b>OL-60050</b>
Jets, Aux, Flip, Warm, Light, Cool	<b>OL-60051</b>
Jets 1, Jets 2, Aux, Warm, Light, Cool	<b>OL-60052</b>
Jets 1, Jets 2, Jets 3, Temp, Aux, Light	<b>OL-60053</b>

### Davey SP600



OL-SP601



OL-SP611

Size	Button Layout	SKU
L: 108mm H: 45mm	Oval - Up, Down, Pump, Blower	<b>OL-SP601</b>
L: 118mm H: 65mm	Rectangular - Up, Down, Pump, Blower	<b>OL-SP611</b>

### Davey SP800



OL-SP120



OL-SP121

Size	Button Layout	SKU
L: 170mm H: 85mm	Oval - Up, Dn, Disp, Lt+, Lt-, P1, P2, P3, P4, Br, Cycle	<b>OL-SP120</b>
L: 170mm H: 85mm	Rectangular - Up, Dn, Disp, Lt+, Lt-, P1, P2, P3, P4, Br, Cycle	<b>OL-SP121</b>

### Davey SP1200



OL-SP800



OL-SP801

Size	Button Layout	SKU
L: 163mm H: 79mm	Oval - Up, Dwn, Disp, Lt+, Lt-, P1, P2, Br, Cycle	<b>OL-SP800</b>
L: 170mm H: 88mm	Rectangular - Up, Dwn, Disp, Lt+, Lt-, P1, P2, Br, Cycle	<b>OL-SP801</b>

### Hydroquip Eco-7

Size: 165mm (L) x 70mm (W)



Button Layout	SKU
Jets, Light, Up, Down	<b>OL-07010</b>

### Hydroquip Overlay HT-2 8 Button

Size: 165mm (L) x 70mm (W)



Button Layout	SKU
8 Button: P1, P2, BL, I, PRG, EC, UP/Down	<b>OL-08010</b>

### Wellis Control Panel Overlay - AX40

Size: 185mm (L) x 50mm (W)



Button Layout	SKU
Jets 1, Jets 2/Blower, Flip, Warm, Light, Cool (blue)	<b>OL-WE571</b>

### Wellis Panel Overlay - TP800/TP600

Size: 169mm (L) x 68mm (W)



OL-WE559

Button Layout	SKU
Jets 1, Jets 2, Jets 3, Light, Up, Left, Right, Down	<b>OL-WE559</b>
Jets 1, Jets 2/Blower, Flip, Warm, Light, Cool (blue)	<b>OL-WE555</b>

### Wellis Control Panel Overlay - VL260

Size: 168mm (L) x 48mm (W)



Button Layout	SKU
Jets, Light, Cool, Warm (blue)	<b>OL-WE602</b>

### Wellis Control Panel Overlay - VL801D

Size: 168mm (L) x 48mm (W)



Button Layout	SKU
Time, Warm, Blower, Lights, Mode/Prog, Cool, Jets 1, Jets 2&3 (blue)	<b>OL-WE550</b>

### Wellis Control Panel Overlay - VL802D

Size: 210mm (L) x 105mm (W)



Button Layout	SKU
Time, Warm, Blower, Lights, Mode/Prog, Cool, Jets 1, Jets 2&3 (blue)	<b>OL-WE546</b>

### Wellis Panel Overlay - Economy

Size: 150mm (L) x 47mm (W)



Button Layout	SKU
Blower, Jets, Temp, Lights (blue)	<b>OL-WE547</b>

### Wellis Control Panel Overlay - Touch

Size: 185mm (L) x 108mm (W)



Button Layout	SKU
N/A	<b>OL-WE609</b>

### Wellis Panel Overlay - One Pump

Size: 150mm (L) x 50mm (W)



Button Layout	SKU
Pump, Light, Up, Down	<b>OL-WE773</b>



# LATEST PRODUCTS

PACK AWARE IN.YJ 3 / IN.K300

THE NEW IN.YJ-V3 AND IN.K300 ARE THE IDEAL COMBINATION FOR ANY SMALL FOOTPRINT SPA.

THE IN.YJ-V3 AND IN.K300 HAS THE POWER FOR PERFECT FUNCTIONALITY.

BOOSTED CPU AND ENHANCED MEMORY

COMPACT, WITH A BRIGHT LCD SCREEN

INCLUDES REMOTE HEATER ASSEMBLY



SKU PK-AE300



PACK AWARE IN.YE 5 / IN.K8

BOTH IN.YE5 AND IN.K8 DELIVER OPTIMAL PERFORMANCE AND TOTAL CONTROL.

IN.YE5 AND IN.K8 IS THE PERFECT SOLUTION TO BRING YOUR CUSTOMERS' SPAS TO THE NEXT LEVEL.

EASY TO INSTALL AND CONNECT TO PUMPS

IN.K8 FEATURES 8 KEYS AND A LCD SCREEN

EASIER ACCESS TO ALL SYSTEM FUNCTIONS



SKU PK-AE500

# GECKO®

# HEATERS

## HEATERS

BALBOA	62
LX	63
GECKO	64
AEWARE	65
HYDROQUIP	65
DAVEY	66
JOYONWAY	66
OTHERS	66



### Balboa M7

Compatible with: Duplex Value Pack, 2005 LE, Elite M7

Heater length: 15 inches  
 Heater Diameter: 2 inches  
 Between terminals: 1.25 inches  
 Overall length complete: 19.5 inches



**M7 Sensors**

kW	Amps	Material	SKU
2.0	8-8.5	Incoloy	<b>HT-BM720</b>
3.0	11.5-12	Incoloy	<b>HT-BM730</b>

### Balboa M7 Plug n' Click

Compatible with: BP500/501, BP600/601 and BP2100

Heater length: 15 inches  
 Heater Diameter: 2 inches  
 Between terminals: 1.25 inches  
 Overall length complete: 19.5 inches



**M7 Sensors**

kW	Amps	Material	SKU
2.0	8.3-9	Incoloy	<b>HT-BPC20</b>
3.0	11.5-12	Incoloy	<b>HT-BPC30</b>

### Balboa with Pressure Switch

Compatible with: Lite leader box, M1, M3 TUV and more

Heater length: 15 inches  
 Heater Diameter: 2 inches  
 Between terminals: 1.25 inches  
 Overall length complete: 19.5 inches



**Sensors: Pre M7 + Pressure Switch**

kW	Amps	Material	SKU
2.0	8-8.5	Incoloy	<b>HT-BPS20</b>
3.0	11.5-12	Incoloy	<b>HT-BPS30</b>
5.5	12-22	Incoloy	<b>HT-BPS55</b>

### Balboa Auxiliary-Slave Heater

Compatible with: All GS, GL & BP Series

Heater length: 15 inches  
 Heater Diameter: 2 inches  
 Between terminals: 1.25 inches  
 Overall length complete: 19.5 inches



**Built in high limit sensor, flow governed by the main control box.**

kW	Amps	Material	SKU
3.0	11.5-12	Incoloy	<b>HT-BSL30</b>

### Balboa M7 with Studs

Heater length: 15 inches  
 Heater Diameter: 2 inches  
 Between terminals: 1.25 inches  
 Overall length complete: 19.5 inches



Compatible with: All GS and GL models

**M7 Sensors**

kW	Amps	Material	SKU
2.0	8-8.5	Incoloy	<b>HT-BST20</b>
3.0	11.5-12	Incoloy	<b>HT-BST31</b>

### Balboa Heat Pump (6kW)

Compatible with: Balboa BP system upgrade

Length: 800 mm

Width: 310 mm

Height: 540 mm



SKU  
**HT-CLM60**

Volts	kW	Hz	Amps
230	1.3	<b>50</b>	2.4-6.3

### Balboa 2.0KW Heater M7 Plus with Studs for BP200

Compatible with: BP200 Box

Heater length: 500 mm

Between terminals: 280 mm



**M7 Sensors**

kW	Amps	SKU
2.0	9	<b>HT-GM427</b>

### Balboa 3.0KW Heater M7 Plus with Studs for BP200

Compatible with: BP200 Box

Heater length: 495 mm

Diameter: 80 mm



**M7 Sensors**

kW	Amps	SKU
2.0	11	<b>HT-GM428</b>

### Balboa 3.0kW M7 Plus for BP200

Compatible with: BP200 box

Heater length: 15 inches  
 Heater Diameter: 2 inches  
 Between terminals: 1.25 inches  
 Overall length complete: 19.5 inches

**M7 Sensors**



kW	Amps	Material	SKU
3.0	11.5-12	Incoloy	<b>HT-GM437</b>

### Balboa M7 (For new GS100)

Compatible with: GS100 Control Boxes (new plastic style)

Heater length: 10.25 inches  
 Heater Diameter: 1.5 inches  
 Between terminals: 1.25 inches  
 Overall length complete: 14.75 inches

**M7 Sensors**



kW	Amps	Material	SKU
2.0	8-8.5	Incoloy	<b>HT-GM721</b>

### LX H20 and H30-RS1 1.5" with Thermoregulator

Compatible with: Some Chinese Hot Tubs

Heater length: 135mm  
 Heater Diameter: 50mm  
 Overall height: 150mm  
 Overall length complete: 165mm

*Pressure switch built into the heater run on a separate cord*



kW	Amps	Material	SKU
2.0	9	Plastic	<b>HT-LX201</b>
3.0	13.4	Plastic	<b>HT-LX311</b>

### LX H30-R1 1.5" (Straight)

Compatible with: Some Chinese Hot Tubs

Heater length: 265mm  
 Heater Diameter: 50mm  
 Overall height: 120mm  
 Overall length complete: 315mm

*Built-in Pressure Switch, temp controlled by the control box. High limit thermal cut out built in.*



**HT-LX301**

kW	Amps	PS Cable	SKU
3.0	13.6	With	<b>HT-LX301</b>
3.0	13.6	Without	<b>HT-LX321</b>

### LX H30-R2 1.5" (L-Shape)

Compatible with: Some Chinese Hot Tubs

Heater length: 255mm  
 Heater Diameter: 50mm  
 Overall height: 140mm  
 Overall length complete: 300mm

*Built-in Pressure Switch, temp controlled by the control box. High limit thermal cut out built in.*



**HT-LX302**

**HT-LX322**

kW	Amps	PS Cable	SKU
3.0	13.6	With	<b>HT-LX302</b>
3.0	13.6	Without	<b>HT-LX322</b>

### LX H30-R3 1.5"(T-Shape)

Compatible with: Some Chinese Hot Tubs

Heater length: 250mm  
 Heater diameter: 50mm  
 Overall height: 200mm  
 Overall length complete: 340mm

*Built-in Pressure Switch, temp controlled by the control box. High limit thermal cut out built in.*



**HT-LX303**

**HT-LX323**

kW	Amps	PS Cable	SKU
3.0	13.6	With	<b>HT-LX303</b>
3.0	13.6	Without	<b>HT-LX323</b>

## LX H30-R1 2" (Straight)

Compatible with: Some Chinese Hot Tubs

Heater length: 330mm  
 Heater Diameter: 63mm  
 Overall height: 45mm  
 Overall length complete: 445mm

**Built-in Pressure Switch, temp controlled by the control box. High limit thermal cut out built in.**



HT-LX304



HT-LX324

kW	Amps	PS Cable	SKU
3.0	13.6	With	<b>HT-LX304</b>
3.0	13.6	Without	<b>HT-LX324</b>

## Gecko in.temp Heat Pump

The in.temp is one of the most economical ways of heating your spa efficiently. Using the free renewable energy from the air, it is over 4/5 times more efficient than traditional heating.

**Plug and Play**

**Energy Saving up to 75%\***

**Up to 6 different modes operation: Eco Heat, Smart Heat, Eco Auto, Smart Auto, Cool and Electric**

**Wide ambient working range: -5° to 43°.**

(\* Information related savings are provided by the manufacturer and it can vary depending on different conditions.



kW	Amps	Length	Width	Height	SKU
5.0	3.9-6.07	794mm	346mm	555mm	<b>HT-TEM10</b>
7.5	5.9-8.67	902mm	356mm	661mm	<b>HT-TEM75</b>

## Gecko HEAT.WAV Heater SSPA

Compatible with: Gecko SSPA (2kW)  
 Heater length: 15 inches  
 Heater Diameter: 2 inches  
 Between terminals: 1.25 inches  
 Overall length complete: 19.5 inches



kW	Amps	SKU
2.0	8-8.5	<b>HT-GHW20</b>
3.0	12.5	<b>HT-GHW21</b>

## Gecko HEAT.WAV 3.0kW Heater MSPA

Compatible with: Gecko MSPA-MP control box (the big blue one).  
 Heater length: 15 inches  
 Heater Diameter: 2 inches



kW	Amps	SKU
3.0	14.4	<b>HT-GHW30</b>

## Aeware HEAT.WAV Heater (IN.XE)

Compatible with: AeWare IN.XE Systems

Heater length: 15 inches  
Heater Diameter: 2 inches  
Between terminals: 1.25 inches  
Overall length complete: 19.5 inches

**Gecko Sensors (ribbon style) + Pressure Switch.**



kW	Amps	SKU
2.0	8-8.5	<b>HT-AHW20</b>
3.0	10.9	<b>HT-AHW30</b>
4.0	14.5	<b>HT-AHW40</b>

## AeWare IN.THERM Remote Heater

Compatible with: Aeware IN.XM, IN.XM2 Systems

Heater length: 368mm  
Heater Diameter: 2 inches  
Heater height: 127mm  
Heater depth: 114mm

**Sensors and Flow Detection Built-in within self contained unit.**



kW	Amps	SKU
2.0	8-8.5	<b>HT-AE120</b>
3.8	15-16	<b>HT-AE138</b>

## AeWare IN.YJ Remote Heater

Compatible with: IN.YJ System only

Heater length: 368mm



kW	Amps	SKU
1.3	5.4	<b>HT-AE122</b>
2.0	8.3	<b>HT-AE121</b>
3.0	12.5	<b>HT-AE123</b>
4.0	16	<b>HT-AE124</b>

## Aeware IN.XM2 & IN.Clear Mounting Bracket

Compatible with: IN.THERM Heater and IN.CLEAR. This is used on IN.XM and IN.XM2 boxes. Sold individually.



SKU
<b>HT-AE992</b>

## HydroQuip 2kW Flow Thru Heater SSPA

Compatible with: Gecko SSPA control box

Heater length: 15 inches  
Heater Diameter: 2 inches  
Between terminals: 1.25 inches  
Overall length complete: 19.5 inches

**Gecko Sensors + Pressure Switch.**



kW	Amps	SKU
2.0	8-8.5	<b>HT-GEC20</b>

## HydroQuip 3.6kW Flow Thru Heater MSPA

Compatible with: Gecko MSPA control box

Heater length: 15 inches  
Heater Diameter: 2 inches  
Between terminals: 10.25 inches  
Overall length complete: 15 inches

**Gecko Sensors + Pressure Switch.**



kW	Amps	SKU
3.6	14.4	<b>HT-GEC36</b>

### HydroQuip 1.5kW Double Barrell

This is a generic replacement model for C3

Heater length: 387mm  
 Heater Diameter: 2 inches  
 Between terminals: 1.25 inches  
 Overall length complete: 19.5 inches

**Gecko Sensors + Pressure Switch**



kW	Amps	SKU
1.5	6.25	<b>HT-LG015</b>

### HydroQuip 2.5kW Challenger heater

Compatible with: Gulf Coast Spas with the blue faced metal control box amongst others

Heater length: 15 inches  
 Heater Diameter: 2 inches  
 Between terminals: 1.25 inches  
 Overall length complete: 19.5 inches

**Gecko Sensors + Pressure Switch**



kW	Amps	SKU
2.5	10-10.5	<b>HT-HQ030</b>

### (Davey) Spa Power

Compatible with: Spa Power Systems

**Davey sensors + Built-in flow detection**



Type	kW	Amps	SKU
SP600/601	1.5	6-6.5	<b>HT-SP601</b>
SSP600/601/800	2.0	8-8.5	<b>HT-SP602</b>
SP800	3.0	11.5-12	<b>HT-SP803</b>
SP1200	3.5	14-14.5	<b>HT-SP135</b>
SP1200	4.5	18-18.5	<b>HT-SP145</b>
SP1200	6.0	24-24.5	<b>HT-SP160</b>

### Joyonway 2.0KW Heater

**Heater length:** 291 mm

**Diameter:** 80 mm

**Overall length complete:** 374 mm



kW	Amps	SKU
2.0	8.0-8.5	<b>HT-JO200</b>

### Joyonway 3.0KW Heater

**Heater length:** 291 mm

**Diameter:** 80 mm

**Overall length complete:** 374 mm

**M7 Sensors**



kW	Amps	SKU
3.0	11.5-12.00	<b>HT-JO300</b>

### 3.0kW Vita Spa Flow Thru Heater

Compatible with: Vita Spas - C2300-0010ET

Heater length: 17.75 inches  
 Heater Diameter: 2 inches  
 Between terminals: 1.25 inches



kW	Amps	Material	SKU
3.0	13.0	Incoloy	<b>HT-VI010</b>

### 3.6kW Curved Tee Heater

Compatible with: Arctic Spa Models Cub, Fox, Glacier, Yukon, Frontier, Summit, Klondiker, Kodiak, Tundra 2002 - 2005. This unit will also work with newer models 2005 - 2007 as the pipework is flexible and can be easily re-positioned.

Heater length: 215mm  
Heater Diameter: 54mm



kW	Amps	SKU
3.6	13.5-14.5	<b>HT-AC136</b>

### 3.6kW Straight Tee Heater

Compatible with: Arctic Spa Models Cub, Fox, Glacier, Yukon, Frontier, Summit, Klondiker, Kodiak, Tundra 2002 - 2005. This unit will also work with newer models 2005 - 2007 as the pipework is flexible and can be easily re-positioned.

Heater length: 326mm  
Heater Diameter: 54mm



kW	Amps	SKU
3.6	13.5-14.5	<b>HT-AC137</b>

### Sundance Low Flo 2.7kW Heater

Compatible with: Sundance 2.7kW Low Flow 6500-315 Smart Heater

Heater length: 380mm  
Heater Diameter: 107mm  
Overall length complete: 500mm

**Harwil reed flow switch (not included)**



kW	Amps	SKU
2.7	10.5-11.5	<b>HT-SD027</b>

### Laing 2.9kW Half Loop Style Heater

Compatible with: Sundance Spas, Jacuzzi, Caldera and more

Heater length: 675mm  
Heater Diameter: 19mm

**Harwil reed flow switch (not included)**



kW	Amps	SKU
2.9	11.6	<b>HT-LG029</b>

### Balboa Heater Terminal Strap

Compatible with: all plastic Balboa control boxes (excluding BP.) Sold individually.

Connections / Fixings: 10mm nut x 2 to secure the copper strap in place



SKU
<b>HT-BHS30</b>

### Sundance/Jacuzzi Low Flo 2.7kW

Compatible with: Sundance 6500-401 / Replaces C3478-1A

Heater height: approx. 295mm  
Heater Depth: 107mm (excluding hose connection at top).  
Overall length: approx. 58cm

**Harwil reed flow switch (not included)**



kW	Amps	SKU
2.7	10.5	<b>HT-SD478</b>

### 3.6kW Heater Element Titanium 7"

Compatible with: replacement element for Balboa, HydroQuip, Gecko, Thermcore, Aquatemp, RMF, Spa Builders, Brett Aqualine

Element length: 178mm  
Element height (approx): 60mm  
Between centre of terminals: 33mm



kW	Amps	SKU
3.6	13.5-14.5	<b>HT-TE361</b>

### Incoloy Standard Element

Compatible with: Replacement for Balboa, HydroQuip, Gecko, Thermcore, Aquatemp, RMF, Spa Builders, Brett Aqualine, etc.

Element length: 270mm  
Element height (approx): 60mm  
Between centre of terminals: 33mm



kW	Amps	SKU
1.5	6.0	<b>HT-ELS15</b>
2.0	8.0	<b>HT-ELS20</b>
2.5	10.0	<b>HT-ELS25</b>
3.0	12.0	<b>HT-ELS30</b>
4.0	16.0	<b>HT-ELS40</b>
5.5	22.0	<b>HT-ELS55</b>

### H30 Heater Element

Compatible with: replacement element for H30-R1, H30-R2, H30-R3.

Element length: 168mm  
Element height (approx): 50mm  
Between centre of terminals: 25mm



kW	Amps	SKU
3.0	11.6	<b>HT-LX030</b>

### 3.6KW Heater Element to fit Arctic Spa

Compatible with: Replacement for element found on Arctic Spas curved tee heater and straight tee heater models.

Element length: 175mm  
Element height (approx): 29mm  
Between centre of terminals: 25mm



kW	Amps	SKU
3.6	13.5-14.5	<b>HT-HE360</b>

### Titanium Standard Element

Compatible with: Replacement for Balboa, HydroQuip, Gecko, Thermcore, Aquatemp, RMF, Spa Builders, Brett Aqualine etc.

Element length: 270mm  
Element height (approx): 60mm  
Between centre of terminals: 33mm



kW	Amps	SKU
2.0	6.0	<b>HT-TE200</b>
2.5	10.0	<b>HT-TE250</b>
3.0	12.0	<b>HT-TE300</b>
4.0	16.0	<b>HT-TE400</b>
5.5	22.0	<b>HT-TE550</b>

### 3kW Official Balboa Heater Element Incoloy

Compatible with: Balboa heater tubes, especially designed to be the correct distance away from the M7 sensors.

Element length: 270mm  
Element height (approx): 60mm  
Between centre of terminals: 33mm.



kW	Amps	SKU
3.0	12.0	<b>HT-B3080</b>

# AIR BLOWERS

## AIR BLOWERS

GENESIS 72

LX 72

MAX AIR 72

CG 72

ULTRA 9000 73

SPAQUIP 73



## Genesis

Used mainly with baths but found in some smaller Hot Tub brands and bespoke systems.

**Connection:** 1 inch (union included)

Model	Watts	Amps	HP	SKU
G50	500	2.2	0.6	<b>BL-GB500</b>
G70 + Heater*	950 inc heater	4.1	0.94	<b>BL-GB700</b>
G90	900	3.6	1.21	<b>BL-GB901</b>
G90 + Heater	1150 inc heater	5	1.21	<b>BL-GB900</b>
G120	1200	5.2	1361	<b>BL-GB120</b>



BL-BG500

## LX

Commonly found in Chinese Spas but are more and more common on other tubs as well. Threaded union is included.

**Connection:** 1 inch socket

Model	Watts	Amps	HP	SKU
AP400-V2	400	2.5	0.6	<b>BL-AP400</b>
AP700-V2	700	3.3	0.94	<b>BL-AP700</b>
AP800-V2	880	3.3	1	<b>BL-AP800</b>
AP900-V2	900	4.5	1.2	<b>BL-AP900</b>



BL-AP400

## Max Air

Once used on Arctic Spas amongst others. Made by the same manufacturer as the Ultra 9000 range.

**Connection:** 1.5 inch socket

Model	Watts	Amps	HP	SKU
1 HP	747	2.4	1.0	<b>BL-MA010</b>
1 HP + Heater	747	2.4	1.0	<b>BL-MA110</b>
1.5 HP	1120	4.9	1.5	<b>BL-MA015</b>



BL-MA010

## CG Air

Made in Canada, found on various North American Spas.

**Connection:** 1.5 inch socket with fixing screw

Model	Watts	Amps	HP	SKU
700W	700	2.6	0.94	<b>BL-CG700</b>
900W	900	5.5	1.2	<b>BL-CG900</b>
900W + Heater	1200 inc. heater	7.3	1.2	<b>BL-CG901</b>



BL-CG900

## Ultra 9000

It has a 2" socket and the existing wire can be swapped to match your current wiring.

**Connection:** 2 inch socket



BL-U9010

Model	Watts	Amps	HP	SKU
1 HP	747	2.5	1.0	<b>BL-U9010</b>
1.5 HP	1120	3.5	2.5	<b>BL-U9015</b>
2 HP	1494	6	2.0	<b>BL-U9020</b>

## Ultra 9000 Motor Only

Comes with wiring ready to install into the existing housing.



BL-U9016

Model	SKU
1 HP	<b>BL-U9011</b>
1.5 HP	<b>BL-U9016</b>
2 HP	<b>BL-U9021</b>

## Spa Quip 940W Variable Speed


Supplied with AMP plug

**Connection:** 1.5 inch socket  
**Watts:** 940  
**Amps:** 2.5  
**HP:** 1.3



SKU  
**BL-SP940**

## One-Way Loop Installation



# BRANDS

Europe's largest spare parts supplier of brands such as...



# PLUMBING


## PLUMBING

PIPING	76
PLUMBING FITTINGS	77
MANIFOLDS & WYE	80
VALVES & BLEED PARTS	81
UNIONS & UNION PARTS	83
SUCTION & DRAINAGE	83
DIVERTERS	85
FILTRATION	87
GLUES, SEALERS & LUBRICANTS	89
TOOLS & ACCESSORIES	91



## Pipe Sizing Reference

If you use this handy pipe size conversion this will help to determine the size of pipe work needed.  
Any questions please call.



Our size (Internal Bore)	Conversion (Outside Diameter)
1 inch	1.3 inches (33.4 mm)
1 1/4 inch	1.7 inches (42.2 mm)
1 1/2 inch	1.9 inches (48.3 mm)
2 inch	2.4 inches (60.3 mm)
2 1/2 inch	2.9 inches (73.0 mm)
3 inch	3.5 inches (88.9 mm)

## Rigid Pipe (Sold by the metre)

**Note:** Max cut of 1m but you can order several length of 1m. if needed. Sold by the metre.

Diameter	SKU
1/2 inch	<b>PL-10324</b>
3/4 inch	<b>PL-10323</b>
1 inch	<b>PL-10320</b>
1.5 inch	<b>PL-10321</b>
2 inch	<b>PL-10322</b>
32mm	<b>PL-10332</b>
50mm	<b>PL-10331</b>
63mm	<b>PL-10330</b>



## Flexible Pipe (Sold by the metre)

Diameter	Max. Cut	SKU
1/2 inch	30m	<b>PL-10313</b>
3/4 inch	30m	<b>PL-10314</b>
1 inch	15m	<b>PL-10310</b>
1.5 inch	15m	<b>PL-10311</b>
1.5 inch (pre-cut)	1m	<b>PL-11404</b>
2 inch	15m	<b>PL-10312</b>
2.5 inch	15m	<b>PL-10315</b>



**Note:** Max cut depending on diameter. Sold by the metre.

## Vinyl Pipe (Sold by the metre)

**Note:** Max cut depending on diameter. Sold by the metre.



Size	Reel Size	SKU
1/4 x 3/8 inch (air)	180m	<b>PL-10342</b>
3/8 inch (air)	150m	<b>PL-10341</b>
3/4 inch (water)	45m	<b>PL-10340</b>

## Pool Vacuum Hose 38mm (length 13m)

Flexible Hose for Pools.  
Cuffed on both sides.

**Sold as 13m length**



Size	SKU
1 1/2" / 38mm	<b>PL-38013</b>

## Socket (Plain)

Diameter	SKU
1/2 inch	<b>PL-10007</b>
3/4 inch	<b>PL-10012</b>
1 inch	<b>PL-10030</b>
1.5 inch	<b>PL-10045</b>
2 inch	<b>PL-10066</b>
32mm	<b>PL-32004</b>
50mm	<b>PL-50004</b>
63mm	<b>PL-63004</b>



## Tee

Diameter	SKU
1/2 inch	<b>PL-10008</b>
3/4 inch	<b>PL-10014</b>
1 inch	<b>PL-10029</b>
1.5 inch	<b>PL-10044</b>
2 inch	<b>PL-10069</b>
32mm	<b>PL-32002</b>
50mm	<b>PL-50002</b>
63mm	<b>PL-63002</b>



## 45° Elbow

Diameter	SKU
1/2 inch	<b>PL-10018</b>
3/4 inch	<b>PL-10015</b>
1 inch	<b>PL-10026</b>
1.5 inch	<b>PL-10040</b>
2 inch	<b>PL-10060</b>
32mm	<b>PL-32000</b>
50mm	<b>PL-50000</b>
63mm	<b>PL-63000</b>



## 90° Elbow

Diameter	SKU
1/2 inch	<b>PL-10009</b>
3/4 inch	<b>PL-10011</b>
1 inch	<b>PL-10027</b>
1.5 inch	<b>PL-10042</b>
2 inch	<b>PL-10062</b>
32mm	<b>PL-32001</b>
50mm	<b>PL-50001</b>
63mm	<b>PL-63001</b>



## 45° Elbow (Male-Female)

Diameter	SKU
1 inch	<b>PL-10025</b>
1.5 inch	<b>PL-10041</b>
2 inch	<b>PL-10061</b>



## 90° Elbow (Male-Female)

Diameter	SKU
1 inch	<b>PL-10028</b>
1.5 inch	<b>PL-10043</b>
2 inch	<b>PL-10063</b>



## Sweep Elbow

Diameter	SKU
1.5 inch	<b>PL-19110</b>
2 inch	<b>PL-10064</b>



## Sweep Elbow (Male-Female)

Diameter	SKU
1.5 inch	<b>PL-19100</b>
2 inch	<b>PL-10065</b>



**45° Elbow  
(Male - Male)**



Diameter	SKU
2 inch	<b>PL-10160</b>

**90° elbow  
(Male - Male)**



Diameter	SKU
1.5 inch	<b>PL-10142</b>

**U-Bend**



Diameter	SKU
1.5 inch	<b>PL-10047</b>

**Discharge Tee**



Diameter	SKU
1.5" Spg x 1" S x 1" S	<b>PL-10300</b>
50mm Spg x 32mm S x 32 mm S	<b>PL-10301</b>

**Stop End (Socket)**



Diameter	SKU
1/2 inch	<b>PL-10010</b>
3/4 inch	<b>PL-10013</b>
1 inch	<b>PL-10033</b>
1.5 inch	<b>PL-10050</b>
2 inch	<b>PL-10168</b>
32mm	<b>PL-32003</b>
50mm	<b>PL-50003</b>
63mm	<b>PL-63003</b>

**Stop End (Spigot)**



Diameter	SKU
3/8 inch	<b>PL-10038</b>
3/4 inch	<b>PL-10039</b>
1 inch	<b>PL-10031</b>
1.5 inch	<b>PL-10046</b>
2 inch	<b>PL-10068</b>

**Bell End Reducer**



Diameter	SKU
1.5" S x 1" S	<b>PL-10295</b>

**50 mm x 38mm x 32 mm Reducer**



Diameter	SKU
50mm > 38mm > 32mm	<b>PL-10511</b>

### Barb Reducer



Diameter	SKU
1" - 3/8"	<b>PL-10510</b>
1" - 3/4"	<b>PL-10293</b>
1.5" - 3/4"	<b>PL-10291</b>
2" - 3/4"	<b>PL-10296</b>

### Reducing Adapters Imperial to Metric (S x S)



Diameter	SKU
1" to 32mm	<b>PL-10032</b>
1.5" to 50mm	<b>PL-10048</b>
2" to 63mm	<b>PL-10070</b>

### Intex Hosing (Pool)



Size	SKU
1.25" - 1.5"	<b>PL-IHC01</b>

### Threaded Nipple



Diameter	SKU
1.5" S x 1.5" male threaded nipple	<b>PL-10299</b>

### Pipe Extender



Diameter	SKU
1/2 inch	<b>PL-11000</b>
3/4 inch	<b>PL-12000</b>
1 inch	<b>PL-13000</b>
1.5 inch	<b>PL-15000</b>
2 inch	<b>PL-16000</b>
2.5 inch	<b>PL-17000</b>

### Internal Joiner



Diameter	SKU
1 inch	<b>PL-14100</b>
1.5 inch	<b>PL-14110</b>
2 inch	<b>PL-14120</b>

### PVC Fitting Extender White



Diameter	SKU
2 inch	<b>PL-16001</b>
1.5 inch	<b>PL-15001</b>

### Socket Barb



Diameter	SKU
3-eighth inch RB	<b>PL-10004</b>
3-quarter inch SB	<b>PL-10002</b>

### Reducing Bush (Spg x S)



Diameter	SKU
3/4" - 1/2"	<b>PL-10294</b>
1" - 3/4"	<b>PL-10297</b>
1" - 1/2"	<b>PL-10298</b>
1.5" - 1"	<b>PL-10290</b>
2" - 1.5"	<b>PL-10292</b>
63mm x 50mm	<b>PL-63500</b>
50mm x 32mm	<b>PL-50320</b>

### 32mm - 1 inch Adapter Socket



Size	SKU
32mm - 1"	<b>PL-10356</b>

### Elbow Ribbed Barb



Type	SKU
3/4"	<b>PL-10003</b>

### Tee Smooth Barb



Diameter	SKU
3/4" SB x 3/4" SB x 3/4" SB	<b>PL-10001</b>
3/4" SB x 3/4" SB x 3/8" SB	<b>PL-10016</b>
3/8" SB x 3/8" SB x 3/8" SB	<b>PL-10019</b>

### 1.5 inch Nipple PVC-U



Diameter	SKU
35mm > 54mm > 42mm	<b>PL-10303</b>

### Manifold Bung



Diameter	SKU
1/2"	<b>PL-10237</b>
3/4"	<b>PL-10240</b>

### Air Manifold

Diameter	SKU
1" Spg x 3/8" SB (2)	<b>PL-10243</b>
1" S x 1" Spg x 3/8" RB (4)	<b>PL-10233</b>
1" S x 1" Spg x 1" Spg x 3/8" SB (8)	<b>PL-10232</b>
1.5" S x 1.5" Spg x 3/8" SB (10)	<b>PL-14660</b>
1.5" S x 1.5" Spg x 3/8" SB (16)	<b>PL-14200</b>



## Water Manifold and Wye



Diameter	SKU
1.5" S x 1.5" S x 1.5" S	<b>PL-10239</b>
1.5" S x 1.5" Spg x 3/4" SB (4)	<b>PL-10234</b>
2" S x 2" S x 2" S	<b>PL-10238</b>
2" S x 3/4" RB (2)	<b>PL-10244</b>
2" S x 2" Spg x 1/2" S (4)	<b>PL-10235</b>
2" S x 2" Spg x 1/2" S (6)	<b>PL-10236</b>
2" S x 2" Spg x 3/4" SB (4)	<b>PL-10231</b>
2" S x 2" Spg x 3/4" S (4)	<b>PL-10242</b>
2" S x 3/4" S (5)	<b>PL-10246</b>
2" S x 2" Spg x 3/4" SB (6)	<b>PL-10230</b>
2" S x 2" S x 3/4" S (6)	<b>PL-10245</b>
Balboa 8 Port Cycle Valve III	<b>BA-C8075</b>
3/8" Wye Barb	<b>PL-10022</b>
3/4" Wye Barb	<b>PL-10006</b>

## Air Check Valve



Size	SKU
1.5" S / S	<b>PL-10270</b>
2" S / S	<b>PL-10273</b>

## Slide Gate Valve

**Note:** Used to isolate a section of pipe work usually for easy access maintenance purposes.

Size	SKU
1.5 inch (S x Spg)	<b>PL-10192</b>
1.5 inch (Spg x Spg)	<b>PL-10193</b>
2 inch (S x S)	<b>PL-10196</b>
2 inch (S x Spg)	<b>PL-10194</b>
2 inch (Spg x Spg)	<b>PL-10195</b>
2.5 inch (S x S)	<b>PL-10198</b>
2.5 inch (S x Spg)	<b>PL-10197</b>



## Flapper Check Valve



Size	Pressure	SKU
2" S / S	1.25-2lbs	<b>PL-10271</b>
2" S / S	2.5-8lbs	<b>PL-10272</b>

## 1 inch Check Valve



Size	SKU
1" S / S	<b>PL-10283</b>
1" S / S	<b>PL-10279</b>

**Air Relief Plug & O'Ring**



Sold separately

Part	Diameter	SKU
Plug	3/8 inch MPT	<b>PL-10082</b>
O'Ring	15mm	<b>PL-10083</b>

**Air Bleed Assembly**



Size	SKU
32mm	<b>PL-10091</b>

**Air Bleed Elbow**



Size	SKU
2" S x 2" Spg x 3/8 inch MPT	<b>PL-10081</b>

**Air Bleed Tee**



Size	SKU
2" S x 2" Spg x 3/8 inch MPT	<b>PL-10080</b>

**Socket Union**



Size	SKU
1.5 inch	<b>PL-10350</b>
2 inch	<b>PL-10352</b>

**Socket Union M Thread to F Socket**



Size	SKU
1.5" S x 1.5" male thread (3-piece with MPT thread)	<b>PL-10351</b>

**Union Coupler**



Size	SKU
1 inch	<b>PL-10353</b>

**Union Coupler  
(with Female Thread)**



Size	SKU
2 inch	<b>PL-10355</b>

## Unions and Union Parts

### Unions

Size	SKU
50mm Hydroair Pump Union	<b>PL-10413</b>
1 inch Hydroair (Blue) Union	<b>PL-10412</b>
1 inch Waterway Union	<b>PL-10408</b>
1.5 inch Hydroair Pump Union	<b>PL-10414</b>
1.5 inch Waterway Union & Tailpiece	<b>PL-10411</b>
2 inch Waterway or Aquaflo Union	<b>PL-10402</b>
2 inch HA440 Union	<b>PL-10401</b>
2 inch Davey Union	<b>PL-32569</b>
2 inch ESPA Pump Union (WIPER3)	<b>PL-ES003</b>
2 inch Heater Union	<b>PL-10400</b>
2 inch MF 45° Union	<b>PL-10410</b>
2 inch 90° Sweep Union	<b>PL-10405</b>
2.5 inch Waterway Union	<b>PL-10407</b>



1": PL-10412



1": PL-10408



1.5": PL-10414



2": PL-10402



2": PL-10170



2": PL-10178

### Union Parts

Size	SKU
1 inch Waterway Union O-Ring	<b>PL-10179</b>
1.5 inch Union O-Ring	<b>PL-10173</b>
2 inch Union O-Ring	<b>PL-10171</b>
2.5 inch Union O-Ring	<b>PL-10175</b>
Sundance Sensor O-Ring	<b>PL-10176</b>
1.5 inch Heater O'Ring Gasket (single)	<b>PL-10172</b>
2 inch Heater O'Ring Gasket (single)	<b>PL-10170</b>
2 inch Balboa Heater O'Ring Gasket	<b>PL-10178</b>
2 Inch Diameter Thin Gasket	<b>PL-10177</b>
2 inch diameter Thick Gasket	<b>PL-10174</b>
1.5 inch Heater Tailpiece	<b>PL-10416</b>
2 inch Heater Tailpiece	<b>PL-10404</b>
2.5" Union with 2" Tailpiece	<b>PL-10406</b>
1.5 inch Union Split Nut with Screws	<b>PL-10409</b>
2 inch Heater Union Split Nut with Screws	<b>PL-10403</b>
2 inch Pump Union Split Nut with Screws	<b>PL-10417</b>



1.5": PL-10409



2" thin : PL-10177



2": PL-10405



1.5": PL-10416



2": PL-10400



2": PL-10410

### Low Profile Drain



PL-10372



PL-10370

Description	SKU
3/4" SB - white	<b>PL-10372</b>
3/4" socket - stainless steel	<b>PL-10370</b>

### 1 inch floor drain assembly



Description	SKU
1" S - Grey	<b>PL-10363</b>
1" S - White	<b>PL-10362</b>



### Long Wall Fitting Suction (1.5 inch S)



Description	SKU
Full assembly - White	<b>PL-10366</b>
Long Wall Fitting only - White	<b>PL-10376</b>
Suction Cover only - White	<b>PL-10382</b>
Standard Nut only - White	<b>PL-13807</b>

### 90° Elbow Low Profile Suction



Size	SKU
1.5" socket - Grey	<b>PL-10369</b>
1.5" socket - White	<b>PL-10368</b>

### 100gpm Suction Assembly



Size	SKU
2" socket - Grey	<b>PL-10361</b>
2" socket - White	<b>PL-10365</b>
1.5" socket - Grey	<b>PL-10377</b>
1.5" socket - White	<b>PL-10380</b>

### 100gpm Suction Grill



Colour	SKU
Grey	<b>PL-10391</b>

### 200gpm Suction Assembly (2 inch S)



Size	SKU
2" socket - Grey	<b>PL-10360</b>
2" socket - White	<b>PL-10364</b>
2" socket - Black	<b>PL-10381</b>
2" socket - Stainless Steel	<b>PL-10378</b>

### 200gpm Suction Grill



Colour	SKU
Grey	<b>PL-10392</b>
White	<b>PL-10390</b>

### Suction Grill Screws Stainless Steel



Description	SKU
6mm x 5/8 Inch	<b>PL-10393</b>

### 2 inch 200gpm Suction Deep Socket



Description	SKU
2" S - White	<b>PL-10374</b>

### Drain Off Tap Assembly



Description	SKU
3/4" S x 3/4" MPT - Green and white	<b>PL-10367</b>

### 1 inch Drain Valve



Size	SKU
1" Socket - Low Profile	<b>PL-10384</b>
1" Socket	<b>PL-10383</b>

### 1 inch Toggle Switch



Description	SKU
Long - Grey	<b>PL-11017</b>
Long - White	<b>PL-11011</b>

### 1/2 inch Air Control white



Size	SKU
1/2"	<b>PL-13300</b>

### 1" Waterway Top Access Air Controller

3 colours available.

Description	SKU
Full assembly - White	<b>PL-10421</b>
Diverter Handle - Grey	<b>PL-10432</b>
Full assembly - Grey	<b>PL-10420</b>
Diverter Handle - Black	<b>PL-10422</b>
Full assembly - Black	<b>PL-10428</b>
Seal	<b>PL-10430</b>
Control Handle - White	<b>PL-10423</b>



### 1 inch Air Control Humback Style DSG-S



Size	SKU
1" S - Grey	<b>PL-10425</b>

### 1 inch Hydroair Air Controller



Size	SKU
1" S - White	<b>PL-10429</b>

### 1 inch Super Deluxe Air Controller



Size	SKU
1" S - Stainless Steel	<b>PL-10424</b>

### 1 inch ON - OFF Valve



Description	SKU
1" S - 5-Point Textured Grey	<b>PL-10260</b>
1" S - 5-Point Textured Black	<b>PL-10262</b>

### 2" Waterway Water Diverter & Parts

This will only work with waterway diverters, most likely not Chinese Spas.

2 colours available.

Description	SKU
Full assembly - White	<b>PL-10440</b>
Full assembly - Grey	<b>PL-10441</b>
Diverter Handle - Grey	<b>PL-10444</b>
O'Ring - Black	<b>PL-10445</b>
Valve Insert only	<b>PL-10450</b>



### 1" Waterway Water Diverter & Parts

2 colours available.

Description	SKU
Diverter Handle - White	<b>PL-10447</b>
Full assembly - Grey	<b>PL-10443</b>
Diverter Handle - Grey	<b>PL-10446</b>



**Not sure what plumbing part you need?**

Contact our sales team for any assistance or technical information you require.

### 50sq ft Front Access Skim Filter Assembly

PWW50 filter cartridges included

**Overall Height:** 495mm  
**Overall Width:** 260mm  
**Overall Depth:** 230mm (approx)  
**Fits hole size:** 200mm x 215mm



Colour	SKU
Grey	<b>PL-10152</b>

### 100sq ft Front Access Skim Filter Assembly

2 x PWW50 filter cartridges included

**Overall Height:** 500mm  
**Overall Width:** 460mm  
**Overall Depth:** 280mm (approx)  
**Fits hole size:** 380mm x 215mm



Colour	SKU
Grey	<b>PL-10151</b>

### IN.CLEAR reducer 2 inch - 3/4 inch



Size	SKU
2 inch	<b>PL-GC234</b>

### Square Spa Skimmer White and Backing Plate with screws



Product	Colour	SKU
Square Spa Skimmer	White	<b>PL-10153</b>
Backing Plate	White	<b>PL-11153</b>

### 2" Dyna-Flo Low Profile HV 15 GPM min.

**External diameter at top:** 197mm  
**Height:** 500mm  
**Fits hole size:** 175mm

50 sq ft cartridge included.



Colour	SKU
White & Grey	<b>PL-10156</b>

### 2" Dyna-Flo Plus HV 15 GPM min.

**External diameter at top:** 197mm  
**Height:** 537mm  
**Fits hole size:** 175mm

50 sq ft cartridge included.



Colour	SKU
White & Grey	<b>PL-10155</b>

### Waterway 2" Top Load Filter Assembly

**External diameter at top:** 190mm  
**External diameter at bottom:** 165mm  
**Height:** 460mm

50 sq ft cartridge included.



Colour	SKU
Black & White	<b>PL-10157</b>

## Waterway In-Line & Top-Load Skim Filter Replacement Parts

Colour	SKU
Lock Ring Assembly	<b>PL-10130</b>
O-Ring - Air Relief Plug	<b>PL-10133</b>
Air Relief Plug	<b>PL-10082</b>
O-Ring for Filter Lid	<b>PL-10131</b>
Filter Lid <i>(Top-Load Skim Filter Only)</i>	<b>PL-10132</b>
2 inch Bypass Valve - Black	<b>PL-01040</b>
Filter Mount Base	<b>PL-10136</b>



## Waterway Skim Filter Replacement Parts

2 colours available.



Colour	SKU
50 sq ft Filter Tray - Grey	<b>PL-10101</b>
100 sq ft Filter Tray - Grey	<b>PL-10103</b>
Waterway Filter Basket	<b>PL-10105</b>
Filter Basket for 35sq ft Assembly	<b>PL-10104</b>
Weir Door 35sq ft - White	<b>PL-10110</b>
Weir Door 35sq ft - Grey	<b>PL-10111</b>
100 sq ft Front Access Plate Assembly - Grey	<b>PL-10115</b>
Skimmer Escutchen - Stainless Steel	<b>PL-10118</b>
Waterway 2" S x 1.5" Acme Cartridge Mounting Assembly w/ Grate	<b>PL-01098</b>

## Waterway Dyna-Flo Skim Filter Replacement Parts

Colour	SKU
Basket - White - 6.4" diameter x 5.62" H	<b>PL-10247</b>
Low Profile Basket - White - 6.35" diameter x 2.75" H	<b>PL-10229</b>
Diverter Plate - Black	<b>PL-10225</b>
Low Profile Diverter Plate - Grey	<b>PL-10227</b>
Weir Assembly - 3 Piece - Grey	<b>PL-10221</b>
Trim Ring Low-Volume - Grey	<b>PL-10119</b>
Trim Ring High-Volume - Grey	<b>PL-10120</b>



## Glue (Pipe Cement)

Suitable for use with PVC pressure systems up to 3 inch / 90mm. ABS and PVC Spa systems up to 2"/63mm.



Size	SKU
237 ml	<b>PL-10210</b>
473 ml	<b>PL-10214</b>

## Pipe Cleaner



Model	Size	SKU
Weld-On, C-65	500g	<b>PL-10211</b>

## US Seal P80 Lubricant

**Brand:** US Seal

**Type:** Lubricant



Size	SKU
Single Dose Sachet	<b>PL-UL001</b>
4 oz (113g)	<b>PL-UL400</b>
Tube (10ml)	<b>PL-UL010</b>

## Lo-Chlor Hydro Slip Lubricant

**Brand:** Lo-Chlor

**Type:** Lubricant



Size	SKU
75g Tube	<b>PL-L0523</b>

## Magic Lube Teflon Blue

Apply lubricant to the area needed i.e. a rubber seal this will prevent gasket expansion.



Size	SKU
1oz (around 28g)	<b>PL-ML001</b>
5oz (around 142g)	<b>PL-ML005</b>

## Lo-Chlor Leak Sealer

**Brand:** Lo-Chlor

**Type:** Leak Sealer



Size	SKU
1 ltr	<b>PL-10222</b>

## MS1000 Multi Spray

**Brand:** Innotec

**Type:** Multi-use Spray



Size	SKU
500ml	<b>TL-MS001</b>

## Hydrospa Skimmer Cover and Cup Holder

**Commonly used with** Hydrospa San Marino and other Hydrospa models as well as Premium Leisure and Garden Leisure.

**Type:** Filter Cover



Colour	SKU
Black	<b>PL-10121</b>

# BALBOA HEAT PUMP PACK

Take a look at our **NEW** Balboa Heat Pump Pack.  
This Pack includes a Balboa Heat Pump,  
Balboa BP2100 System and a Balboa spatouch3 Topside.

SKU: PK-CLM61

## ENERGY SAVING STATISTICS

AVERAGE: **65%**

UP TO: **80%**



**BALBOA**  
water group

## Pool Liner Vinyl Repair Kit

For inflatables and light gage vinyls.



Size	SKU
1 fl oz (29.6 ml) of glue and 1 patch 42 sq. in. (305mm x 92mm)	<b>TL-LR001</b>
2 fl oz (59.2 ml) of glue and 1 patch 100 sq. in. (584mm x 149mm)	<b>TL-LR002</b>

## Waterfalls



Description	SKU
8 inch - Textured Grey	<b>PL-10460</b>

## Waterway In line Chlorinator



Description	SKU
2" Socket - 12 tablets	<b>PL-10090</b>

## Pipe Clamp Steel Ring & Pipe Clips



Diameter	SKU
3/4" (Metal Clamp)	<b>PL-10005</b>
1"	<b>PL-10280</b>
1.5"	<b>PL-10281</b>
2"	<b>PL-10282</b>

## Waterway 10 Tablet Brominator

Commonly used with Waterways Pressurised Filter Canister

Type: Multi-use Spray



Size	SKU
Length: 265mm, External Diameter: 45mm	<b>PL-11098</b>

## PVC Wire Saw



SKU
<b>TL-PT139</b>

## Soft Pipe Cutter

Blade will need replacing when worn or buy new tool.

Cuts soft pipe up to 2 inch.



Type	SKU
Full assembly	<b>TL-PC200</b>
Replacement Blade	<b>TL-PC201</b>

## Ram Bit

Used to drill out pipe work already glued into another fitting. Removes the need to heat out old pipe. Ensure surface area is clean before assembling new parts.



Used on pipe size	SKU
0.5"	<b>TL-RB050</b>
3/4"	<b>TL-RB075</b>
1"	<b>TL-RB100</b>
1.5"	<b>TL-RB150</b>
2"	<b>TL-RB200</b>

# JETS & JET PARTS

## *JETS*

<i>WATERWAY</i>	94
<i>PENTAIR</i>	100
<i>RISING DRAGON</i>	104
<i>WELLIS</i>	106
<i>CMP</i>	108
<i>HYDROAIR</i>	109
<i>LVJ</i>	110



Jet Information

Identifying the Correct Jet



If you are still finding it difficult to identify your jet, send us an email with the details mentioned and we will source it for you or provide a replacement.

Waterway Cluster Storm

Connections	Height if stood on its face	Diameter of the face	Rear Nozzle Out. Dia.
Push fit with 2 x plastic lugs	75mm	50mm	15mm



Part Name	Picture	Part Name	Picture
Directional Jet Internal, Textured Five Scalloped, Sterling Silver (click in) <b>JT-CS10</b>		Diffuser (click In) <b>JT-DF100</b>	
Directional SS with Grey (Thread in) <b>JT-CS317</b>		Twin Roto Grey Textured (Thread in) <b>JT-CS597</b>	
Directional Grey Textured (Thread in) <b>JT-CS547</b>		Jet Housing 3/4" RB x 3/8" RB (Thread-In) <b>JT-CS550</b>	
Jet Housing 3/4" SB x 3/8" RB (Thread-in) <b>JT-CS560</b>			

## Waterway Mini-Storm

Connections	Height if stood on its face	Diameter of the face	Rear Nozzle Out. Dia.
Push fit with 2 x plastic lugs	90mm	78mm	18mm



Part Name	Picture	Part Name	Picture
Directional Jet Internal, Textured Five Scalloped, Sterling Silver (Click In) <b>JT-MST10</b>		Diffuser (Click In) <b>JT-DF101</b>	
Grey Pulse Massage 5-Point Textured (Thread in) <b>JT-MS037</b>		Grey Directional 5-Point SS (Thread in) <b>JT-MS17S</b>	
Grey Roto 5-Point SS (Thread in) <b>JT-MS27S</b>		Jet Housing 3/4" RB x 3/8" RB (Thread in) <b>JT-MS300</b>	
Jet Housing 3/4" SB x 3/8" SB (Thread in) <b>JT-MS330</b>		Grey Twin Roto 5-Point SS (Thread in) <b>JT-MS37S</b>	
Grey Pulse Massage 5-Point SS (Thread in) <b>JT-MS47S</b>		Grey Multi-Massage 5-Point SS (Thread in) <b>JT-MS87S</b>	
Grey Directional 5-Point Textured (Thread in) <b>JT-MS927</b>		Grey Twin Roto 5-Point Textured (Thread in) <b>JT-MS957</b>	
Grey Roto 5-Point Textured (Thread in) <b>JT-MS027</b>		Grey Directional Smooth SS (Thread in) <b>JT-MS146</b>	

## CUSTOMER TESTIMONIALS

'We have been purchasing from Spa Parts Vortex since 2016. Fantastic products that are always available and the customer service team is fantastic.'

'We wouldn't go anywhere else, thanks Vortex from all the team at Wizard Hot Tubs.'

— WIZARD HOT TUBS

## Waterway Poly Storm

Connections	Height if stood on its face	Diameter of the face	Rear Nozzle Out. Dia.
Push fit with 2 x plastic lugs	110mm	87 - 100mm	22mm



Part Name	Picture	Part Name	Picture
Directional Jet Internal, Textured Five Scalloped, Grey (Click In) <b>JT-PS10</b>		Diffuser (Click In) <b>JT-DF102</b>	
Roto 5-point Textured GREY (Thread in) <b>JT-PS148</b>		Directional 5-point Textured GREY (Thread in) <b>JT-PS168</b>	
Twin-Roto 5-point Textured GREY (Thread in) <b>JT-PS178</b>		Directional 5-point SS (Thread in) <b>JT-PS18S</b>	
Roto 5-point SS (Thread in) <b>JT-PS27S</b>		Twin-Roto 5-point SS (Thread in) <b>JT-PS38S</b>	
Jet Housing 3/4" RB x 3/8" RB (Thread in) <b>JT-PS400</b>		Jet Housing 3/4" SB x 3/8" RB (Thread in) <b>JT-PS430</b>	

### Poly Storm Gunite Body Assembly Complete

**Elbow Connections:**  
1" Spg Air x 1 1/2" Spg Water

**Tee Connections:** 1 1/2" S Air x 2" S Water

**Includes:** 430mm of 2" rigid and 430mm of 1" rigid pipe



JT-GU102



Type	SKU
Elbow	JT-GU102
Tee	JT-GU103

## Waterway Power Storm

Connections	Height if stood on its face	Diameter of the face	Rear Nozzle Out. Dia.
Push fit with 2 x plastic lugs	135mm	127mm	25mm



Part Name	Picture	Part Name	Picture
Directional Jet Internal, Textured Five Scalloped (Click In) <b>JT-PWT10</b>		Diffuser (Click In) <b>JT-DF103</b>	
Jet Housing 3/4" RB x 3/8" RB (Thread in) <b>JT-PS040</b>		Jet Housing 3/4" SB x 3/8" SB (Thread in) <b>JT-PS010</b>	
Directional 5-point SS (Thread in) <b>JT-PW17S</b>		Pulse-Massage 5-point Textured Grey (Thread in) <b>JT-PW747</b>	
Roto 5-point Textured Grey (Thread in) <b>JT-PW607</b>		Twin-Roto 5-point Textured Grey (Thread in) <b>JT-PW617</b>	
Directional 5-point Textured Grey (Thread in) <b>JT-PW637</b>			

### Power Storm Gunite Body Assembly Complete

**Elbow Connections:**  
1" Spg Air x 1 1/2" - Spg Water

**Tee Connections:** 1 1/2" S Air x 2" S Water

**Includes:** 430mm of 2" rigid and 430mm of 1" rigid pipe



JT-GU100



Type	SKU
Elbow	JT-GU100
Tee	JT-GU101

## Waterway Cluster Jets

Connections	Height if stood on its face	Diameter of the face	Rear Nozzle Out. Dia.
Male threaded	40mm	50mm	25mm



Part Name	Picture	Part Name	Picture
Ell Body Assembly - 3/4" SB x 3/8 SB <b>JT-CJ348</b>		Smooth White Fixed Open Cluster Jet Front <b>JT-CJ110</b>	
Jet Front Stainless Steel With Black <b>JT-CJ181</b>		Directional Cluster Jet Front Grey <b>JT-CJ127</b>	
Jet Front Large Face 5-point Textured Grey <b>JT-CJ167</b>		Jet Front Large Face Smooth Grey <b>JT-CJ187</b>	

## Waterway Poly Jets

Connections	Height if stood on its face	Diameter of the face	Rear Nozzle Out. Dia.
Male Fine MPT Screw Thread	100mm	107mm	37mm



Part Name	Picture	Part Name	Picture
Ell Body Assembly - 3/4" SB x 3/8 SB <b>JT-PJ348</b>		Body 0.5 Inch Socket <b>JT-PJ340</b>	
Commercial Body Assembly - 1" S x 1" S - No Top Plug <b>JT-PJ100</b>		Wall fitting standard <b>JT-PJ350</b>	
Wall fitting long <b>JT-PJ349</b>		Jet Wall Fitting Gasket <b>JT-PJ351</b>	

## Waterway Poly Jets (continued)

Part Name	Picture	Part Name	Picture
Adjustable White <b>JT-PJ190</b>		Large Face Escutcheon White <b>JT-PJ960</b>	
Adjustable Grey <b>JT-PJ197</b>		Large Face Escutcheon Grey <b>JT-PJ967</b>	
Stainless Steel Escutcheon <b>JT-PJ945</b>		5-Scallop Roto White Large Face <b>JT-PJ260</b>	
5-Scallop Massage Black Large Face <b>JT-PJ461</b>		Wrench and Test Plug <b>JT-PJ990</b>	
Pulsator Smooth White <b>JT-PJ710</b>			

## Other Waterway Jets

Part Name	Picture	Part Name	Picture
Adjustable Euro Cluster Body - 3/4" RB x 3/8 RB <b>JT-CJ349</b>			
Adjustable Mini Jet Nozzle (old style) <b>JT-MJ100</b>		Adjustable Mini Jet Body - 3/4" SB <b>JT-MJ340</b>	
Adjustable Mini Jet Body 3/8 RB Air x 3/4 RB <b>JT-MJ341</b>		Mini Jet Wall Fitting Gasket <b>JT-MJ342</b>	
Adjustable Mini Jet Nozzle (new style) <b>JT-MJ101</b>		Adjustable Mini Jet White <b>JT-MJ120</b>	
Adjustable Mini Jet Grey <b>JT-MJ127</b>		Mini Jet Pulsator White <b>JT-MJ110</b>	
Mini Jet Smooth Face Pulsator Grey <b>JT-MJ112</b>		Swirl Jet (Ozone Wall Fitting) <b>JT-OJ677</b>	

## Pentair Cyclone Euro Jet

Connections	Height if stood on its face	Diameter of the face	Rear Nozzle Out. Dia.
Push, twist and lock	70mm	50mm	14mm



Part Name	Picture	Part Name	Picture
Body Assembly - 3/4" RB x 3/8 RB <b>JT-PT100</b>		Jet Body 3/4" Skt x 3/8" <b>JT-PT139</b>	
Jet Body - Backing Nut <b>JT-PT101</b>		Diffuser <b>JT-DF105</b>	
Directional, Emerald Cut, Textured Jet <b>JT-PT103</b>		Textured Directional Grey <b>JT-PT104</b>	
Smooth Stainless Steel Directional Grey <b>JT-PT102</b>		Marquis Spa Euro Jet & Body 3/8B x 3/4B <b>JT-MQ635</b>	

## Pentair Luxury Jet

Connections	Height if stood on its face	Diameter of the face	Rear Nozzle Out. Dia.
Push fit	115mm	90mm	44mm



Part Name	Picture	Part Name	Picture
Body Assembly - 3/4" RB x 3/8" RB <b>JT-PT135</b>		Wall Flange <b>JT-PT136</b>	
Directional, Emerald Cut, Grey <b>JT-PT137</b>		Vari-Swirl, Emerald Cut, Grey <b>JT-PT138</b>	

### Pentair Cyclone Micro Jet

Connections	Height if stood on its face	Diameter of the face	Rear Nozzle Out. Dia.
Push, twist and lock	90mm	75mm	14mm



Part Name	Picture	Part Name	Picture
Body Assembly - 3/4" RB x 3/8 RB		Body Assembly - 3/4" S x 3/8" RB	
<b>JT-PT105</b>		<b>JT-PT140</b>	
Jet Body - Backing Nut		Diffuser	
<b>JT-PT106</b>		<b>JT-DF106</b>	
Directional, Emerald Cut, Grey		Adj Swirl, Emerald Cut, Grey	
<b>JT-PT110</b>		<b>JT-PT107</b>	
Textured Directional Grey		Adj Swirl, Textured, Grey	
<b>JT-PT111</b>		<b>JT-PT108</b>	
Smooth Stainless Steel Directional Grey		Adj Swirl, Stainless, Grey	
<b>JT-PT112</b>		<b>JT-PT109</b>	

### Pentair Cyclone Luxury Jet

Connections	Height if stood on its face	Diameter of the face	Rear Nozzle Out. Dia.
Push, twist and lock	98mm	90mm	18mm



Part Name	Picture	Part Name	Picture
Jet Body 3/4" x 3/8"		Jet Body - Backing Nut	
<b>JT-PT113</b>		<b>JT-PT114</b>	

### Pentair Cyclone Luxury Jet (continued)

Part Name	Picture	Part Name	Picture
Diffuser <b>JT-DF107</b>		Textured Adj Swirl Grey <b>JT-PT116</b>	
Directional, Emerald Cut, Grey <b>JT-PT119</b>		Adj Swirl, Emerald Cut, Grey <b>JT-PT115</b>	
Directional, Stainless, Grey <b>JT-PT118</b>		Adj Swirl, Stainless, Grey <b>JT-PT117</b>	

### Pentair Cyclone Jet

Connections	Height if stood on its face	Diameter of the face	Rear Nozzle Out. Dia.
Push, twist and lock	135mm	127mm	18mm



Part Name	Picture	Part Name	Picture
Body Assembly - 3/4" RB x 3/8" RB <b>JT-PT121</b>		Body Assembly - 3/4" S x 3/8 RB <b>JT-PT141</b>	
Jet Body - Backing Nut <b>JT-PT122</b>		Diffuser <b>JT-DF108</b>	
5-Scallop Directional Grey <b>JT-PT125</b>		Adj Swirl, Emerald Cut, Grey <b>JT-PT123</b>	
Twin Spin, Stainless, Grey <b>JT-PT132</b>		Directional, Textured, Grey <b>JT-PT126</b>	
Adj Swirl, Textured, Grey <b>JT-PT124</b>		Twin Spin, Textured, Grey <b>JT-PT131</b>	
Pulsator, Textured, Grey <b>JT-PT134</b>		Smooth Stainless Steel Directional Grey <b>JT-PT128</b>	
Adj Swirl, Stainless, Grey <b>JT-PT127</b>			

## Waterway Air Injectors



Part Name	Picture	Part Name	Picture
Waterway Button Air Injector Grey <b>JT-AJ657</b>		Air Injector Pepper pot style (3-eighth) Grey <b>JT-AJ527</b>	
Air Injector Pepper pot style (3-eighth) White <b>JT-AJ520</b>		Low Profile Air Injector Stainless Steel <b>JT-AJ538</b>	
Top Flow Air Injector Grey <b>JT-AJ537</b>		Top Flow Air Injector Stainless Steel <b>JT-AJ545</b>	
Air Injector Pepper Pot Elbow Style Grey <b>JT-AJ557</b>		Air Injector Pepper Pot Elbow Style White <b>JT-AJ550</b>	
Air Injector Pepper Pot Elbow Style Black <b>JT-AJ551</b>		Air Injector Pepper Pot Elbow Style Stainless Steel <b>JT-AJ547</b>	
Air Injector Pepper pot style Grey (1 inch) <b>JT-AJ517</b>		Air Injector Pepper Pot Style White (1 inch) <b>JT-AJ510</b>	
Air Injector Pepper Pot Style Black (1 inch) <b>JT-AJ511</b>		Low Profile Air Injector Stainless Steel 1 Inch <b>JT-AJ540</b>	

### NEED HELP?



023 9245 4455 ext. 1 [info@spapartsvortex.eu](mailto:info@spapartsvortex.eu)

## CUSTOMER TESTIMONIALS

'Adi and the team would go over and above to help you with whatever question or need. However, what sets Spa Parts Vortex apart from any other provider are the personal services they provide. They have a way to make you feel like you are an extension of their company and vice versa.'

— HOT TUBS AT HOME

## Rising Dragon 2" Jets

Connections	Height if stood on its face	Diameter of the face	Rear Nozzle Out. Dia.
Screw-in	90mm	64mm	16mm



Part Name	Picture	Part Name	Picture
Rising Dragon 2" Face Spinning - Stainless Steel <b>JT-RD409</b>		Rising Dragon 2" Directional - Stainless Steel <b>JT-RD309</b>	
Rising Dragon 2" Alpha Directional - Stainless Steel <b>JT-RD609</b>		Rising Dragon 2" Jet Body - White <b>JT-RD002</b>	
Rising Dragon 2" Jet Nut - White <b>JT-RD020</b>		Rising Dragon O'ring 2" - Transparent <b>JT-RD029</b>	

## Rising Dragon 2.5" Jets

Connections	Height if stood on its face	Diameter of the face	Rear Nozzle Out. Dia.
Screw-in	90mm	64mm	16mm



Part Name	Picture	Part Name	Picture
Rising Dragon 2.5" Directional - Stainless Steel <b>JT-RD310</b>		Rising Dragon 2.5" Alpha Directional - Stainless Steel <b>JT-RD610</b>	
Rising Dragon 2.5" Face Spinning - Stainless Steel <b>JT-RD410</b>		Rising Dragon 2.5" Jet Body <b>JT-RD003</b>	
Rising Dragon O'ring 2.5" <b>JT-RD030</b>		Rising Dragon 2.5" Jet Nut <b>JT-RD021</b>	

### Rising Dragon 3" Jets

Connections	Height if stood on its face	Diameter of the face	Rear Nozzle Out. Dia.
Screw-in	95mm	76mm	23mm



Part Name	Picture	Part Name	Picture
Rising Dragon 3" Directional - Stainless Steel <b>JT-RD710</b>		Rising Dragon 3" Alpha Directional - Stainless Steel <b>JT-RD612</b>	
Rising Dragon 3" Face Spinning - Stainless Steel <b>JT-RD412</b>		Rising Dragon 3" Jet Body <b>JT-RD004</b>	
Rising Dragon O'ring 3" <b>JT-RD031</b>		Rising Dragon 3" Jet Nut <b>JT-RD022</b>	

### Rising Dragon 4" Jets

Connections	Height if stood on its face	Diameter of the face	Rear Nozzle Out. Dia.
Screw-in	110mm	102mm	23mm



Part Name	Picture	Part Name	Picture
Rising Dragon 4" Directional - Stainless Steel <b>JT-RD312</b>		Rising Dragon 4" Alpha Directional - Stainless Steel <b>JT-RD613</b>	
Rising Dragon 4" Face Spinning - Stainless Steel <b>JT-RD413</b>		Rising Dragon 4" Jet Body <b>JT-RD005</b>	
Rising Dragon O'ring 4" <b>JT-RD032</b>		Rising Dragon 4" Jet Nut <b>JT-RD023</b>	

## Rising Dragon 5" Jets

Connections	Height if stood on its face	Diameter of the face	Rear Nozzle Out. Dia.
Screw-in	140mm	127mm	30mm



Part Name	Picture	Part Name	Picture
Rising Dragon 5" Directional - Stainless Steel <b>JT-RD711</b>		Rising Dragon 5" Alpha Directional - Stainless Steel <b>JT-RD611</b>	
Rising Dragon 5" Face Spinning - Stainless Steel <b>JT-RD411</b>		Rising Dragon 5" Jet Body <b>JT-RD006</b>	
Rising Dragon O'ring 5" <b>JT-RD033</b>		Rising Dragon 5" Jet Nut <b>JT-RD024</b>	

## Wellis 2" Jets

Connections	Height if stood on its face	Diameter of the face	Rear Nozzle Out. Dia.
Screw-in	90mm	64mm	16mm



Part Name	Picture
1 Hole Transparent <b>JT-WE154</b>	

### Wellis 3" Jets

Connections	Height if stood on its face	Diameter of the face	Rear Nozzle Out. Dia.
Screw-in	95mm	76mm	23mm



Part Name	Picture	Part Name	Picture
1 Hole Directional Transparent <b>JT-WE158</b>		1 Hole Roto Light Grey V1 <b>JT-WE071</b>	

### Wellis 5" Jets

Connections	Height if stood on its face	Diameter of the face	Rear Nozzle Out. Dia.
Screw-in	110mm	102mm	23mm



Part Name	Picture	Part Name	Picture
1 Hole Directional Light Grey V1 <b>JT-WE135</b>		1 Hole Directional Light Grey V2 <b>JT-WE194</b>	
1 Hole Rotational Light Grey V2 <b>JT-WE189</b>			

### CMP Spectrum Prime

Connections	Height if stood on its face	Diameter of the face	Rear Nozzle Out. Dia.
Screw-in	90mm	64mm	16mm



Part Name	Picture	Part Name	Picture
2" Directional - Graphite <b>JT-CM210</b>		2" Massage - Graphite <b>JT-CM214</b>	
3" Directional - Graphite <b>JT-CM310</b>		3" Double Roto - Graphite <b>JT-CM312</b>	
4" Directional - Graphite <b>JT-CM410</b>		4" Bearingless Double Roto - Graphite <b>JT-CM412</b>	
5" Directional - Graphite <b>JT-CM510</b>		5" Single Roto - Graphite <b>JT-CM511</b>	

### CMP Typhoon

Connections	Height if stood on its face	Diameter of the face	Rear Nozzle Out. Dia.
Screw-in	110mm	102mm	23mm



Part Name	Picture	Part Name	Picture
4" Directional Jet - Graphite Gray <b>JT-CM403</b>		5" Directional Jet <b>JT-CM513</b>	

## CMP Spectrum Halo

Connections	Height if stood on its face	Diameter of the face	Rear Nozzle Out. Dia.
Screw-in	95mm	76mm	23mm



Part Name	Picture	Part Name	Picture
2" Directional - Graphite Gray <b>JT-CM200</b>		2" Bearingless Roto - Graphite Gray <b>JT-CM201</b>	
3" Directional - Graphite Gray <b>JT-CM300</b>		3" Bearingless Roto - Graphite Gray <b>JT-CM301</b>	
3" Bearingless Double Roto - Graphite Gray <b>JT-CM302</b>		4" Bearingless Double Roto - Graphite Gray <b>JT-CM402</b>	
5" Directional - Graphite Gray <b>JT-CM500</b>			

## Hydroair Jets



Part Name	Picture	Part Name	Picture
Hydroair Magna Eye And Cage White <b>JT-HA112</b>		Hydroair Standard Jet Front <b>JT-HA110</b>	
Hydroair Standard Nut White <b>PL-13807</b>		Hydroair Swim Jet <b>JT-HA100</b>	

## LVJ 50mm Jets

**Connections**

Screw-in

**Diameter of the face**

50mm



Part Name	Picture	Part Name	Picture
Wei Wavy Directional Jet S/S <b>JT-LV050</b>		Luxury Elegant Directional Jet <b>JT-LV051</b>	
Crystal Directional Jet S/S <b>JT-LV052</b>		Handsome Elegant Directional Jet S/S <b>JT-LV053</b>	
Jet Body <b>JT-LV059</b>		I'Ring 50mm Jet Body <b>JT-LV070</b>	
T'Ring 50mm Jet Body <b>JT-LV080</b>			

## LVJ 2" Jets

**Connections**

Screw-in

**Diameter of the face**

50mm



Part Name	Picture	Part Name	Picture
Wei Twin Rotary Jet <b>JT-LV200</b>		I'Ring 2" Jet Body <b>JT-LV230</b>	
DISCONTINUED LVJ O'Ring 2" Jet Body <b>JT-LV220</b>		Jet Body <b>JT-LV209</b>	

### LVJ 2" Jets (continued)

Part Name	Picture	Part Name	Picture
Phantom Twin Rotary Jet S/S <b>JT-LV205</b>		Phantom Directional Jet S/S <b>JT-LV204</b>	
Crystal Wavy Directional Jet <b>JT-LV203</b>		Luxury Elegant Wavy Directional Jet <b>JT-LV202</b>	
Wei Single Rotary Jet <b>JT-LV201</b>		T'Ring 2" Jet Body <b>JT-LV240</b>	

### LVJ 2.5" Jets

Connections	Diameter of the face
Screw-in	65mm



Part Name	Picture	Part Name	Picture
Handsome Elegant Curve Directional Jet <b>JT-LV250</b>		Jet Body <b>JT-LV259</b>	
LVJ O'Ring 2.5" Jet Body <b>JT-LV270</b>		LVJ I'Ring 2.5" Jet Body <b>JT-LV280</b>	
LVJ T'Ring 2.5" Jet Body LVJ T'Ring 2.5" Jet Body <b>JT-LV290</b>		I'Ring 50mm Jet Body <b>JT-LV070</b>	

## LVJ 3" Jets

**Connections**

Screw-in

**Diameter of the face**

50mm



Part Name	Picture	Part Name	Picture
Wei Twin Rotary Jet <b>JT-LV300</b>		I'Ring 3" Jet Body <b>JT-LV330</b>	Awaiting Photo
O'Ring 3" Jet Body <b>JT-LV310</b>	Awaiting Photo	Jet Body <b>JT-LV309</b>	
Phantom Twin Rotary Jet S/S <b>JT-LV307</b>	Awaiting Photo	Phantom Directional Jet S/S <b>JT-LV306</b>	
Crystal Twin Rotary Jet <b>JT-LV305</b>		Crystal Single Rotary Jet <b>JT-LV304</b>	
DISCONTINUED LVJ 3" Luxury Elegant Twin Rotary Jet <b>JT-LV303</b>	Awaiting Photo	DISCONTINUED LVJ 3" Luxury Elegant Single Rotary Jet <b>JT-LV302</b>	Awaiting Photo
Wei Single Rotary Jet <b>JT-LV301</b>		T'Ring 3" Jet Body <b>JT-LV340</b>	Awaiting Photo

## LVJ 3.5" Jets

**Connections**

Screw-in

**Diameter of the face**

90mm



Part Name	Picture	Part Name	Picture
Handsome Elegant Single Rotary Jet <b>JT-LV350</b>		Jet Body <b>JT-LV359</b>	
O'Ring 3.5" Jet Body <b>JT-LV370</b>	Awaiting Photo	I'Ring 3.5" Jet Body <b>JT-LV380</b>	Awaiting Photo
T'Ring 3.5" Jet Body <b>JT-LV390</b>	Awaiting Photo		Awaiting Photo

## LVJ 4.5" Jets

**Connections**

Screw-in

**Diameter of the face**

115mm



Part Name	Picture	Part Name	Picture
Handsome Elegant Twin Rotary Jet <b>JT-LV450</b>		Phantom Directional Jet S/S <b>JT-LV451</b>	
Jet Body <b>JT-LV459</b>		O'Ring 4.5" Jet Body <b>JT-LV470</b>	Awaiting Photo
I'Ring 4.5" Jet Body <b>JT-LV480</b>	Awaiting Photo	T'Ring 4.5" Jet Body <b>JT-LV490</b>	Awaiting Photo

## LVJ 5" Jets

**Connections**

Screw-in

**Diameter of the face**

127mm



Part Name	Picture	Part Name	Picture
Wei Multi-Massage Jet <b>JT-LV500</b>		I'Ring 5" Jet Body <b>JT-LV520</b>	Awaiting Photo
O'Ring 5" Jet Body <b>JT-LV510</b>	Awaiting Photo	Jet Body <b>JT-LV509</b>	Awaiting Photo
Handsome Elegant Multi Massage Jet S/S <b>JT-LV503</b>		Phantom Directional Jet S/S <b>JT-LV054</b>	
Phantom Twin Rotary Jet S/S <b>JT-LV505</b>	Awaiting Photo	Phantom Twin Rotary Jet S/S <b>JT-LV452</b>	Awaiting Photo
Phantom Directional Jet S/S <b>JT-LV504</b>	Awaiting Photo	Crystal Multi Massage Jet <b>JT-LV502</b>	
Luxury Elegant Multi Massage Jet <b>JT-LV501</b>		T'Ring 5" Jet Body <b>JT-LV530</b>	Awaiting Photo

## LVJ 7.5" Jets

**Connections**

Screw-in

**Diameter of the face**

90mm

Crystal Directional Jet

**JT-LV750**



 **LAS WATER**

Spa Parts Vortex are the  
official European distributor  
for LAS Water.

LAS Water are a leading manufacturer of Hot Tub & Spa components with over 30 years of experience in Manufacturing and sales. They specialise in Jets, Topside Controls, Filter Housing's and various other plastic parts.

LAS Water are a Spa Plastics supplier of the future, Distributing to OEM and Spa Trade professionals, offering competitive pricing.

*Happy Hour in your Spa!!*

# SPACOCKTAILS

by **Darlly**<sup>®</sup>

Fruity Fragrant Essences  
for your Hot Tub



Blue Lagoon Margarita Daiquiri Purple Rain  
Moscow Mule Pink Gin Fizz Gin & Tonic

Intoxicating, Exhilarating and Relaxing Spa and Hot Tub Dead Sea Salts  
Available in 500g Jars - Proven to be Spa Safe, Oil Free, it will not clog  
filters or affect your water chemistry.

**NOT FOR HUMAN CONSUMPTION  
JUST YOUR HOT TUB!**

**VORTEX**

## Balboa Wavezone

AOP is a process that generates hydroxyl radicals for better sanitation power. When ozone and UV are used in combination together in a reactor chamber, the sanitation power is multiplied.

**Brand:** Balboa

**Length:** 208mm

**Width:** 172mm

**Depth:** 54mm



SKU

**OZ-WAV01**

## Mazzei Ozone Injector

**Connections:** 3/4 inch barb style connections both ends to connect to the water line. It also has a 3/8 inch barb style connector to connect the the air pipe from the Ozone

**Brand:** Mazzei

**Type:** Ozone Injector

**Length:** 150mm

**Diameter:** 75mm



SKU

**OZ-MZ100**

## Ozone Renewal Kit

The one way valve stops water from passing back into the Ozone but there must also be a double loop above the waterline.

**Brand:** CMP

**Type:** Ozone Renewal Kit, One Way Valve



SKU

**OZ-DEL12**

## Waterway Ozone Injector

**Connections:** 3/4 inch barb style connections both ends to connect to the water line. It also has a 3/8 inch barb style connector to connect the the air pipe from the Ozone

**Brand:** Waterway

**Type:** Ozone Injector

**Length:** 160 mm  
**Width:** 50 mm  
**Diameter:** 20 mm



SKU

**OZ-WW100**

## New Spa Eclipse Ozone by DEL with Sundance cable

**Connections:** This unit comes with a specific Sundance Mini JJ plug.

**Brand:** DEL with Sundance cable

**Type:** Ozone Generator

**Length:** 125mm  
**Width:** 85mm  
**Depth:** 60mm



SKU

**OZ-DEL19**

## UV-C - Bulb For Stainless Steel House

**Manufacturer:** Wellis

**Voltage:** 220 V  
**Max. current:** 0.25 A  
**Lamp Wattage:** 10-16 W  
**Frequency:** 50 Hz

**Length:** 315 mm  
**Diameter:** 20mm



SKU

**LG-WE624**

## AMP to mini JJ plug adapter

Any Ozone unit with an AMP plug fitted, fitting to a system that uses a Mini JJ connection..

**Configuration:** 4-pin (3 wire) amp (female) converting to 3 core mini JJ cable (male)

**Cable Length:** 250mm



SKU

**CA-AJ101**

## UV Replacement Bulb

**Length:** 190mm  
**Diameter:** 23mm

**4 pin connection**



SKU

**OZ-CR877**

## Joyonway Ozone Generator

**Manufacturer:** Joyonway

**Length:** 110 mm  
**Width:** 70 mm  
**Depth:** 30 mm



SKU

**OZ-JO100**

## Vian Ozone With Integrated Microchip


**Manufacturer:** Vian

**Length:** 110 mm  
**Width:** 70 mm  
**Depth:** 35 mm



SKU

**OZ-VN100**



**SUPERIOR  
WELLNESS**

**PRODUCTS NOW AVAILABLE**



# SMALLER COMPONENTS

## SMALLER COMPONENTS

<b>AIR SWITCHES</b>	<b>144</b>
<b>CABLES</b>	<b>145</b>
<b>FIXINGS</b>	<b>147</b>
<b>FUSES</b>	<b>148</b>
<b>PRESSURE SWITCHES</b>	<b>149</b>
<b>SENSORS</b>	<b>150</b>
<b>TRANSFORMERS</b>	<b>153</b>



### Air Switch TBS106A - alt, SPNO 16amp

**Manufacturer:** Tecmark

**Operation:** Single Pole, Normally Open

**Height:** 48mm  
**Width:** 25mm  
**Depth:** 48mm



SKU

**AS-TA106**

### Air Switch TBS108 - alt, DPNO 16amp

**Manufacturer:** Tecmark

**Operation:** Double Pole, Normally Open

**Height:** 57mm  
**Width:** 25mm  
**Depth:** 50mm



SKU

**AS-TS108**

### Air Switch TBS123A - alt, SPDT 16amp

**Manufacturer:** Tecmark

**Operation:** Single Pole, Double Throw

**Height:** 48mm  
**Width:** 25mm  
**Depth:** 48mm



SKU

**AS-TS123**

### Air Switch TBS125 - alt, DPDT 16amp

**Manufacturer:** Tecmark

**Operation:** Double Pole, Double Throw

**Height:** 57mm  
**Width:** 25mm  
**Depth:** 50mm



SKU

**AS-TS125**

### Air Switch TBS133 - mom-alt, DPNO 16amp, pr. connector

**Manufacturer:** Tecmark

**Operation:** Double Pole, Normally Open

**Height:** 57mm  
**Width:** 25mm  
**Depth:** 50mm



SKU

**AS-TS133**

### TBS132A - pr. switch, SPNO 16amp, EPDM

**Manufacturer:** Tecmark

**Operation:** Single Pole, Normally Open. Commonly used with TBS133

**Height:** 48mm  
**Width:** 25mm  
**Depth:** 48mm



SKU

**PS-TA132**

### Air Switch TBS135A - alt, SPNO 10amp, low force - long distance

**Manufacturer:** Tecmark

**Operation:** Single Pole, Normally Open

**Height:** 48mm  
**Width:** 25mm  
**Depth:** 48mm



SKU

**AS-TA135**

### PCB Air Switch - mom, SPNO, 1amp, 4mm pins, axial

**Operation:** Single Pole, Normally Open

**Length:** 30mm

**Diameter:** 25mm



SKU

**AS-PC102**

### PCB Air Switch - mom, SPNO, 1amp, 4mm pins, radial

Length: 19mm  
Diameter: 25mm



SKU  
**AS-PC101**

### Aeware IN.P4 Docking Station

Brand: Aeware

**Product Details:**  
in.p4 smartphone dock with usb and 1/8" stereo mini-jack. Control audio from spa side.



Type                      SKU  
Smartphone Dock      **AV-AE003**

### j and j cord

Cable spec size: 1mm  
Cable length: 5 ft



Pins	SKU
2 pin - 2 core (light)	<b>CA-JJ200</b>
3 pin - 3 core	<b>CA-JJ300</b>

### Amp cord 5ft

Commonly found on all GS and GL Balboa systems

Cable spec size: 1mm



Pins	SKU
2 pins	<b>CA-AM200</b>
3 pin - 3 core	<b>CA-AM300</b>
4 pin - 4 core	<b>CA-AM400</b>

### Amp cord 10ft

Commonly found on all GS and GL Balboa systems

Cable spec size: 1mm



Pins	SKU
3 pin - 3 core	<b>CA-AM301</b>
4 pin - 4 core	<b>CA-AM401</b>

### Amp plug accessories



Pins	SKU
2 pin Amp Plug	<b>CA-AMP02</b>
4 pin Amp Plug	<b>CA-AMP04</b>
Pre-Tin Pin Contact (single)	<b>CA-AMP01</b>

### ACC 3 pin 2ft Cable (Circ Pump)

Cable spec size: 1mm  
Cable length: 2 ft



SKU  
**CA-AC321**


### ACC 3 pin 6ft Amp cord (Pump 2)

Cable spec size: 1mm  
Cable length: 6 ft



SKU  
**CA-AC360**

## AMP to Mini JJ plug adapters



**Cable length:** 260mm

**Cable spec size:** 1mm

Description	SKU
Circ Pump	<b>CA-AJ103</b>
Pump 1 2spd	<b>CA-AJ104</b>
Pump 2 1spd	<b>CA-AJ106</b>
Pump 2 2spd	<b>CA-AJ105</b>
Ozone	<b>CA-AJ101</b>
Blower	<b>CA-AJ102</b>
Aeware Y Series	<b>CA-AJ107</b>
IN.Stream 2 to IN.Stream 1	<b>CA-AJ108</b>

## Gecko SSPA Light Socket and Cable

**Cable length:** 8ft

Light socket & cable for SSPA, MSPA-1, MSPA-4 and TSPA.



SKU

**CA-GE001**

## Balboa PLUG N' CLICK heater cable

**Type:** Power cable / lead

**Length of cable:** 440 mm

**Commonly used with:** Balboa series GS, GL and BP



SKU

**CA-HT263**

## Balboa Cable pack

**Brand:** Balboa

**Type:** Power cable / lead

**Cable Length:** 5 ft

**Cable Spec Size:** 1 mm



### Commonly Used With:

All GS and GL Balboa systems such as GS500, GS501, GS510, GS511, GS520, GS523, GL2000, GL2001 and GL8000. You will most likely find this style of connection on other electronic spa systems also.

Name	Pack include:	SKU
Cable pack 1	x1: 4 pin amp - 4 core cable used mainly for a 2 speed pump. x2: 3 pin amp - 3 core cable used mainly for a 1 speed pump or blower x1: 2 pin amp - 2 core cable used mainly for lights	<b>CA-AM500</b>
Cable pack 2	x1: 4 pin amp - 4 core cable used mainly for a 2 speed pump. x3: 3 pin amp - 3 core cable used mainly for a 1 speed pump or blower 1: 2 pin amp - 2 core cable used mainly for lights	<b>CA-AM501</b>
Cable pack 3	x1: 4 pin amp - 4 core cable used mainly for a 2 speed pump. x4: 3 pin amp - 3 core cable used mainly for a 1 speed pump or blower 1: 2 pin amp - 2 core cable used mainly for lights	<b>CA-AM502</b>

## Gecko Universal Flow Switch Cable S/M Class

**Cable length:** 6 inches

This product is in very common use with Gecko S class and M class systems.



SKU

**CA-GK109**

## Aeware Y Series AMP Male To JJM Receptacle

Cable kit adaptor for Y series control system (kit of 4)



SKU

**CA-AJ107**

## Adaptor IN.Stream 2 to IN.Stream 1 & IN.Chant

Brand: Gecko



SKU  
**CA-AJ108**

## Balboa BP2X-Wire Kit Blower for BP2100G1 control box

2 wires : 1 x 4 pin amp with 10A fuse for Blower and 1 x spliiter cable



SKU  
**CA-CS893**

## In.Stream 2 Audio System (In.Link)

**Product Details:** Up to 4 speaker outputs (200W at 4 Ohms), 1 subwoofer output (100W at 2 Ohms), Bluetooth, Aux in, USB stick, FM radio, USB charger, Wall mount installation, Built-in universal power supply, Robust, fully splash proof (IPx5) enclosure.  
**Brand:** Aeware



Connection	SKU
in.link Cord	<b>AV-AE001</b>
Quick Connect Cord	<b>AV-AE002</b>

## Aeware IN.Link Cables

Colour	SKU
240 V Dual Speed Pump Cable	<b>CA-AE967</b>
240 V Single Speed Pump Cable	<b>CA-AE901</b>
240 V Accessory Cable, low-current	<b>CA-AE259</b>
12 V Light Cable	<b>CA-AE022</b>
Communication Cable for Swim Spa	<b>CA-AE316</b>
Kit of enclosure keyings	<b>CA-AE456</b>



**\* Complete Kit Includes: Pump 1, 2 speeds, 240 V, 4' / Pump 2, 1 speed, 240 V, 8' / ACC 240 V, 8' & ACC, 120 V, 8' & Light, 12' / Coloured keyings for Pump 1, Pump 2, Blower, Ozonator**

## Wood Screws

Sold in packs of 10

**Diameter:** 4mm

Several Lengths available.



Length	SKU
20mm	<b>FX-10001</b>
25mm	<b>FX-10002</b>
40mm	<b>FX-10004</b>
50mm	<b>FX-10005</b>
70mm	<b>FX-10007</b>
80mm	<b>FX-10008</b>
90mm	<b>FX-10009</b>
100mm	<b>FX-10010</b>

## Balboa Pump 2 And 3 Port Splitter

Splitter cable Pump 2 and 3 for all GS and GL Balboa systems

**Cable length:** 5 inch

**Cable spec size:** 1mm



SKU  
**CA-CS400**

## Penny Washer

Sold as singles

**Thickness:** 2mm

**Diameter:** 25mm



SKU  
**FX-10000**

## Neutral Cable Ties

Sold in packs of 10

**Thickness:** 4.8mm

**Length:** 300mm



SKU  
**FX-10483**

## Screws & Fixing Bolts

**Description:** Wet End  
To Motor Fixing Bolt



Description	SKU
48F	<b>FX-00501</b>
56F	<b>FX-00028</b>

## 20mm Glass Fuse - Time Delay



**Length:** 20mm  
**Diameter:** 5mm  
**Commonly used with:** PCB's

Fuse Rating	SKU
250mA	<b>FS-TD226</b>
500mA	<b>FS-TD250</b>
1A	<b>FS-TD201</b>
1.6A	<b>FS-TD216</b>
2A	<b>FS-TD202</b>
2.5A	<b>FS-TD225</b>
3.15A	<b>FS-TD203</b>
4A	<b>FS-TD204</b>
5A	<b>FS-TD205</b>
6.3A	<b>FS-TD206</b>
10A	<b>FS-TD210</b>

## 31mm Glass Fuse - Time Delay



**Length:** 31mm  
**Diameter:** 6mm  
**Commonly used with:** PCB's

Fuse Rating	SKU
125mA (Balboa)	<b>FS-TD313</b>
250mA	<b>FS-TD326</b>
500mA	<b>FS-TD350</b>
1A	<b>FS-TD301</b>
1.6A	<b>FS-TD316</b>
2A	<b>FS-TD302</b>
3.15A	<b>FS-TD303</b>
5A	<b>FS-TD305</b>
6.3A	<b>FS-TD306</b>
10A	<b>FS-TD310</b>
20A (Balboa)	<b>FS-SC201</b>

## Main Buss Fuse



**Brand:** Balboa

**Length:** 35 - 40mm

**Diameter:** 10mm

This is usually used as the main buss fuse and also as a protector for the components.

Fuse Rating	SKU
20A	<b>FS-SC200</b>
25A	<b>FS-SC250</b>
30A	<b>FS-SC300</b>

## Balboa Fuse Holder Block

**Brand:** Balboa

**Fuse rating:** 30 amp

**Dimensions:**  
75mm x 20mm x 30mm



SKU
<b>FS-FB300</b>

## Harwil Flow Switch

**Width:** 65mm  
**Height:** 125mm

**Connection:** 3/4 inch barb straight through connection. Connect to PCB with a small white plug.

**Commonly used with:** A system that has a Laing heater and Laing circulation pump.



Type	SKU
Standard	<b>PS-HW100</b>
With Freeze Protection Outlet	<b>PS-HW110</b>

## Hawil Flow Switch (probe only)

**Length of plastic arm:** 35/46mm  
**Outer diameter of thread:** 20mm

**Connection:** 1/2 inch MPT (although actual diameter of outer thread is more like 3/4inch)

**Commonly used with:** Beachcomber, Sundance, Jacuzzi and more



Type	SKU
Short - (L) 80mm	<b>PS-HW101</b>
Long - (L) 90mm	<b>PS-HW102</b>

## Tecmark Pressure Switch 4761P

**Height:** 73mm  
**Width:** 50mm  
**OD of thread:** 7mm

**Connection:** As pictured

**Commonly used with:** Caldera Spas amongst others.



SKU
<b>PS-T4761</b>

## Gecko DTec2 Pressure Switch

**Height:** 62mm  
**Width:** 38mm

**Connection:** 1/8 inch MPT screw thread

**Commonly used with:** Gecko, Spa Builders, and Hydroquip control boxes



SKU
<b>PS-DT182</b>

## Tecmark 3902

**Height:** 58mm  
**Width:** 50mm

**Connection:** 1/8 inch MPT screw thread

**Commonly used with:** Gecko, Spa Builders and Hydroquip control boxes.



SKU
<b>PS-T3902</b>

### Tecmark 4098P

**Height:** 65mm  
**Width:** 50mm  
**OD of thread:** 9mm

**Connection:** 1/8 inch NPT, (3/8" OD), Plastic Threads

**Commonly used with:** replacing the pre-set version sometimes found on oil boilers made by Certikin.



SKU

**PS-T4098**

### Tecmark 4073P-DBDB

**Height:** 65mm  
**Width:** 50mm  
**OD of thread:** 11mm

**Connection:** Brass adaptor gives you 1/4 inch NPT screw thread.

**Commonly used with:** More used in swimming pool boiler systems



SKU

**PS-T4038**

### Tecmark 4755P

**Height:** 70mm  
**Width:** 50mm  
**OD of thread:** 9mm

**Connection:** 1/8 inch MPT screw thread

**Commonly used with:** Caldera Spas amongst others.



SKU

**PS-T4755**

### Tecmark Pressure Switch 4760P

**Height:** 70mm  
**Width:** 50mm  
**OD of thread:** 9mm

**Connection:** 1/8 inch MPT screw thread

**Commonly used with:** Standard heater applications.



SKU

**PS-T4760**

### Tecmark Pressure Switch 4756P

**Height:** 70mm  
**Width:** 50mm  
**OD of thread:** 9mm

**Connection:** 1/8 inch MPT screw thread

**Commonly used with:** High current using equipment.



SKU

**PS-T4756**

### Balboa Double Sensor Harness 30278

**Diameter:** 6mm

**Temp cable length:** 96" (2438mm)

**Hi limit cable length:** 31" (787mm)



SKU

**SN-BA102**

### Balboa Pressure Switch

**Height:** 75mm  
**Width:** 50mm

**Connection:** 1/8 inch MPT screw thread

**Commonly used with:** M3TUV, Lite Leader and 2000 Value series including 2005LE with pressure switch.



SKU

**PS-BA100**

### Balboa M7 Sensors



Size	SKU
12 inches	<b>SN-BA103</b>
24 inches (most common)	<b>SN-BA101</b>
96 inches	<b>SN-BA105</b>
M7 Sensor Mount Assembly	<b>SN-BA121</b>

### Balboa Pre M7 Sensors

The flat plastic 2-pin plug plugs straight on to the PCB.

**Temperature:** 9mm diameter probe, 96 inch cable

**Hi limit:** 5mm diameter probe, 31 inch cable (not sold individually)



Type	SKU
Dual Sensor Assembly	<b>SN-BA100</b>
Temp Sensor only	<b>SN-BA104</b>

### Balboa Flow Switch Wire Assembly

2 spade connectors plugs to the flow switch and to the PCB.

**Length of cable:** 24"


**Commonly used with:** Systems such as M3TUV, Lite Leader and 2000 Value series including 2005LE with pressure switch.



SKU
<b>SN-BA111</b>

### Gecko SSPA Systems Sensors

Manufacturer N°	Can replace	Type	SKU
9920-400262	9920-400326 / 9920-400414 / 9920-400494 / 9920-400723 / 9920-400817 / 9920-400844 / 9920-400906 / 9920-400954	Temp sensor	<b>SN-GK101</b>
9920-400446	9920-400319 / 9920-400435 / 9920-400444 / 9920-400447 / 9920-400464 / 9920-400490 / 9920-400516 / 9920-400523 / 9920-400643 / 9920-400685 / 9920-400710 / 9920-400902 / 9920-400903 / 9920-401042 / 9920-401340	Hi-limit sensor	<b>SN-GK100</b>
9920-100317	9920-100317	Hi-Limit Poron Tape	<b>SN-GK107</b>
9920-100318	9920-100318	Hi-Limit Poron Tape	<b>SN-GK108</b>



### Gecko MSPA 1, 2 or 4 Systems Sensors



Manufacturer N°	Can replace	Type	SKU
9920-400122	9920-400122	Hi-Limit sensor	<b>SN-GK102</b>
9920-400125	9920-400254 / 9920-400259 / 9920-400334 / 9920-400709	Temp sensor	<b>SN-GK103</b>

### Hot Spring Replacement Heater (after 2002) Hi-Limit Sensor (Red)

Hi Limit Probe Diameter: 16 mm  
Hi Limit Cable Length: 1320 mm or 52 inches



Diam.	SKU
16mm	<b>SN-HS602</b>

### Hot Spring Hi-Limit Thermistor

**Cable length:** 41 inches (1040mm)



SN-HS416

Connector	Diam.	SKU
2 pin amp (before 2002)	15mm	<b>SN-HS416</b>

### Hot Spring T-Stat Thermistor

**Cable length:**  
41 inches (1040mm)



Connector	Diam.	SKU
JST (after 2002)	10mm	<b>SN-HS396</b>

### (Davey) Optical Water Sensor

**Compatibility:** Spa Power Systems

**Cable length:** 280mm

**Diameter Sensor:** 17mm

**Diameter O'ring:** 3mm



Part	SKU
Sensor only	<b>SN-QA915</b>
O'ring	<b>SN-Q3962</b>

### (Davey) Inline Temperature Sensor

**Compatibility:** Spa Power SP601/800

**Cable length:** 230mm

**Diameter Sensor:** 5mm

**Diameter Heat Shrink:** 8mm



Part	SKU
Sensor only	<b>SN-Q9155</b>
Heat Shrink	<b>PL-QHS08</b>

### Balboa BP2X-Wire Kit Blower for BP2100G1 control box

**Brand:** Balboa

**Cable length:**  
20 inches (520mm)

**Specifications:**  
2 wires : 1 x 4 pin amp with 10A fuse for Blower. 1 x splitter.



Type	SKU
Expander Board Splitter Port	<b>CA-CS893</b>

### Vita Spa Sensors

**Brand:** Vita Spa

**Diameter:** 6mm

2 models available



Part	SKU
Short Sensor	<b>SN-VS104</b>
Long Sensor	<b>SN-VS103</b>

### Tecmark Level Sensor

**Brand:** Tecmark

Use with approved Tecmark timers.



Type	SKU
10 Vdc (use with timer)	<b>SN-10100</b>
9 to 30 Vdc	<b>SN-10110</b>

### Sundance Hi-limit Probe

**Brand:** Sundance

**Cable length:**  
20 inches (520mm)



SN-SD100

Connector	Diam.	SKU
Curled End	6mm	<b>SN-SD100</b>
Boxed End	6mm	<b>SN-SD101</b>

### Sundance Temperature Sensor

**Brand:** Sundance

**Cable length:**  
138 inches (3500mm)



SN-SD102

Connector	Diam.	SKU
Curled End	20mm	<b>SN-SD102</b>
Boxed End	20mm	<b>SN-SD103</b>
O'Ring	22mm	<b>PL-10176</b>

### Hot Spring Replacement Heater (before 2002) Control Sensor (Blue)

**Cable length:**  
52 inches (1320mm)



Type	Diam.	SKU
Before 2002	16mm	<b>SN-HS611</b>
After 2002	16mm	<b>SN-HS612</b>

### (Davey) Optional In-Pool Temp Sensor MK 3

**Cable length:**  
117 inches (2970mm)



Diameter	SKU
9mm	<b>SN-Q9254</b>

### (Davey) Optional In-Pool Sensor Probe

**Cable length:**  
117 inches (2970mm)




Diameter	SKU
9mm	<b>SN-Q9154</b>

### Balboa Transformer

**Specification:**  
230vac - 12vac  
(10V@ 3A CE)\*

**Dimensions:**  
100mm x 60mm x 50mm



Type	SKU
12-pin	<b>TR-BA412</b>

### Gecko Transformer MSPA-MP

**Manufacturer:**  
Gecko 9920-100062

**Specification:** 230vac - 12vac

**Dimensions:**  
70mm x 80mm x 46mm



SKU
<b>TR-GK062</b>

### Gecko Transformer For IN.YE and IN.YT

**Brand:** Gecko

**Connection:** 1 x plastic plug

**Specification:** 230vac - 10vac.



Type	SKU
Control Box, Circuit Board Transformer	<b>TR-GK063</b>

**Unsure What Part You Need?**

Our experienced technical staff are always happy to help!  
Email us at [info@spapartsvortex.eu](mailto:info@spapartsvortex.eu) or give us a call for assistance.

OVER

100%

PRODUCTS



# LIGHTING

## LIGHTING

BALBOA	148
WATERWAY	148
DAVEY	149
GECKO	150
SLOAN	150



### Balboa Touch Panel Bulb

**Power:** 12V

**Compatible with:** VL401, VL402, VL403, VL404, VL701S, VL700S, VL600S, ML550, VL801D and more...



SKU  
**TS-BLB01**

### Mood EFX 7 LED Bulbs 1.5W

**Power:** 12V

**Compatible with:** Fits virtually all Spas and Hot Tubs with a standard bulb holder.



SKU  
**LG-BA007**

### Mood EFX 22 LED Bulbs 2.5W

**Manufacturer:** Balboa  
**Length:** 40 mm  
**Diameter:** 45 mm  
**Power:** 12V

**Compatible with:** Fits virtually all Spas and Hot Tubs with a standard bulb holder.



SKU  
**LG-BA022**

### 2 1/8" Diameter Light Housing

**Manufacturer:** Waterway  
**Outer diameter:** 54mm  
**Depth including bulb holder:** 73mm  
**Fits hole:** 42mm



SKU  
**LG-LH218**

### 3.25" Light Housing (Not Front Access)

**Manufacturer:** Waterway  
**Outer diameter:** 83mm  
**Depth including bulb holder:** 73mm  
**Fits hole:** 64mm



SKU  
**LG-LH325**

### 3.25" Light Housing (Front Access)

**Manufacturer:** Waterway  
**Outer diameter:** 83mm  
**Depth including bulb holder:** 73mm  
**Fits hole:** 64mm



SKU  
**LG-LH327**

### 5 inch Waterway True Light

**Manufacturer:** Waterway

**Outer diameter:** 125mm  
**Depth including bulb holder:** 70mm

**Fits hole:** 95mm



SKU

**LG-LH500**

### 9 inch Arctic Spas Light Housing

**Manufacturer:** Artic Spas

**Outer diameter:** 230mm  
**Depth including bulb holder:** 65mm

**Fits hole:** 190mm



SKU

**LG-LH900**

### (Davey) 5 inch Diameter Light Housing

**Manufacturer:** Davey  
**Outer Diameter:** 127 mm



SKU

**LG-QRD5L**

### (Davey) 5 Inch Variable Colour LED

**Manufacturer:** Davey  
**Outer Diameter:** 127mm



SKU

**LG-QRD7**

## DO YOU NEED HELP?

Do you have a technical or sales enquiry?

Give our friendly team a call on 02392 454455 today and one of our expert advisors will be able to assist you.

Our technical support team are multi-lingual with decades of experience in the Hot Tub industry.

[info@spapartsvortex.eu](mailto:info@spapartsvortex.eu)  
[www.spapartsvortex.eu](http://www.spapartsvortex.eu)



### Small Clear Light Bulb

**Diameter:** 15mm

**Length:** 35mm



SKU

**LG-LB012**

### Gecko Y Series Light Bulb

**Manufacturer:** Gecko

**Power:** 12V



SKU

**LG-GEY01**

### Sloan LED Cluster LiquaLED

**Manufacturer:** Sloan LED

**Outer diameter:** mm

**Cable Length:** 36"



LED's SKU

7 **LG-SL707**

12 **LG-SL012**

21 **LG-SL021**

### Sloan LED Daisy Chain Jumper

**Manufacturer:** Sloan LED

2 lengths available.



LG-SL724

Length SKU

70cm **LG-SL724**

170cm **LG-SL760**

### Single RGB LED, Daisy Chain Assembly

**Manufacturer:** Sloan LED

**Length Of Wire:** 630mm (Outer Bullet Wire) & 630mm (Inner Bullet Wires).



SKU

**LG-SL641**

### Dual RGB LED, Daisy Chain Assembly

**Manufacturer:** Sloan LED

**Length Of Wire:** 630mm (Outer Bullet Wire) & 430mm (Inner Bullet Wires).



SKU

**LG-SL642**

## Quad RGB LED, Daisy Chain Assembly

**Manufacturer:** Sloan LED

2 lengths available.



LG-SL644

Length	SKU
63cm	<b>LG-SL644</b>
96cm (XL)	<b>LG-SL645</b>

## Sloan LED Light Controller

**Manufacturer:** Sloan LED

**Output:** 1 Amp / 12 Watts

2 models available.



LG-SL898

Model	SKU
Control 40	<b>LG-SL678</b>
Control 100	<b>LG-SL898</b>

## Bullet Lens, Frosted, 15mm

**Manufacturer:** Sloan LED

**Outer diameter:** 15mm

**Length:** 32mm



SKU
<b>LG-SL373</b>

## Sloan LED UltraBRITE Mini 9 LED Light, With Bi Pin

**Manufacturer:** Sloan LED

**Outer diameter:** 34mm



SKU
<b>LG-SL862</b>

## Sloan LED UltraBRITE LED Light

**Manufacturer:** Sloan LED

**Outer diameter:** 40mm



SKU
<b>LG-SL739</b>

## Sloan LED Lens accessories



Part	SKU
Compression Nut and O-ring	<b>LG-SL587</b>
Nut, 3/18-16, Hex, Nylon	<b>LG-SL339</b>
O-Ring, Silicone, Clear For Use With Bullet Lenses	<b>LG-SL338</b>



EUROPE'S LARGEST LX DISTRIBUTOR  
OFFICIAL EUROPEAN AFTERSALES CENTRE



## Cal Spas

Pictures	SKU	Pictures	SKU
	HR-CS201		HR-CS204
	HR-CS202		HR-CS206
	HR-CS203		HR-CS210
	HR-CS207		

## Spaform

Pictures	SKU	Price
	HR-GN128	£23.72

# Wellis

Pictures	SKU	Pictures	SKU
	AC-WE030		AC-WE031
	AC-WE035		AC-WE039
	AC-WE040		AC-WE042
	AC-WE062		AC-WE063
	AC-WE065		

## CUSTOMER TESTIMONIALS

'Spa Parts Vortex has against all expectations continued to offer unquestionable expert service, allowing technicians as myself to operate.

The guys at the end of the phone have been tremendous, from assistance in ordering parts to technical advice and opinions.'

— DR. HOT TUBS

“We have used **Spa Parts Vortex** for many years, the parts we require from day to day in stock and delivered on time, **hard to beat!**”

HOT TUB SOLUTIONS —

# Vita Spa

Pictures	SKU	Pictures	SKU
	HR-VS123		HR-VS130
	HR-VS124		HR-VS131
	HR-VS125		HR-VS135
	HR-VS129		HR-VS127
	HR-VS138		

## Can't find the correct headrest?

Email us some images, measurements, lug position and any specific characteristics and we will try to source them for you.

# Sundance/Jacuzzi Spa

Pictures	SKU	Pictures	SKU
	HR-SD447		HR-SD962
	HR-SD448		HR-SD964
	HR-SD472		HR-SD966
	HR-SD482		HR-SD968
	HR-SD483		HR-SD970
	HR-SD500		HR-SD974
	HR-SD007		FX-SD001
	HR-SD822		HR-SD105
	HR-SD828		HR-SD826
	HR-SD960		HR-SD445
	HR-SD446		

## Keersi

Pictures	SKU	Pictures	SKU
	HR-EVA01		HR-EVA05
	HR-EVA10		HR-EVA15
	HR-EVA20		HR-EVA25
	HR-EVA30		HR-EVA40
	HR-EVA45		HR-EVA55
	HR-EVA60		HR-EVA65
	HR-EVA70		