SOLOIS. Strong bonds. Trusted solutions.	Page: 1
SAFETY DATA SHEET	Revision Date: 24.05.2024
	Print Date: 03.10.2024
	SDS Number: R1600830
HTH MINITAB SHOCK	Version: 2.0
218523	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : HTH MINITAB SHOCK

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Biocide

1.3 Details of the supplier of the safety data	1.4 Emergency telephone number
sheet	Europe: NCEC +44 (0)1235 239 670, Africa,
Innovative Water Care Europe SAS	and Middle East: NCEC +44 (0)1235 239 671 ,
Z.I. LA BOITARDIERE BP 219	or contact your local emergency telephone
37400 Amboise	number at 112
France	Humber at 112
riance	
Innovative Water Care Ltd	
Cleckheaton Road - Low Moor	
Esholt - Bradford	
BD12 0JZ	
United Kingdom	
E-mail address of person responsible for	
the SDS:	
EHSProductSafetyTeam@solenis.com	
Product Information	
Innovative Water Care Europe: +33 (0)2 47 23	
43 00, Innovative Water Care Ltd: +44 (0)	
1274 417776	
1214 411110	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.2 Label elements

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Strong bonds. Trusted solutions.	Page: 2
SAFETY DATA SHEET	Revision Date: 24.05.2024
	Print Date: 03.10.2024
	SDS Number: R1600830
HTH MINITAB SHOCK	Version: 2.0
218523	

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
symclosene	87-90-1 201-782-8	Ox. Sol. 2; H272 Acute Tox. 4; H302 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH031	>= 50 - < 60
sodium carbonate	497-19-8 207-838-8	Eye Irrit. 2; H319	>= 40 - < 50

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Call a POISON CENTRE or doctor/physician if exposed or

you feel unwell.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Move to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : First aid is not normally required. However, it is

recommended that exposed areas be cleaned by washing

with soap and water.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

If swallowed : IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell.

Rinse mouth with water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Strong bonds. Trusted solutions.	Page: 3
SAFETY DATA SHEET	Revision Date: 24.05.2024
	Print Date: 03.10.2024
	SDS Number: R1600830
HTH MINITAB SHOCK	Version: 2.0
218523	

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Signs and symptoms of exposure to this material through

breathing, swallowing, and/or passage of the material through

the skin may include:

stomach or intestinal upset (nausea, vomiting, diarrhea)

irritation (nose, throat, airways)

Nose bleeding Shortness of breath

hole formation in the nasal septum

Risks Harmful if swallowed.

> Causes serious eve irritation. May cause respiratory irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Probable mucosal damage may contraindicate the use of

gastric lavage.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water

Unsuitable extinguishing

media

: Dry extinguishers containing ammonium compounds.

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: May intensify fire, oxidizer.

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: Chlorine

nitrogen chloride nitrogen compounds

toxic fumes

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Further information : Use water to cool containers exposed to fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

SOLENIS Strong bonds. Trusted solutions.	Page: 4
SAFETY DATA SHEET	Revision Date: 24.05.2024
	Print Date: 03.10.2024
	SDS Number: R1600830
HTH MINITAB SHOCK	Version: 2.0
218523	

Ensure adequate ventilation.

Avoid dust formation. Avoid breathing dust.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Comply with all applicable federal, state, and local regulations.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up and shovel using a clean broom or shovel.

Shovel material into clean dry containers.

All spills of this product should be treated as contaminated. Contaminated product may initiate a chemical reaction that may spontaneously ignite any combustible material present,

resulting in a fire.

Avoid getting spilled product wet.

Do not seal disposal containers tightly. Immediately remove all product in disposal containers to an isolated area outdoors.

6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid dust formation.

Provide sufficient air exchange and/or exhaust in work rooms.

Do not breathe vapours/dust.

Do not smoke.

Container hazardous when empty.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against

fire and explosion

Keep away from combustible material. Provide appropriate

exhaust ventilation at places where dust is formed.

Hygiene measures : Avoid breathing dust. Wash hands before breaks and at the

end of workday. When using do not eat or drink. When using

do not smoke.

Strong bonds. Trusted solutions.	Page: 5
SAFETY DATA SHEET	Revision Date: 24.05.2024
	Print Date: 03.10.2024
	SDS Number: R1600830
HTH MINITAB SHOCK	Version: 2.0
218523	

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Store in original container.

Recommended storage

temperature

: <= 35 °C

Further information on storage stability

: Do not store next to a heat source, in direct sunlight, or elevated temperatures. Do not store where the daily average temperature exceeds prescribed storage temperature for 7 consecutive days. Prevent ingress of humidity and moisture into container or package. Keep containers tightly closed.

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health	Value
			effects	
sodium carbonate	Workers	Inhalation	Long-term local effects	10 mg/m3
Remarks:	respiratory trac	respiratory tract irritation		
	General population	Inhalation	Local, short-term	10 mg/m3
Remarks:	respiratory tract irritation			

8.2 Exposure controls

Engineering measures

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Provide appropriate exhaust ventilation at places where dust is formed.

Personal protective equipment

Eye protection : Wear chemical splash goggles when there is the potential for

exposure of the eyes to liquid, vapor or mist.

Hand protection

Strong bonds. Trusted solutions.	Page: 6
SAFETY DATA SHEET	Revision Date: 24.05.2024
	Print Date: 03.10.2024
	SDS Number: R1600830
HTH MINITAB SHOCK	Version: 2.0
218523	

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Wear as appropriate:

Safety shoes

Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Wear resistant gloves (consult your safety equipment

supplier).

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Dust safety masks are recommended when the dust

concentration is more than 10 mg/m3.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : tablet

Colour : white

Odour : characteristic

Odour Threshold : No data available

pH : 2,7 - 3,3 (25 °C)

Concentration: 1 %

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

SOLENIS, Strong bonds. Trusted solutions.	Page: 7
SAFETY DATA SHEET	Revision Date: 24.05.2024
	Print Date: 03.10.2024
	SDS Number: R1600830
HTH MINITAB SHOCK	Version: 2.0
218523	

Density : 1,8 g/cm3

Solubility(ies)

Water solubility : 12 g/l insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature : 220 - 230 °C

No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Particle size : No data available

Self-ignition : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under recommended storage conditions.

May be unstable at temperatures above 225 Deg. C (437 Deg. F).

10.3 Possibility of hazardous reactions

Hazardous reactions : Product will not undergo hazardous polymerization.

10.4 Conditions to avoid

Conditions to avoid : excessive heat

Keep away from heat, flame, sparks and other ignition

sources.

10.5 Incompatible materials

Materials to avoid : Do not allow product to come in contact with other materials,

including e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all corrosive liquids, flammable or combustible materials, etc. A chemical reaction with such substances can

Strong bonds. Trusted solutions.	Page: 8
SAFETY DATA SHEET	Revision Date: 24.05.2024
	Print Date: 03.10.2024
	SDS Number: R1600830
HTH MINITAB SHOCK	Version: 2.0
218523	

cause a fire.

If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter.

10.6 Hazardous decomposition products

Hazardous decomposition

: Chlorine

products

nitrogen chloride nitrogen compounds

toxic fumes

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Components:

symclosene:

Acute oral toxicity : LD50 (Rat): 490 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

sodium carbonate:

Acute oral toxicity : LD50 (Rat): 2.800 mg/kg

Acute inhalation toxicity : LC 50 (Rat): 2.300 mg/m3

Exposure time: 2 h

Test atmosphere: dust/mist

Skin corrosion/irritation

Product:

Remarks : May cause skin irritation in susceptible persons.

Components:

sodium carbonate:

Result : Not irritating to skin

Serious eye damage/eye irritation

Product:

Remarks : Product dust may be irritating to eyes, skin and respiratory

system.

Causes serious eye irritation.

Strong bonds. Trusted solutions.	Page: 9
SAFETY DATA SHEET	Revision Date: 24.05.2024
	Print Date: 03.10.2024
	SDS Number: R1600830
HTH MINITAB SHOCK	Version: 2.0
218523	

Components:

symclosene:

Species Rabbit

Result Severely irritating to eyes

sodium carbonate:

Result : Severely irritating to eyes

STOT - single exposure

Components:

symclosene:

Target Organs : Respiratory Tract

Assessment : May cause respiratory irritation.

Further information

Product:

: No data available Remarks

SECTION 12: Ecological information

12.1 Toxicity

Components:

symclosene:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,23 mg/l

> End point: mortality Exposure time: 96 h

GLP: yes

LC50 (Oncorhynchus mykiss (rainbow trout)): 0,24 mg/l

End point: mortality Exposure time: 96 h

GLP: yes

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0,17 mg/l

Exposure time: 48 h

sodium carbonate:

LC50 (Bluegill (Lepomis macrochirus)): 300 mg/l Toxicity to fish

> Exposure time: 96 h Method: Static Remarks: Mortality

aquatic invertebrates

Toxicity to daphnia and other : LC 50 (Daphnia magna (Water flea)): 265 mg/l

Exposure time: 48 h

SOLENIS,,, Strong bonds. Trusted solutions.	Page: 10
SAFETY DATA SHEET	Revision Date: 24.05.2024
	Print Date: 03.10.2024
	SDS Number: R1600830
HTH MINITAB SHOCK	Version: 2.0
218523	

Method: Static Remarks: Mortality

12.2 Persistence and degradability

Components:

symclosene:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 2 % Exposure time: 28 d

Method: OECD Test Guideline 301D

12.3 Bioaccumulative potential

Components:

symclosene:

Partition coefficient: n-

octanol/water

: log Pow: 0,94

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

12.6 Other adverse effects

Product:

Additional ecological

information

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Dispose of in accordance with local regulations.

SOLENIS., Strong bonds. Trusted solutions.	Page: 11
SAFETY DATA SHEET	Revision Date: 24.05.2024
	Print Date: 03.10.2024
	SDS Number: R1600830
HTH MINITAB SHOCK	Version: 2.0
218523	

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR: UN3077

ADN: UN3077

RID: UN3077

IMDG-Code: UN3077

IATA-DGR: UN3077

14.2 UN proper shipping name

ADR: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(TRICHLOROISOCYANURIC ACID)

ADN: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(TRICHLOROISOCYANURIC ACID)

RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(TRICHLOROISOCYANURIC ACID)

ÌMDG-Code: ENVIRONMENTALLÝ HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(TRICHLOROISOCYANURIC ACID)

IATA-DGR: Environmentally hazardous substance, solid, n.o.s. (TRICHLOROISOCYANURIC ACID)

14.3 Transport hazard class(es)

ADR: 9 **ADN**: 9 **RID**: 9

IMDG-Code: 9 IATA-DGR: 9

14.4 Packing group

ADR: III ADN: III RID: III

IMDG-Code: III

14.5 Environmental hazards

ADR: Environmentally hazardous

Strong bonds. Trusted solutions.	Page: 12
SAFETY DATA SHEET	Revision Date: 24.05.2024
	Print Date: 03.10.2024
	SDS Number: R1600830
HTH MINITAB SHOCK	Version: 2.0
218523	

ADN: Environmentally hazardous **RID:** Environmentally hazardous **IMDG-Code:** Marine pollutant

IATA-DGR: Environmentally hazardous

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

Regulation (EC) No 1005/2009 on substances that : Not applicable

deplete the ozone layer

UK REACH List of substances subject to authorisation : Not applicable

(Annex XIV)

UK REACH Candidate list of substances of very high : Not applicable

concern (SVHC) for Authorisation

Not applicable

The Persistent Organic Pollutants Regulations (retained

Regulation (EU) 2019/1021 as amended for Great Britain)

GB Export and import of hazardous chemicals - Prior : Not applicable

Informed Consent (PIC) Regulation

Control of Major Accident Hazards Regulations Not applicable

2015 (COMAH)

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Exempt

Strong bonds. Trusted solutions.	Page: 13
SAFETY DATA SHEET	Revision Date: 24.05.2024
	Print Date: 03.10.2024
	SDS Number: R1600830
HTH MINITAB SHOCK	Version: 2.0
218523	

AIIC : On the inventory, or in compliance with the inventory

DSL : Exempt

ENCS : On the inventory, or in compliance with the inventory

KECI: On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Further information

Revision Date: 24.05.2024

Classification of the mixture: Classification procedure:

Acute Tox. 4	H302	Calculation method	
Eye Irrit. 2	H319	Calculation method	
STOT SE 3	H335	Calculation method	
Aquatic Acute 1	H400	Calculation method	
Aquatic Chronic 1	H410	Calculation method	

Full text of H-Statements

H272 : May intensify fire; oxidizer. H302 : Harmful if swallowed.

H319 : Causes serious eye irritation. H335 : May cause respiratory irritation.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation
Ox. Sol. : Oxidizing solids

STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -

SOLENIS., Strong bonds. Trusted solutions.	Page: 14
SAFETY DATA SHEET	Revision Date: 24.05.2024
	Print Date: 03.10.2024
	SDS Number: R1600830
HTH MINITAB SHOCK	Version: 2.0
218523	

Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet: SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory: TSCA - Toxic Substances Control Act (United States): UN - United Nations: UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet
Key literature references and sources of data
SOLENIS Internal data
SOLENIS internal data including own and sponsored test reports
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

GB/EN