		Page: 1
SAFETY DATA SHEET		Revision Date: 20.06.2024
		Print Date: 04.05.2026
		SDS Number: R1601216
HTH SPA TRAITEMENT SANS CHLORE		Version: 1.0
250886		

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : HTH SPA TRAITEMENT SANS CHLORE

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Biocide

<p>1.3 Details of the supplier of the safety data sheet Innovative Water Care Europe SAS Z.I. LA BOITARDIERE BP 219 37400 Amboise France</p> <p>Innovative Water Care Ltd Cleckheaton Road - Low Moor Esholt - Bradford BD12 0JZ United Kingdom</p> <p>E-mail address of person responsible for the SDS: EHSProductSafetyTeam@solenis.com</p> <p>Product Information Innovative Water Care Europe: +33 (0)2 47 23 43 00, Innovative Water Care Ltd: +44 (0) 1274 417776</p>	<p>1.4 Emergency telephone number Europe: NCEC +44 (0)1235 239 670, Africa, and Middle East: NCEC +44 (0)1235 239 671 , or contact your local emergency telephone number at 112</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture


Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Serious eye damage, Category 1

H318: Causes serious eye damage.

Long-term (chronic) aquatic hazard, Category 3

H412: Harmful to aquatic life with long lasting effects.

		Page: 2
SAFETY DATA SHEET		Revision Date: 20.06.2024
		Print Date: 04.05.2026
		SDS Number: R1601216
HTH SPA TRAITEMENT SANS CHLORE		Version: 1.0
250886		

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :



Signal word : Danger

Hazard statements : H318 Causes serious eye damage.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.

Prevention:

P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:
hydrogen peroxide

2.3 Other hazards


This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Material can create slippery conditions.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
hydrogen peroxide	7722-84-1	Ox. Liq. 1; H271	>= 10 - < 15

 Strong bonds. Trusted solutions.		Page: 3
SAFETY DATA SHEET		Revision Date: 20.06.2024
		Print Date: 04.05.2026
		SDS Number: R1601216
HTH SPA TRAITEMENT SANS CHLORE		Version: 1.0
250886		


	231-765-0	Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Corr. 1A; H314 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) Aquatic Chronic 3; H412 <hr/> specific concentration limit Ox. Liq. 1; H271 >= 70 % Ox. Liq. 2; H272 50 - < 70 % Skin Corr. 1A; H314 >= 70 % Skin Corr. 1B; H314 50 - < 70 % Skin Irrit. 2; H315 35 - < 50 % Eye Dam. 1; H318 8 - < 50 % Eye Irrit. 2; H319 5 - < 8 % STOT SE 3; H335 >= 35 %	
Polymer of N-Methylmethanamine (EINECS 204-697-4 with (chloromethyl) oxirane (EINECS 203-439-8)/Polymeric quaternary ammonium chloride (PQ Polymer)	25988-97-0	Acute Tox. 4; H302 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 <hr/> M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	>= 1 - < 2,5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
 Consult a physician.
 Show this safety data sheet to the doctor in attendance.
 Do not leave the victim unattended.
- If inhaled : If breathed in, move person into fresh air.
 If unconscious, place in recovery position and seek medical advice.
 If symptoms persist, call a physician.
- In case of skin contact : First aid is not normally required. However, it is

		Page: 4
SAFETY DATA SHEET		Revision Date: 20.06.2024
		Print Date: 04.05.2026
		SDS Number: R1601216
HTH SPA TRAITEMENT SANS CHLORE		Version: 1.0
250886		

recommended that exposed areas be cleaned by washing with soap and water.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.

If swallowed : Obtain medical attention.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:
stomach or intestinal upset (nausea, vomiting, diarrhea)
irritation (nose, throat, airways)
Lung irritation
bronchitis
Headache
Dizziness
lung edema (fluid buildup in the lung tissue)
seizures
Convulsions

Risks : Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No hazards which require special first aid measures.

SECTION 5: Firefighting measures


5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during : Do not allow run-off from fire fighting to enter drains or water

		Page: 5
SAFETY DATA SHEET		Revision Date: 20.06.2024
		Print Date: 04.05.2026
		SDS Number: R1601216
HTH SPA TRAITEMENT SANS CHLORE		Version: 1.0
250886		

firefighting courses.

Hazardous combustion products : acetic acid

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Specific extinguishing methods : Product is compatible with standard fire-fighting agents.

Further information : Material can create slippery conditions.
Water may cause extremely slippery conditions.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Material can create slippery conditions.
Use personal protective equipment.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.

6.2 Environmental precautions


Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : For small spills, quickly contain and remove the spilled material using absorbent pads, socks, kitty litter, sawdust etc, then appropriately dispose. Do not leave absorbents to sit overnight, as they will become hard and difficult to remove.
The remaining residue or film can be treated with dilute caustic (2%) or dilute liquid bleach (2–5%), allowed to soak for up to one hour, and clean with warm water (between 49C – 54C (120F – 130 F)) or flushed to a sewer using high volumes of water taking into account local guidelines.
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

		Page: 6
SAFETY DATA SHEET		Revision Date: 20.06.2024
		Print Date: 04.05.2026
		SDS Number: R1601216
HTH SPA TRAITEMENT SANS CHLORE		Version: 1.0
250886		

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : Avoid spillage on floor as the product can become very slippery.
Do not breathe vapours/dust.
Container hazardous when empty.
Avoid contact with skin and eyes.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : Wash hands before breaks and at the end of workday. When using do not eat or drink. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)


- Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
hydrogen peroxide	7722-84-1	TWA	1 ppm 1,4 mg/m ³	GB EH40
		STEL	2 ppm 2,8 mg/m ³	GB EH40

		Page: 7
SAFETY DATA SHEET		Revision Date: 20.06.2024
		Print Date: 04.05.2026
		SDS Number: R1601216
HTH SPA TRAITEMENT SANS CHLORE		Version: 1.0
250886		

8.2 Exposure controls

Engineering measures

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Eye protection : Wear chemical splash goggles and face shield when there is potential for exposure of the eyes or face to liquid, vapor or mist.
Maintain eye wash station in immediate work area.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Wear as appropriate:
Impervious clothing
Safety shoes
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Wear resistant gloves (consult your safety equipment supplier).

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : transparent

Odour : characteristic

Odour Threshold : No data available

pH : ca. 2,7

Melting point/freezing point : No data available


Boiling point/boiling range : 150 °C

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

		Page: 8
SAFETY DATA SHEET		Revision Date: 20.06.2024
		Print Date: 04.05.2026
		SDS Number: R1601216
HTH SPA TRAITEMENT SANS CHLORE		Version: 1.0
250886		

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : 23 hPa (20 °C)

Relative vapour density : No data available

Relative density : No data available

Density : 1,04 g/cm³

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

9.2 Other information

Self-ignition : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions


Hazardous reactions : Product will not undergo hazardous polymerization.

10.4 Conditions to avoid

Conditions to avoid : Avoid heat, open flame, and prolonged storage at elevated temperatures.
Contact may result in corrosion and product degradation.

10.5 Incompatible materials

Materials to avoid : aluminum

		Page: 9
SAFETY DATA SHEET		Revision Date: 20.06.2024
		Print Date: 04.05.2026
		SDS Number: R1601216
HTH SPA TRAITEMENT SANS CHLORE		Version: 1.0
250886		

Combustible material
 Copper
 Cyanides
 Iron
 Metals
 metal salts
 Organic materials
 Reducing agents
 strong mineral acids
 Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products : Carbon monoxide
 Carbon dioxide (CO₂)
 Hydrogen chloride gas
 Nitrogen oxides (NO_x)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Remarks: Hydrogen peroxide ingestion can cause irritation of the gastrointestinal system with possible abdominal pain, nausea, vomiting and diarrhea. Large ingestions can cause rapid release of oxygen which may expand the esophagus or stomach resulting in severe damage (bleeding, ulceration or perforation).

Components:


hydrogen peroxide:

Acute oral toxicity : LD50 (Rat, male): 1.026 mg/kg
 LD50 (Rat, female): 694 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1 - < 5 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
 Assessment: Not classified as acutely toxic by dermal absorption under GHS.
 Remarks: No mortality observed at this dose.

Polymer of N-Methylmethanamine (EINECS 204-697-4 with (chloromethyl) oxirane (EINECS 203-439-8)/Polymeric quaternary ammonium chloride (PQ Polymer):

		Page: 10
SAFETY DATA SHEET		Revision Date: 20.06.2024
		Print Date: 04.05.2026
		SDS Number: R1601216
HTH SPA TRAITEMENT SANS CHLORE		Version: 1.0
250886		

Acute oral toxicity : LD50 (Rat, male): 1.247 mg/kg
Method: OECD Test Guideline 401

LD50 (Rat, female): 1.003 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: No adverse effect has been observed in acute dermal toxicity tests., The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

hydrogen peroxide:

Species : Rabbit
Result : Corrosive after 3 minutes or less of exposure

Polymer of N-Methylmethanamine (EINECS 204-697-4 with (chloromethyl) oxirane (EINECS 203-439-8)/Polymeric quaternary ammonium chloride (PQ Polymer):

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.
Eye effects may be delayed.

Components:

hydrogen peroxide:

Result : Corrosive to eyes


Polymer of N-Methylmethanamine (EINECS 204-697-4 with (chloromethyl) oxirane (EINECS 203-439-8)/Polymeric quaternary ammonium chloride (PQ Polymer):

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

		Page: 11
SAFETY DATA SHEET		Revision Date: 20.06.2024
		Print Date: 04.05.2026
		SDS Number: R1601216
HTH SPA TRAITEMENT SANS CHLORE		Version: 1.0
250886		

Respiratory sensitisation

Not classified based on available information.

Components:

Polymer of N-Methylmethanamine (EINECS 204-697-4 with (chloromethyl) oxirane (EINECS 203-439-8)/Polymeric quaternary ammonium chloride (PQ Polymer):

Test Type : (mod. Buehler test): modified Buehler test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:

hydrogen peroxide:

Genotoxicity in vitro : Test Type: Ames test
Result: Positive results were obtained in some in vitro tests.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

Components:

hydrogen peroxide:

Target Organs : Respiratory Tract
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT - repeated exposure

Not classified based on available information.


Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

		Page: 12
SAFETY DATA SHEET		Revision Date: 20.06.2024
		Print Date: 04.05.2026
		SDS Number: R1601216
HTH SPA TRAITEMENT SANS CHLORE		Version: 1.0
250886		

SECTION 12: Ecological information

12.1 Toxicity

Components:

hydrogen peroxide:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 16,4 mg/l
 Exposure time: 96 h
 Test Type: semi-static test

Toxicity to daphnia and other : LC 50 (Daphnia magna (Water flea)): 2,4 mg/l
 aquatic invertebrates
 Exposure time: 48 h
 Test Type: semi-static test

Toxicity to algae/aquatic : EC50 (Skeletonema costatum (diatom)): 1,38 mg/l
 plants
 End point: Growth inhibition
 Exposure time: 72 h
 Test Type: static test

NOEC (Skeletonema costatum (diatom)): 0,63 mg/l
 End point: Growth inhibition
 Exposure time: 72 h
 Test Type: static test

Toxicity to daphnia and other : NOEC: 0,63 mg/l
 aquatic invertebrates
 Exposure time: 21 d
 Species: Daphnia magna (Water flea)
 Test Type: flow-through test

Polymer of N-Methylmethanamine (EINECS 204-697-4 with (chloromethyl) oxirane (EINECS 203-439-8)/Polymeric quaternary ammonium chloride (PQ Polymer):


Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,077 mg/l
 Exposure time: 96 h
 Test Type: semi-static test
 Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0,084 mg/l
 aquatic invertebrates
 Exposure time: 48 h
 Test Type: semi-static test
 Method: Tested according to Directive 92/69/EEC.

Toxicity to algae/aquatic : ErC50 (Desmodesmus subspicatus (green algae)): 0,13 mg/l
 plants
 Exposure time: 72 h
 Method: OECD Test Guideline 201

M-Factor (Acute aquatic : 10
 toxicity)

Toxicity to fish (Chronic : NOEC: 0,024 mg/l
 toxicity)
 Exposure time: 28 d
 Species: Oncorhynchus mykiss (rainbow trout)

		Page: 13
SAFETY DATA SHEET		Revision Date: 20.06.2024
		Print Date: 04.05.2026
		SDS Number: R1601216
HTH SPA TRAITEMENT SANS CHLORE		Version: 1.0
250886		

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,026 mg/l
 Exposure time: 21 d
 Species: Daphnia magna (Water flea)
 Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

12.2 Persistence and degradability

Components:

hydrogen peroxide:

Biodegradability : Result: The methods for determining biodegradability are not applicable to inorganic substances.

Polymer of N-Methylmethanamine (EINECS 204-697-4 with (chloromethyl) oxirane (EINECS 203-439-8)/Polymeric quaternary ammonium chloride (PQ Polymer):

Biodegradability : Result: Not readily biodegradable.

12.3 Bioaccumulative potential

Components:

Polymer of N-Methylmethanamine (EINECS 204-697-4 with (chloromethyl) oxirane (EINECS 203-439-8)/Polymeric quaternary ammonium chloride (PQ Polymer):

Partition coefficient: n-octanol/water : log Pow: -3,13 (21 °C)

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment


Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
 Toxic to aquatic life with long lasting effects.

		Page: 14
SAFETY DATA SHEET		Revision Date: 20.06.2024
		Print Date: 04.05.2026
		SDS Number: R1601216
HTH SPA TRAITEMENT SANS CHLORE		Version: 1.0
250886		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
- Dispose of in accordance with local regulations.
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR: UN3139

ADN: UN3139

RID: UN3139

IMDG-Code: UN3139

IATA-DGR: UN3139

14.2 UN proper shipping name

ADR: OXIDIZING LIQUID, N.O.S. (HYDROGEN PEROXIDE, POLYMERISED QUATERNARY AMMONIUM COMPOUND)

ADN: OXIDIZING LIQUID, N.O.S. (HYDROGEN PEROXIDE, POLYMERISED QUATERNARY AMMONIUM COMPOUND)

RID: OXIDIZING LIQUID, N.O.S. (HYDROGEN PEROXIDE, POLYMERISED QUATERNARY AMMONIUM COMPOUND)

IMDG-Code: OXIDIZING LIQUID, N.O.S. (HYDROGEN PEROXIDE, POLYMERISED QUATERNARY AMMONIUM COMPOUND)

IATA-DGR: Oxidizing liquid, n.o.s. (HYDROGEN PEROXIDE, POLYMERISED QUATERNARY AMMONIUM COMPOUND)


14.3 Transport hazard class(es)

ADR: 5.1

ADN: 5.1

RID: 5.1

IMDG-Code: 5.1

		Page: 15
SAFETY DATA SHEET		Revision Date: 20.06.2024
		Print Date: 04.05.2026
		SDS Number: R1601216
HTH SPA TRAITEMENT SANS CHLORE		Version: 1.0
250886		

IATA-DGR: 5.1

14.4 Packing group

ADR: III

ADN: III

RID: III

IMDG-Code: III

IATA-DGR: III

14.5 Environmental hazards

ADR: Not applicable

ADN: Not applicable

RID: Not applicable

IMDG-Code: Not applicable

IATA-DGR: Not applicable

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law


Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

GB Export and import of hazardous chemicals - Prior : Not applicable

		Page: 16
SAFETY DATA SHEET		Revision Date: 20.06.2024
		Print Date: 04.05.2026
		SDS Number: R1601216
HTH SPA TRAITEMENT SANS CHLORE		Version: 1.0
250886		

Informed Consent (PIC) Regulation

Control of Major Accident Hazards Regulations 2015 (COMAH) Not applicable

The components of this product are reported in the following inventories:

- TCSI : On the inventory, or in compliance with the inventory
- TSCA : Exempt
- AIIC : On the inventory, or in compliance with the inventory
- DSL : Exempt
- ENCS : Not in compliance with the inventory
- KECI : On the inventory, or in compliance with the inventory
- PICCS : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Further information

Revision Date: 20.06.2024

Classification of the mixture:

Eye Dam. 1 H318
 Aquatic Chronic 3 H412

Classification procedure:


Calculation method
 Calculation method

Full text of H-Statements

- H271 : May cause fire or explosion; strong oxidizer.
- H302 : Harmful if swallowed.
- H314 : Causes severe skin burns and eye damage.
- H318 : Causes serious eye damage.
- H332 : Harmful if inhaled.
- H335 : May cause respiratory irritation.
- H400 : Very toxic to aquatic life.
- H410 : Very toxic to aquatic life with long lasting effects.
- H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations


- Acute Tox. : Acute toxicity
- Aquatic Acute : Short-term (acute) aquatic hazard

 Strong bonds. Trusted solutions.		Page: 17
SAFETY DATA SHEET		Revision Date: 20.06.2024
		Print Date: 04.05.2026
		SDS Number: R1601216
HTH SPA TRAITEMENT SANS CHLORE		Version: 1.0
250886		

- Aquatic Chronic : Long-term (chronic) aquatic hazard
- Eye Dam. : Serious eye damage
- Ox. Liq. : Oxidizing liquids
- Skin Corr. : Skin corrosion
- STOT SE : Specific target organ toxicity - single exposure
- GB EH40 : UK. EH40 WEL - Workplace Exposure Limits
- GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
- GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet
Key literature references and sources of data
SOLENIS Internal data
SOLENIS internal data including own and sponsored test reports
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

	Page: 18
SAFETY DATA SHEET	Revision Date: 20.06.2024
	Print Date: 04.05.2026
HTH SPA TRAITEMENT SANS CHLORE	SDS Number: R1601216
250886	Version: 1.0

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

GB / EN