# Tintometer<sup>®</sup> Group Water Testing



Page 1/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.11.2022

Version number 9 (replaces version 8)

Revision: 18.11.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Product name: Alka-M-Photometer
- · Catalog number: 00513211, 513210BT, 513211BT, 4513210BT, 4513211BT, 5132100BT, 00513219BT
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- Supplier: Tintometer GmbH Schleefstraße 8-12 44287 Dortmund Made in Germany www.lovibond.com

The Tintometer Limited Lovibond<sup>®</sup>House Sun Rise Way Amesbury Wiltshire SP4 7GR United Kingdom

- Informing department: e-mail: sds@lovibond.com Product Safety Department
- **1.4 Emergency telephone number:** +44 1235 239670 Languages: English

# **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008
 The product is not classified as hazardous according to the GB CLP regulation.

#### · 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:
- EUH210 Safety data sheet available on request.
- · 2.3 Other hazards No further relevant information available.

· Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006. • Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

# **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· Description: Mixture contains organic compounds.

phone: +49 (0)231 94510-0 e-mail: sales@lovibond.com

phone : +44 1980 664800 e-mail: SDS@lovibond.uk

Version number 9 (replaces version 8)

Revision: 18.11.2022

#### Product name: Alka-M-Photometer

Printing date 18.11.2022

		(Con	td. of page 1)
· Dangerous components:			
CAS: 124-04-9 EINECS: 204-673-3 Index No: 607-144-00-9 Reg.nr.: 01-2119457561-38-XXXX	adipic acid	1 Eye Irrit. 2, H319	2.5–5%
• Additional information For the wording of the listed hazard phrases refer to section 16.			

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- After inhalation Supply fresh air.
- · After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eye contact
- Rinse opened eye for several minutes under running water (at least 15 min). If symptoms persist, consult doctor.
- After swallowing
- Rinse out mouth and then drink 1-2 glasses of water.
- In case of persistent symptoms consult doctor.

## 4.2 Most important symptoms and effects, both acute and delayed:

irritations

after swallowing of large amounts:

thirst

gastric or intestinal trouble

• 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents Water, Carbon dioxide (CO<sub>2</sub>), Foam, Fire-extinguishing powder
- For safety reasons unsuitable extinguishing agents
- For this substance / mixture no limitations of extinguishing agents are given.
- 5.2 Special hazards arising from the substance or mixture
- combustible

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

nitrous gases

Sulphur oxides (SOx)

Nitrogen oxides (NOx)

- Carbon monoxide (CO) and carbon dioxide (CO<sub>2</sub>) • **5.3 Advice for firefighters**
- · Protective equipment:
- Wear self-contained breathing apparatus.
- Wear full protective suit.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

# **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel: Wear protective equipment. Keep unprotected persons away.
- Advice for emergency responders: Protective equipment: see section 8
- · 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- · 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

- Collect mechanically.
- Dispose of contaminated material as waste according to item 13.

#### 6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

Version number 9 (replaces version 8)

Product name: Alka-M-Photometer

See Section 13 for information on disposal.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

· Advice on safe handling: No special precautions necessary if used correctly.

· Hygiene measures:

The usual precautionary measures should be adhered to general rules for handling chemicals.

Do not eat, drink or smoke when using this product.

Wash hands during breaks and at the end of the work.

• 7.2 Conditions for safe storage, including any incompatibilities

· Requirements to be met by storerooms and containers: Store in cool location.

- Information about storage in one common storage facility: see chapter 10
- Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from the effects of light.

Store under dry conditions.

Protect from humidity and keep away from water.

Recommended storage temperature: 20°C +/- 5°C

· 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### · DNELs

Derived No Effect Level (DNEL)

CAS: 124-04-9 adipic acid			
Oral	DNEL	19 mg/kg (Consumer / acute / systemic effects)	
		19 mg/kg (Consumer / long-term / systemic effects)	
Dermal	DNEL	38 mg/kg (Worker / acute / systemic effects)	
		38 mg/kg (Worker / long-term /systemic effects)	
		19 mg/kg (Consumer / acute / systemic effects)	
		19 mg/kg (Consumer / long-term / systemic effects)	
Inhalative	DNEL	5 mg/m³ (Worker / acute / local effects)	
		264 mg/m³ (Worker / acute / systemic effects)	
		5 mg/m³ (Worker / long-term / local effects)	
		264 mg/m <sup>3</sup> (Worker / long-term /systemic effects)	
		65 mg/m³ (Consumer / acute / systemic effects)	
		65 mg/m³ (Consumer / long-term / systemic effects)	

· PNECs

Predicted No Effect Concentration (PNEC)

CAS: 1	S: 124-04-9 adipic acid		
PNEC	C 59.1 mg/l (Sewage treatment plant)		
	0.0126 mg/l (Marine water)		
	0.46 mg/l (Aquatic intermittent release)		
	0.126 mg/l (Fresh water)		
PNEC	0.0228 mg/kg (Soil)		
	0.0484 mg/kg (Marine sediment)		
	0.484 mg/kg (Fresh water sediment)		

· Additional information: The lists that were valid during the compilation were used as basis.

(Contd. of page 2)

Revision: 18.11.2022

Version number 9 (replaces version 8)

Revision: 18.11.2022

(Contd. of page 3)

## Product name: Alka-M-Photometer

#### · 8.2 Exposure controls

Printing date 18.11.2022

## · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

#### · Individual protection measures, such as personal protective equipment

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

- · Eye/face protection
- Safety glasses

use against the effects of fumes / dust Use safety glasses that have been tested and approved in accordance with government standards such as EN 166.

Hand protection

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

- Material of gloves
- nitrile rubber, NBR
- Recommended thickness of the material:  $\geq 0.11$  mm Penetration time of glove material
- Value for the permeation: Level = 1 ( < 10 min )
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Other skin protection (body protection): Protective work clothing.
- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- · Recommended filter device for short term use: Filter P1

• Environmental exposure controls Do not allow product to reach sewage system or water bodies.

## SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical prop	erties
Physical state	Solid.
· Form:	Tablets
· Colour:	Orange
· Odour:	Odourless
· Odour threshold:	Not applicable.
• Melting point/Freezing point:	Not determined.
Boiling point or initial boiling point and boiling range	e Not determined.
· Flammability	combustible
<ul> <li>Explosive properties:</li> </ul>	The product is not capable of dust explosion in the form supplied;
	enrichment with fine dust causes risk of dust explosion
• Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not applicable (solid).
· Flash point:	196°C (CAS: 124-04-9 adipic acid)
· Ignition temperature:	Not applicable (solid).
<ul> <li>Decomposition temperature:</li> </ul>	Not applicable.
<sup>.</sup> pH (8.8 g/l) at 20°C	3.5
· Kinematic viscosity	Not applicable (solid).
· Solubility	
· Water:	Soluble
<ul> <li>Partition coefficient n-octanol/water (log value)</li> </ul>	Not applicable (mixture).
· Vapour pressure:	Not applicable.
Density and/or relative density	
· Density:	Not determined.
· Relative density:	Not determined.
Relative gas density	Not applicable (solid).
<ul> <li>Particle characteristics</li> </ul>	Not determined.
· 9.2 Other information	
· Information with regard to physical hazard classes	
· Corrosive to metals	Void
Other safety characteristics	
Oxidising properties:	none
	(Contd. on page 5)

Version number 9 (replaces version 8)

Revision: 18.11.2022

(Contd. of page 4)

#### Product name: Alka-M-Photometer

• Additional information • Solids content:

Printing date 18.11.2022

100 %

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity Dust can combine with air to form an explosive mixture.
- · 10.2 Chemical stability Stable at ambient temperature (room temperature).
- 10.3 Possibility of hazardous reactions
- Reacts with oxidizing agents
- --> forms heat
- 10.4 Conditions to avoid To avoid thermal decomposition do not overheat.
- · 10.5 Incompatible materials: steel
- 10.6 Hazardous decomposition products: see section 5

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	0 valu	es that are relevant for classification:
CAS: 12	24-04-9	) adipic acid
Oral	LD50	5700 mg/kg (rat) (MERCK)
Dermal	LD50	>7940 mg/kg (rabbit) (Registrant, ECHA: no deaths occurred)
		n/irritation Based on available data, the classification criteria are not met. amage/irritation Based on available data, the classification criteria are not met.
· Informa	ation o	n components:
CAS: 12	24-04-9	e adipic acid
Irritatior	n of ski	n OECD 404 (rabbit: no irritation)
Irritatior	n of eye	es OECD 405 (rabbit: severe irritations)
=	-	r skin sensitisation Based on available data, the classification criteria are not met.
		n components:
		e adipic acid
Sensitis	ation	OECD 406 (guinea pig: negative) (IUCLID)
· Carcino	ogenic	<b>tagenicity</b> Based on available data, the classification criteria are not met. ity Based on available data, the classification criteria are not met. <b>toxicity</b> Based on available data, the classification criteria are not met.
OECD 4 OECD 4	414: Te 473: M	<b>n components:</b> eratogenicity testing utagenicity testing 4, 476, 487: Germ cell mutagenicity testing
CAS: 12	24-04-9	) adipic acid
OECD 4		egative) (Bacterial Reverse Mutation Test - Ames test) JCLID)
OECD 4	174 (r	negative) (Mammalian Erythrocyte Micronucleus Test)
· STOT ( · STOT (	specifi specifi	<b>c target organ toxicity) -single exposure</b> Based on available data, the classification criteria are not met. <b>c target organ toxicity) -repeated exposure</b> Based on available data, the classification criteria are not met.
· Aspirat	ion ha	zard Based on available data, the classification criteria are not met.
11.2 Inf	ormati	ion on other hazards

• Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

Version number 9 (replaces version 8)

Revision: 18.11.2022

#### Product name: Alka-M-Photometer

#### · Other information

According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

# **SECTION 12: Ecological information**

• Aquatic toxicity:         CAS: 124-04-9 adipic acid         LC50       511 mg/l/48h (gold orfe)         EC50       86 mg/l/48h (Daphnia magna) (OECD 202)         IC50       31 mg/l/72h (Desmodesmus subspicatus)         (IUCLID)       1000000000000000000000000000000000000	· 12.1 Toxicity			
LC50       511 mg/l/48h (gold orfe)         EC50       86 mg/l/48h (Daphnia magna) (OECD 202)         IC50       31 mg/l/72h (Desmodesmus subspicatus)         (IUCLID)       97 mg/l/96h (fathhead minnow)         (ECOTOX)       98 acterial toxicity:         CAS: 124-04-9 adipic acid         EC50       92 mg/l (Pseudomonas putida) (DIN 38412)         (IUCLID)         12.2 Persistence and degradability         CAS: 124-04-9 adipic acid	· Aquat	· Aquatic toxicity:		
EC50       86 mg/l/48h (Daphnia magna) (OECD 202)         IC50       31 mg/l/72h (Desmodesmus subspicatus) (IUCLID)         LC50       97 mg/l/96h (fathhead minnow) (ECOTOX)         Bacterial toxicity:         CAS: 124-04-9 adipic acid         EC50       92 mg/l (Pseudomonas putida) (DIN 38412) (IUCLID)         · 12.2 Persistence and degradability         CAS: 124-04-9 adipic acid	CAS: 1	124-04-9 adipic acid		
IC50       31 mg/l/72h (Desmodesmus subspicatus) (IUCLID)         LC50       97 mg/l/96h (fathhead minnow) (ECOTOX)         • Bacterial toxicity:         CAS: 124-04-9 adipic acid         EC50       92 mg/l (Pseudomonas putida) (DIN 38412) (IUCLID)         • 12.2 Persistence and degradability         CAS: 124-04-9 adipic acid	LC50	511 mg/l/48h (gold orfe)		
(IUCLID)         LC50       97 mg/l/96h (fathhead minnow)         (ECOTOX)         • Bacterial toxicity:         CAS: 124-04-9 adipic acid         EC50       92 mg/l (Pseudomonas putida) (DIN 38412)         (IUCLID)         • 12.2 Persistence and degradability         CAS: 124-04-9 adipic acid	EC50	86 mg/l/48h (Daphnia magna) (OECD 202)		
(ECOTOX)       -         · Bacterial toxicity:       -         CAS: 124-04-9 adipic acid       -         EC50       92 mg/l (Pseudomonas putida) (DIN 38412) (IUCLID)         · 12.2 Persistence and degradability         CAS: 124-04-9 adipic acid				
CAS: 124-04-9 adipic acid         EC50       92 mg/l (Pseudomonas putida) (DIN 38412) (IUCLID)         • 12.2 Persistence and degradability         CAS: 124-04-9 adipic acid		$\mathbf{b}$		
EC50       92 mg/l (Pseudomonas putida) (DIN 38412) (IUCLID)         12.2 Persistence and degradability         CAS: 124-04-9 adipic acid	· Bacter	Bacterial toxicity:		
(IUCLID) 12.2 Persistence and degradability CAS: 124-04-9 adipic acid	CAS: 1	CAS: 124-04-9 adipic acid		
CAS: 124-04-9 adipic acid				
	· 12.2 P	· 12.2 Persistence and degradability		
OECD 301 B 100 % / 28 d (readily biodegradable) (CO2 Evolution Test)	CAS: 124-04-9 adipic acid			
	OECD	OECD 301 B 100 % / 28 d (readily biodegradable) (CO2 Evolution Test)		
12.3 Bioaccumulative potential Pow = n-octanol/wasser partition coefficient				

Pow = n-octanol/wasser partition coefficient log Pow < 1 = Does not accumulate in organisms.

CAS: 124-04-9 adipic acid

log Pow 0.081 (.) (25°C, OECD 107)

• 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006. **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

• **12.7 Other adverse effects** Avoid transfer into the environment.

Water hazard:

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

## **SECTION 13: Disposal considerations**

### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

European waste catalogue

16 05 09 discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

· Uncleaned packagings:

 $\cdot$  Recommendation: Disposal must be made according to official regulations.

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information	

· 14.1 UN number or ID number

ADR, IMDG, IATA

Void

(Contd. on page 7)

(Contd. of page 5)

Printing date 18.11.2022

Version number 9 (replaces version 8)

Revision: 18.11.2022

#### Product name: Alka-M-Photometer

		(Contd. of page 6
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, IMDG, IATA</li> </ul>	Void	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
<ul> <li>14.7 Maritime transport in bulk according instruments</li> </ul>	to IMO Not applicable.	
· Transport/Additional information:	Not dangerous according to the above specifications.	

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

• Regulation (EU) 2019/1148 on the marketing and use of explosives precursors not regulated

· Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)

None of the ingredients is listed.

• Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

· REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

Substances of very high concern (SVHC) according to REACH, Article 57
 This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).
 Substances of very high concern (SVHC) according to UK REACH

This product does not contain any substances of very high concern above the legal concentration limit of  $\ge 0.1\%$  (w / w).

· Directive 2012/18/EU (SEVESO III):

• Named dangerous substances - ANNEX I None of the ingredients is listed.

· Information about limitation of use: Not required.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Training hints Provide adequate information, instruction and training for operators.

#### · Relevant phrases

H319 Causes serious eye irritation.

Version number 9 (replaces version 8)

Revision: 18.11.2022

#### Product name: Alka-M-Photometer

· Abbreviations and acronyms: OECD: Organisation for Economic Co-operation and Development STOT: specific target organ toxicity SE: single exposure RE: repeated exposure EC50: half maximal effective concentration IC50: hallf maximal inhibitory concentration NOEL or NOEC: No Observed Effect Level or Concentration ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 · Sources ECHA: European CHemicals Agency http://echa.europa.eu **ECOTOX** Database IUCLID (International Uniform Chemical Information Database) Data arise from safety data sheets, reference works and literature.

\*\* Data compared to the previous version altered.

(Contd. of page 7)

GB -

Printing date 18.11.2022