

NATIONAL CHEMICAL LABORATORIES, INC.

SAFETY DATA SHEET

Product Identifier	CORRAL Foaming Bathroom Cleaner
Other means of identification	1740
Recommended use	General purpose cleaner.
Recommended restrictions	For commercial and industrial use only.
Manufacturer / Importer / Supplier	r / Distributor Information
Company Name	National Chemical Laboratories of PA, Inc.
Address	401 N. 10th Street - Philadelphia, PA 19123
Telephone	1 (215) 922-1200
Supplier Email	info@nclonline.com
Contact	CHEM-TEL
Emergency Phone	1 (800) 255-3924

Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

		Category	Target Organ	
Physical Hazards	Not Classified			
Health Hazards	Serious eye damage/eye irritation	1		
	Skin corrosion/irritation	1		
OSHA defined hazards	Not Classified.			
Label Elements	•			
Hazard Symbol				
Signal Word	Danger			
Hazard statement	Causes severe skin burns and eye damage.			
Precautionary statement				
Prevention	Do not breathe mist or vapor. Wash thoroughly after handling	g. Wear protective	e gloves/clothing and e	eye/face protection.
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on ski Rinse skin with water/shower. Wash contaminated clothing b comfortable for breathing. Immediately call a poison center/o minutes. Remove contact lenses, if present and easy to do. Co	before reuse. If inh doctor. If in eyes:	aled: Remove person	to fresh air and keep
Storage	Store locked up.			
Disposal	Dispose of contents/container in accordance with local/regio	nal/national/inter	national regulations.	
Hazard(s) not otherwise classified (HNOC)	Not classified.			
	Section 3 - Composition/Information	n on ingred	lients	
Mixture				
Hazardous Components	Ingredient Name	C	AS #	%
	Phosphoric Acid	7	664-38-2	10 - 20
	Nonylphenol, ethoxylated	9	016-45-9	1 - 5
Composition Comments	All concentrations are in percent by weight unless ingredient	is a gas. Gas conc	entrations are in perce	nt by volume.
	Section 4 - First-aid Mea	sures		
Inhalation	If respiratory irritation or distress occurs, remove victim to free apply artificial respiration. CONSULT A PHYSICIAN.	esh air. If breathin	g is difficult, give oxyge	en. If breathing stops,
Skin contact	Remove contaminated clothing and shoes. Wash off immedia attention if irritation persists. Wash contaminated clothing be		f water for at least 15	minutes. Get medical
Eye contact	Immediately flush eyes with plenty of water for at least 20 m	inutes, occasional	ly lifting the upper and	lower eyelids. Check and

	SAFLII			
	remove contact lenses. Continue to ring	se for at l	east 10 minutes.	
ngestion			-	s fully conscious, give a cupful of water. Never give
				ead lower than the hips to help prevent aspiration
	Call a physician or poison control cente	er immedi	ately.	
Nost Important symptoms effects, acute and delayed	Causes skin and eye burns.			
ndication of immediate medical attention and special treatment	Treat symptomatically.			
General Information	Ensure that medical personnel are awa	are of the	material(s) involved, and	d take precautions to protect themselves.
	Section 5 - Fi	ire-figl	hting measure	5
Suitable extinguishing media	Use water fog, alcohol-resistant foam, a Avoid using a direct stream of water.	dry chem	ical or carbon dioxide (C	O2) to extinguish flames.
Unsuitable extinguishing media	Do not use a solid water stream as it m	iay scattei	r and spread fire	
Specific hazards arising from the chemical	Fire may produce irritating, corrosive a	ind/or tox	ic gases.	
Special protective equipment and precautions for firefighters	Wear full protective clothing, including protective clothing and face mask.	, helmet, s	self-contained positive p	ressure or pressure demand breathing apparatus,
Fire-fighting equipment /instructions		to cool ur	nopened containers. In c	nitor nozzles. Move containers from fire area if yo ase of fire and/or explosion do not breathe fumes rs, or drinking water supply.
General fire hazards Specific Methods	Use standard firefighting procedures ar	nd conside	er the hazards of other i	nvolved materials.
	Section 6 - Accid	dontal	rologeo moge	uras
	Section 0 - Accid	ientai	release meas	ui eg
vorsonal procautions protoctivo	Isolato area. Koon unnocossary porsonr	nol away	Liso porsonal protoction	as recommanded in Section 8 of the SDS
equipment and emergency	Isolate area. Keep unnecessary personr	nel away.	Use personal protectior	as recommended in Section 8 of the SDS.
equipment and emergency procedures.		·		as recommended in Section 8 of the SDS. orb spill with vermiculite or other inert material,
Personal precautions, protective equipment and emergency procedures. Methods and materials for containment and cleaning up	SMALL SPILLAGE: Absorb spillage with then place in a container for chemical v	suitable a waste. Aft culite or o	absorbent material. Abs er removal flush contan ther inert material, ther	orb spill with vermiculite or other inert material,
equipment and emergency procedures. Methods and materials for containment and cleaning up	SMALL SPILLAGE: Absorb spillage with then place in a container for chemical v LARGE SPILLS: Absorb spill with vermic	suitable a waste. Aft culite or o oughly wit	absorbent material. Abs er removal flush contan ther inert material, ther h water.	orb spill with vermiculite or other inert material, ninated area thoroughly with water.
equipment and emergency procedures. Methods and materials for containment and cleaning up	SMALL SPILLAGE: Absorb spillage with then place in a container for chemical v LARGE SPILLS: Absorb spill with vermic removal flush contaminated area thoro Avoid discharge into drains, water cour	suitable a waste. Aft culite or o oughly wit rses or on	absorbent material. Abs er removal flush contan ther inert material, ther h water.	orb spill with vermiculite or other inert material, ninated area thoroughly with water. n place in a container for chemical waste. After
equipment and emergency procedures. Methods and materials for	SMALL SPILLAGE: Absorb spillage with then place in a container for chemical v LARGE SPILLS: Absorb spill with vermic removal flush contaminated area thoro Avoid discharge into drains, water cour Section 7 - H Do not get in eyes, on skin, or on clothi	suitable a waste. Aft culite or o oughly wit rses or on landlii ing. Wash	absorbent material. Abs er removal flush contan ther inert material, ther h water. to the ground. ng and storage thoroughly after handli	orb spill with vermiculite or other inert material, ninated area thoroughly with water. In place in a container for chemical waste. After
equipment and emergency procedures. Methods and materials for containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage,	SMALL SPILLAGE: Absorb spillage with then place in a container for chemical v LARGE SPILLS: Absorb spill with vermic removal flush contaminated area thoro Avoid discharge into drains, water cour Section 7 - H Do not get in eyes, on skin, or on clothi	suitable a waste. Aft culite or o bughly wit rses or on landlii ing. Wash losed. Use	absorbent material. Abs er removal flush contan ther inert material, ther h water. to the ground. ng and storage thoroughly after handli e Personal Protective Eq	orb spill with vermiculite or other inert material, ninated area thoroughly with water. n place in a container for chemical waste. After
equipment and emergency procedures. Methods and materials for containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage,	SMALL SPILLAGE: Absorb spillage with then place in a container for chemical v LARGE SPILLS: Absorb spill with vermic removal flush contaminated area thoro Avoid discharge into drains, water cour Section 7 - H Do not get in eyes, on skin, or on clothi adequate ventilation. Keep container cl Store away from incompatible material	suitable a waste. Aft culite or o bughly wit rses or on landlin ing. Wash losed. Uso Is. Keep co	absorbent material. Abs er removal flush contan ther inert material, ther h water. to the ground. ng and storage thoroughly after handli e Personal Protective Eq ontainer closed.	orb spill with vermiculite or other inert material, ninated area thoroughly with water. a place in a container for chemical waste. After ng. Do not breathe mist or vapor. Use only with uipment recommended in section 8 of the SDS.
equipment and emergency procedures. Methods and materials for containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, ncluding any incompatibilities	SMALL SPILLAGE: Absorb spillage with then place in a container for chemical v LARGE SPILLS: Absorb spill with vermic removal flush contaminated area thoro Avoid discharge into drains, water cour Section 7 - H Do not get in eyes, on skin, or on clothi adequate ventilation. Keep container cl	suitable a waste. Aft culite or o bughly wit rses or on landlin ing. Wash losed. Uso Is. Keep co	absorbent material. Abs er removal flush contan ther inert material, ther h water. to the ground. ng and storage thoroughly after handli e Personal Protective Eq ontainer closed.	orb spill with vermiculite or other inert material, ninated area thoroughly with water. a place in a container for chemical waste. After ng. Do not breathe mist or vapor. Use only with uipment recommended in section 8 of the SDS.
equipment and emergency procedures. Methods and materials for containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, ncluding any incompatibilities Dccupational exposure limits	SMALL SPILLAGE: Absorb spillage with then place in a container for chemical v LARGE SPILLS: Absorb spill with vermic removal flush contaminated area thoro Avoid discharge into drains, water cour Section 7 - H Do not get in eyes, on skin, or on clothi adequate ventilation. Keep container cl Store away from incompatible material Section 8 - Exposure	suitable a waste. Aft culite or o bughly wit rses or on landlin ing. Wash losed. Uso Is. Keep co	absorbent material. Abs er removal flush contan ther inert material, ther h water. to the ground. ng and storage thoroughly after handli e Personal Protective Eq ontainer closed.	orb spill with vermiculite or other inert material, ninated area thoroughly with water. a place in a container for chemical waste. After ng. Do not breathe mist or vapor. Use only with uipment recommended in section 8 of the SDS.
equipment and emergency procedures. Methods and materials for containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, ncluding any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for	SMALL SPILLAGE: Absorb spillage with then place in a container for chemical v LARGE SPILLS: Absorb spill with vermic removal flush contaminated area thoro Avoid discharge into drains, water cour Section 7 - H Do not get in eyes, on skin, or on clothi adequate ventilation. Keep container cl Store away from incompatible material	suitable a waste. Aft culite or o bughly wit rses or on landlin ing. Wash losed. Use Is. Keep co	absorbent material. Abs er removal flush contan ther inert material, ther h water. to the ground. ng and storage thoroughly after handli e Personal Protective Eq ontainer closed. rollpersonal pr	orb spill with vermiculite or other inert material, ninated area thoroughly with water. In place in a container for chemical waste. After Ing. Do not breathe mist or vapor. Use only with uipment recommended in section 8 of the SDS.
equipment and emergency procedures. Methods and materials for containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, ncluding any incompatibilities Dccupational exposure limits US. OSHA Table Z-1 Limits for Components	SMALL SPILLAGE: Absorb spillage with then place in a container for chemical v LARGE SPILLS: Absorb spill with vermic removal flush contaminated area thoro Avoid discharge into drains, water cour Section 7 - H Do not get in eyes, on skin, or on clothi adequate ventilation. Keep container cl Store away from incompatible material Section 8 - Exposure Air Contaminants (29 CFR 1910.1000)	suitable a waste. Aft culite or o bughly wit rses or on landlin ing. Wash losed. Use Is. Keep co cont cont	absorbent material. Abs er removal flush contan ther inert material, ther th water. to the ground. ng and storage thoroughly after handli e Personal Protective Eq ontainer closed. rollpersonal pr	orb spill with vermiculite or other inert material, ninated area thoroughly with water. a place in a container for chemical waste. After ng. Do not breathe mist or vapor. Use only with uipment recommended in section 8 of the SDS.
equipment and emergency procedures. Methods and materials for containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, ncluding any incompatibilities Dccupational exposure limits US. OSHA Table Z-1 Limits for Components Phosphoric Acid (CAS 7664-	SMALL SPILLAGE: Absorb spillage with then place in a container for chemical v LARGE SPILLS: Absorb spill with vermic removal flush contaminated area thoro Avoid discharge into drains, water cour Section 7 - H Do not get in eyes, on skin, or on clothi adequate ventilation. Keep container cl Store away from incompatible material Section 8 - Exposure Air Contaminants (29 CFR 1910.1000)	suitable a waste. Aft culite or o bughly wit rses or on landlin ing. Wash losed. Use Is. Keep co	absorbent material. Abs er removal flush contan ther inert material, ther h water. to the ground. ng and storage thoroughly after handli e Personal Protective Eq ontainer closed. rollpersonal pr	orb spill with vermiculite or other inert material, ninated area thoroughly with water. In place in a container for chemical waste. After Ing. Do not breathe mist or vapor. Use only with uipment recommended in section 8 of the SDS.
equipment and emergency procedures. Methods and materials for containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, ncluding any incompatibilities Decupational exposure limits US. OSHA Table Z-1 Limits for Components Phosphoric Acid (CAS 7664- US. ACGIH Threshold Limit Va	SMALL SPILLAGE: Absorb spillage with then place in a container for chemical v LARGE SPILLS: Absorb spill with vermic removal flush contaminated area thoro Avoid discharge into drains, water cour Section 7 - H Do not get in eyes, on skin, or on clothi adequate ventilation. Keep container cl Store away from incompatible material Section 8 - Exposure Air Contaminants (29 CFR 1910.1000)	suitable a waste. Aft culite or o bughly wit rses or on landlin ing. Wash losed. Usa Is. Keep co contr Cont	absorbent material. Abs er removal flush contan ther inert material, ther th water. to the ground. ng and storage thoroughly after handli e Personal Protective Eq ontainer closed. rollpersonal pr Value 1 mg/m ³	orb spill with vermiculite or other inert material, iniated area thoroughly with water. In place in a container for chemical waste. After Ing. Do not breathe mist or vapor. Use only with uipment recommended in section 8 of the SDS.
equipment and emergency procedures. Methods and materials for containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, ncluding any incompatibilities Decupational exposure limits US. OSHA Table Z-1 Limits for Components Phosphoric Acid (CAS 7664- US. ACGIH Threshold Limit Va Component	SMALL SPILLAGE: Absorb spillage with then place in a container for chemical v LARGE SPILLS: Absorb spill with vermic removal flush contaminated area thoro Avoid discharge into drains, water cour Section 7 - H Do not get in eyes, on skin, or on clothi adequate ventilation. Keep container cl Store away from incompatible material Section 8 - Exposure Air Contaminants (29 CFR 1910.1000) -38-2) alues	suitable a waste. Aft culite or o bughly wit rses or on landlin ing. Wash losed. Usa Is. Keep co e cont Type PEL Type	absorbent material. Abs er removal flush contan ther inert material, ther th water. to the ground. ng and storage thoroughly after handli e Personal Protective Eq ontainer closed. rollpersonal pr Value 1 mg/m ³ Value	orb spill with vermiculite or other inert material, ninated area thoroughly with water. In place in a container for chemical waste. After Ing. Do not breathe mist or vapor. Use only with uipment recommended in section 8 of the SDS.
equipment and emergency procedures. Methods and materials for containment and cleaning up invironmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities Decupational exposure limits US. OSHA Table Z-1 Limits for Components Phosphoric Acid (CAS 7664- US. ACGIH Threshold Limit Va Component Phosphoric Acid (CAS 7664-	SMALL SPILLAGE: Absorb spillage with then place in a container for chemical v LARGE SPILLS: Absorb spill with vermic removal flush contaminated area thoro Avoid discharge into drains, water cour Section 7 - H Do not get in eyes, on skin, or on clothi adequate ventilation. Keep container cl Store away from incompatible material Section 8 - Exposure Air Contaminants (29 CFR 1910.1000) -38-2) alues	suitable a waste. Aft culite or o bughly wit rses or on landlin ing. Wash losed. Uso ls. Keep co e cont i Type PEL Type STEL	absorbent material. Abs er removal flush contan ther inert material, ther h water. to the ground. ng and storage thoroughly after handli e Personal Protective Eq ontainer closed. rolipersonal pr Value 1 mg/m ³ Value 3 mg/m ³	orb spill with vermiculite or other inert material, iniated area thoroughly with water. In place in a container for chemical waste. After Ing. Do not breathe mist or vapor. Use only with uipment recommended in section 8 of the SDS.
equipment and emergency procedures. Methods and materials for containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, ncluding any incompatibilities Decupational exposure limits US. OSHA Table Z-1 Limits for Components Phosphoric Acid (CAS 7664- US. ACGIH Threshold Limit Va Component Phosphoric Acid (CAS 7664- Phosphoric Acid (CAS 7664- Phosphoric Acid (CAS 7664-	SMALL SPILLAGE: Absorb spillage with then place in a container for chemical v LARGE SPILLS: Absorb spill with vermic removal flush contaminated area thoro Avoid discharge into drains, water cour Section 7 - H Do not get in eyes, on skin, or on clothi adequate ventilation. Keep container cl Store away from incompatible material Section 8 - Exposure Air Contaminants (29 CFR 1910.1000) -38-2) alues -38-2)	suitable a waste. Aft culite or o bughly wit rses or on landlin ing. Wash losed. Usa Is. Keep co e cont Type PEL Type	absorbent material. Abs er removal flush contan ther inert material, ther th water. to the ground. ng and storage thoroughly after handli e Personal Protective Eq ontainer closed. rollpersonal pr Value 1 mg/m ³ Value	orb spill with vermiculite or other inert material, iniated area thoroughly with water. In place in a container for chemical waste. After Ing. Do not breathe mist or vapor. Use only with uipment recommended in section 8 of the SDS.
equipment and emergency procedures. Methods and materials for containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, ncluding any incompatibilities Decupational exposure limits US. OSHA Table Z-1 Limits for Components Phosphoric Acid (CAS 7664- US. ACGIH Threshold Limit Va Component Phosphoric Acid (CAS 7664- Phosphoric Acid (CAS 7664- Phosphoric Acid (CAS 7664- US. NIOSH: Pocket Guide to C	SMALL SPILLAGE: Absorb spillage with then place in a container for chemical v LARGE SPILLS: Absorb spill with vermic removal flush contaminated area thoro Avoid discharge into drains, water cour Section 7 - H Do not get in eyes, on skin, or on clothi adequate ventilation. Keep container cl Store away from incompatible material Section 8 - Exposure Air Contaminants (29 CFR 1910.1000) -38-2) alues -38-2)	suitable a waste. Aft culite or o bughly wit rses or on landlii ing. Wash losed. Use ls. Keep co e conti Type PEL Type STEL TWA	absorbent material. Abs er removal flush contan ther inert material, ther ih water. to the ground. ng and storage thoroughly after handli e Personal Protective Eq ontainer closed. rol/personal pr Value 1 mg/m ³ Value 3 mg/m ³ 1 mg/m ³	orb spill with vermiculite or other inert material, initated area thoroughly with water. In place in a container for chemical waste. After Ing. Do not breathe mist or vapor. Use only with uipment recommended in section 8 of the SDS. Interction Form Form
equipment and emergency procedures. Methods and materials for containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, ncluding any incompatibilities Dccupational exposure limits US. OSHA Table Z-1 Limits for Components Phosphoric Acid (CAS 7664- US. ACGIH Threshold Limit Va Component Phosphoric Acid (CAS 7664- Phosphoric Acid (CAS 7664- Phosphoric Acid (CAS 7664- US. NIOSH: Pocket Guide to C Components	SMALL SPILLAGE: Absorb spillage with then place in a container for chemical v LARGE SPILLS: Absorb spill with vermic removal flush contaminated area thoro Avoid discharge into drains, water cour Section 7 - H Do not get in eyes, on skin, or on clothi adequate ventilation. Keep container cl Store away from incompatible material Section 8 - Exposure Air Contaminants (29 CFR 1910.1000) 	suitable a waste. Aft culite or o bughly wit rses or on landlii ing. Wash losed. Use ls. Keep co e conti Type PEL Type STEL TWA Type	absorbent material. Abs er removal flush contan ther inert material, ther ih water. to the ground. ng and storage thoroughly after handli e Personal Protective Eq ontainer closed. rol/personal pr Value 1 mg/m ³ Value 3 mg/m ³ 1 mg/m ³ Value	orb spill with vermiculite or other inert material, ninated area thoroughly with water. In place in a container for chemical waste. After Ing. Do not breathe mist or vapor. Use only with uipment recommended in section 8 of the SDS.
equipment and emergency procedures. Methods and materials for containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, ncluding any incompatibilities Decupational exposure limits US. OSHA Table Z-1 Limits for Components Phosphoric Acid (CAS 7664- US. ACGIH Threshold Limit Va Component Phosphoric Acid (CAS 7664- Phosphoric Acid (CAS 7664- US. NIOSH: Pocket Guide to C Components Phosphoric Acid (CAS 7664- US. NIOSH: Pocket Guide to C Components Phosphoric Acid (CAS 7664-	SMALL SPILLAGE: Absorb spillage with then place in a container for chemical v LARGE SPILLS: Absorb spill with vermic removal flush contaminated area thoro Avoid discharge into drains, water cour Section 7 - H Do not get in eyes, on skin, or on clothi adequate ventilation. Keep container cl Store away from incompatible material Section 8 - Exposure Air Contaminants (29 CFR 1910.1000) 	suitable a waste. Aft culite or o bughly wit rses or on landlin ing. Wash losed. Use Is. Keep of conti Cont Type PEL Type STEL TWA Type STEL	absorbent material. Abs er removal flush contan ther inert material, ther th water. to the ground. ng and storage thoroughly after handli e Personal Protective Eq ontainer closed. rollpersonal pr Value 1 mg/m ³ Value 3 mg/m ³ 1 mg/m ³	erorb spill with vermiculite or other inert material, innated area thoroughly with water. In place in a container for chemical waste. After Ing. Do not breathe mist or vapor. Use only with uipment recommended in section 8 of the SDS. Interction Form Form
equipment and emergency procedures. Methods and materials for containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, ncluding any incompatibilities Dccupational exposure limits US. OSHA Table Z-1 Limits for Components Phosphoric Acid (CAS 7664- US. ACGIH Threshold Limit Va Component Phosphoric Acid (CAS 7664- Phosphoric Acid (CAS 7664- US. NIOSH: Pocket Guide to C Components Phosphoric Acid (CAS 7664- US. NIOSH: Pocket Guide to C Components Phosphoric Acid (CAS 7664- Phosphoric Acid (CAS 7664- Phosphoric Acid (CAS 7664- Phosphoric Acid (CAS 7664- Phosphoric Acid (CAS 7664-	SMALL SPILLAGE: Absorb spillage with then place in a container for chemical v LARGE SPILLS: Absorb spill with vermic removal flush contaminated area thoro Avoid discharge into drains, water cour Section 7 - H Do not get in eyes, on skin, or on clothi adequate ventilation. Keep container cl Store away from incompatible material Section 8 - Exposure Air Contaminants (29 CFR 1910.1000) -38-2) alues -38-2) -38-2) -38-2) -38-2)	suitable a waste. Aft culite or o bughly with rses or on landlin ing. Wash losed. Usa ls. Keep co cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont cont	absorbent material. Abs er removal flush contan ther inert material, ther th water. to the ground. ng and storage thoroughly after handli e Personal Protective Eq ontainer closed. rollpersonal pr Value 1 mg/m ³ Value 3 mg/m ³ 1 mg/m ³	erorb spill with vermiculite or other inert material, innated area thoroughly with water. In place in a container for chemical waste. After Ing. Do not breathe mist or vapor. Use only with uipment recommended in section 8 of the SDS. Interction Form Form
equipment and emergency procedures. Methods and materials for containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Phosphoric Acid (CAS 7664- US. ACGIH Threshold Limit Va Component Phosphoric Acid (CAS 7664- Phosphoric Acid (CAS 7664- US. NIOSH: Pocket Guide to C Components Phosphoric Acid (CAS 7664- Phosphoric Acid (CAS 7664-	SMALL SPILLAGE: Absorb spillage with then place in a container for chemical v LARGE SPILLS: Absorb spill with vermic removal flush contaminated area thoro Avoid discharge into drains, water cour Section 7 - H Do not get in eyes, on skin, or on clothi adequate ventilation. Keep container cl Store away from incompatible material Section 8 - Exposure Air Contaminants (29 CFR 1910.1000) 	suitable a waste. Aft culite or o bughly wit rses or on landlin ing. Wash losed. Use Is. Keep co is. Keep co cont i cont i Type PEL Type STEL TWA Type STEL REL the ingre	absorbent material. Abs er removal flush contan ther inert material, ther h water. to the ground. ng and storage thoroughly after handli e Personal Protective Eq ontainer closed. rolipersonal pr Value 1 mg/m ³ Value 3 mg/m ³ 1 mg/m ³ Value 3 mg/m ³ 1 mg/m ³	erorb spill with vermiculite or other inert material, innated area thoroughly with water. In place in a container for chemical waste. After Ing. Do not breathe mist or vapor. Use only with uipment recommended in section 8 of the SDS. Otection Form Form Form
equipment and emergency procedures. Methods and materials for containment and cleaning up Environmental precautions Environmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Phosphoric Acid (CAS 7664- US. ACGIH Threshold Limit Va Component Phosphoric Acid (CAS 7664- Phosphoric Acid (CAS 7664- US. NIOSH: Pocket Guide to C Components Phosphoric Acid (CAS 7664-	SMALL SPILLAGE: Absorb spillage with then place in a container for chemical v LARGE SPILLS: Absorb spill with vermic removal flush contaminated area thoro Avoid discharge into drains, water cour Section 7 - H Do not get in eyes, on skin, or on clothi adequate ventilation. Keep container cl Store away from incompatible material Section 8 - Exposure Air Contaminants (29 CFR 1910.1000) -38-2) alues -38-2) -38-2) -38-2) -38-2)	suitable a waste. Aft culite or o bughly wit rses or on landlin ing. Wash losed. Use Is. Keep co is. Keep co cont i cont i Type PEL Type STEL TWA Type STEL REL the ingre	absorbent material. Abs er removal flush contan ther inert material, ther h water. to the ground. ng and storage thoroughly after handli e Personal Protective Eq ontainer closed. rolipersonal pr Value 1 mg/m ³ Value 3 mg/m ³ 1 mg/m ³ Value 3 mg/m ³ 1 mg/m ³	erorb spill with vermiculite or other inert material, innated area thoroughly with water. In place in a container for chemical waste. After Ing. Do not breathe mist or vapor. Use only with uipment recommended in section 8 of the SDS. Otection Form Form Form

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear approved chemical safety goggles.
Skin protection	
Hand protection	Wear chemical-resistant, impervious gloves. Suitable gloves can be recommended by the glove supplier.
Other	Wear chemical-resistant, impervious gloves. Suitable gloves can be recommended by the glove supplier.
Respiratory protection	Use a respirator when local exhaust or ventilation is not adequate to keep exposures below the OEL. In a confined space a supplied respirator may be required.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 9 - Physical and chemical properties

Appearance	Clear.
Physical state	Liquid.
Form	Liquid.
Color	Green.
Odor	Lemon.
Odor threshold	Not available.
pH (Concentrate)	< 1
Melting point/freezing point	Not available.
Initial boinging point and	214 °F (101.1 °C)
boiling range	
Flash point	> 214 °F (> 101.1 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Similar to water.
Vapor density	Similar to water.
Relative density	1.10 ± 0.01
Relative density temperature	75 °F (23.89 °C)
Solubilities	100 % Soluble.
Partition Coefficient	Not available
n-octanol/water	
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available
Viscosity	< 10 cP
Viscosity Temperature	75 °F (23.89 °C)

	Section 10 - Stability and reactivity
Reactivity	Contact with moisture or water may generate sufficient heat to ignite nearby combustible materials. Contact with metal may release flammable hydrogen gas.
Chemical stability	Stable at normal conditions.
Possiblity of hazardous reactions	Hazardous polymerization does not occur.
Conditions to Avoid	Contact with certain metals liberates hydrogen gas which can cause a flash fire. The product reacts with water and will generate heat.
Incompatible materials	Strong alkalis.
Hazardous Decomposition	Phosphorus oxides.
Products	

Section 11 - Toxicological information

Information on likely routes of e	xposure
Ingestion	May cause digestive tract burns.
Inhalation	May cause burns in mucous membranes, throat, esophagus and stomach.
Skin contact	Causes skin burns.
Eye contact	Causes serious eye damage.
Symptoms related to the physical, chemical and toxicological characteristics	Causes skin and eye burns.

Acute toxicity	May be harmful if swallowed.					
Components		Level	Туре	Code	Species	Results
Phosphoric Acid	CAS 7664-38-2)	Acute	Dermal	LD50	Rabbit	2740 mg/kg
		Acute	Inhalation	LC50	Rat	850 mg/m³, 4 H 25.5 mg/m³
		Acute	Oral	LD50	Rat	1530 mg/kg
Nonylphenol, eth	oxylated (CAS 9016-45-9)	Acute	Oral	LD50	Mouse	4290 mg/kg, bv
Skin corrosion/irritation	Causes skin burns.					
Serious eye damage/ eye irritation	Causes serious eye damage.					
Respiratory sensitization	Not classified.					
Skin sensitization	Not available.					
Germ cell mutagenicity	Not classified.					
Carcinogenicity	Not classified.					
Reproductive toxicity	Not classified.					
Specific target organ toxicity - single exposure	Not classified.					
Specific target organ toxicity - repeated exposure	Not classified.					
Aspiration hazard	Not classified.					
Chronic effects						
Further information						
	Section 12	2 - Ecologi	cal Informat	tion		

Ecotoxicity The product contains a substance which is toxic to aquatic organisms. Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems. Components Species **Test Results** Nonylphenol, ethoxylated, 9016-45-9 Aquatic EcoName EcoTestResults EcoCode **EcoSpecies** Crustacea EC50 Daphnia magna 65 mg/l, 48 hours EC50 Water flea (Daphnia magna) 12.2 mg/l, 48 hours Fish LC50 Bluegill (lepomis macrochirus) 1 - 1.8 mg/l 96 hours Persistence and degradability The product is expected to be biodegradable. **Bioaccumulative potential** Not known. Mobility in soil Not available. Mobility in general The product is water soluble and may spread in water systems. Other adverse effects None known. Section 13 - Disposal considerations

Disposal instructions	Dispose in accordance with applicable federal, state, and local regulations.
Local disposal regulations	Dispose of in accordance with local regulations.
Hazardous waste code	D002: Corrosive waste.
Waste from residues / unused products	Dispose in accordance with all applicable regulations.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section 14 - Transport information

DO	т	
	UN number	UN1805
	UN proper shipping name	Phosphoric acid solution
	Transport hazard class(es)	8
	Subsidary class(es)	
	Packing group	III
	Special precautions for	Not available.
	users	
	Labels required	
	Special provisions	A7, IB3, N34, T4, TP1
	Packaging exemption	154

Information on toxicological effects.

Packaging non bulk	203
Packaging bulk	241
ΙΑΤΑ	
UN number	UN1805
UN proper shipping name	Phosphoric acid solution
Transport hazard class(es)	8
Subsidary class(es)	
Packaging group	Ш
Environmental hazards	No
Labels required	
ERG Code	8L
Special precautions for user	Not available.
IMDG	
UN number	UN1805
UN proper shipping name	PHOSPHORIC ACID SOLUTION
Transport hazard class(es)	8
Subsidary class(es)	
Packaging goup	III
Packaging goup Environmental hazards	III
	III No
Environmental hazards	
Environmental hazards Marine pollutant	
Environmental hazards Marine pollutant Labels required	No
Environmental hazards Marine pollutant Labels required EmS Special precautions for user Transportation in bulk	No F-A, S-B
Environmental hazards Marine pollutant Labels required EmS Special precautions for user	No F-A, S-B Not available.

General Information

Section 15 - Regulatory Information

US federal regulations	This p	roduct is a "Hazardous (Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D			Not regulated.
US. OSHA Specifically	Regulated Subs	tances (29 CFR 1910.10	001-1050) Not on regulatory list.
CERCLA Hazardous Sul	bstance List (40	CFR 302.4	
Components			Result
Phosphoric Acid (CAS 7664-38-2)			LISTED
Superfund Amendmer	nts and Reauth	orization Act of 1986 (S	ARA)
Hazard Categories	Immediate H	lazard Yes	
-	Delayed Haz	ard No	
	Fire Hazard	No	
	Pressure Haz	ard No	
	Reactivity Ha	azard No	
SARA 302 Extremely hazardous substance No		ance No	
SARA 311/312 Hazard	ous chemical	Yes	
SARA 313 (TRI reporting)		Not regulate	ed.
Other federal regulations			
Clean Air Act (CAA) Se	ction 112 Haza	rdous Air Pollutants (HS	SPs) List Not regulated.
Clean Air Act (CAA) Se	ction 112(r) Ac	cidental Release Preven	ntion (40 CFR 68.130) Not regulated.
Safe Drinking Water Act (SDWA) Not re		Not regulated.	
Food and Drug Admin	istration (FDA)	•	
US state regulations			ng Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to
		•	s currently listed as carcinogens or reproductive toxins.
US.Massachusetts RTK - Substance List		st	Components
			Phosphoric Acid (CAS 7664-38-2)
US.New Jersey Worker and Community Right-to-Know Act		ity Right-to-Know Act	Cloomhjoodeed nts
			Phosphoric Acid (CAS 7664-38-2)
US.Pennsylvania RTK - Hazardous Substances		ostances	Components
			Phosphoric Acid (CAS 7664-38-2)
US.Rhode Island RTK			Components
			Phosphoric Acid (CAS 7664-38-2)
US - California Propsiti		gens Reproductive	
Toxicity (CRT): Listed s	ubstance		Not listed.
International Inventories			
Country(s) or region		Inventory Name	On Inventory (yes/no)*

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States	Toxic Substances Control Act (TSCA) Inventory	Yes
Puerto Rico		

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version		
Issue date	1/16/2013	
Revision date		
Version #	01	
Further information		
List of abbreviations		
References		
Disclaimer	The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should	

review these regulations to ensure full compliance.