



**FIGHTLITE<sup>®</sup>**

**MISSION CRITICAL INNOVATION**

# FIGHTLITE® INDUSTRIES

FightLite® Industries is a division of ARES Defense Systems, Inc., a privately held company that designs and manufactures lightweight and technologically advanced firearms and firearm accessories for Military, Law Enforcement, US civilian shooters and Foreign Governments. Founded in 1997 as "ARES Defense Systems", the company created the FightLite® division in mid-2016 to focus on its small arms product offerings and to honor its R&D division that conceives and develops the company's ideas and inventions.

Located on the USA's Space Coast in Melbourne, Florida, FightLite® Industries is equipped with state-of-the-art CNC machining centers, 3-D solid-modeling and manufacturing CAD/CAM systems, a dedicated quality control department and an experienced manufacturing team that is committed to developing and manufacturing superior products for its customers.

Whether the product being developed by FightLite® Industries is for military, law enforcement, or civilian use, the same ideology is applied. Our company specializes in developing premium firearms and firearm accessories of unique versatility and functionality. We listen to our customers, evaluate the market, and develop products that are generally not available from any other source. Our R&D team spends thousands of hours each year defining and refining our products to ensure that they exceed the rigid standards and expectations of not only ourselves, but of those who purchase nothing but the best. We don't cut corners; quality, reliability, safety and performance are our top priorities and we always look forward to hearing users' feedback after experience with our products so that we know that we're meeting our objectives. All FightLite® products are 100% designed and manufactured in the United States of America by US Citizens.

FightLite® Industries provides spare parts, service and manufacturer support of ARES Defense-manufactured products. ARES Defense Systems® maintains ARES®, ARES Defense™ and all other related intellectual property including patents, trademarks, copyrights, technical data, logos, websites, social media accounts and product names. ARES Defense & FightLite® Industries products are available through established channels of sporting goods wholesalers, box stores, FFL dealers, Online retailers and factory direct.

Notable product achievements for which multiple patents have been granted by the United States Patent and Trademark Office include the belt-fed MCR® (Mission Configurable Rifle), ARES-22 RCU™(Rifle Conversion Unit for Ruger® .22LR pistols), SCR® (Sport Configurable Rifle), MXR® (Multi-Caliber Submachine Gun), GXR™ (Gas-Piston Retrofit Kit for M4 carbines), Herring® Model 2024™ Advanced Lever Action Rifle, and various additional patents pending.

ARES Defense Systems, Inc. is licensed by the Bureau of Alcohol, Tobacco, Firearms and Explosives as a "Manufacturer" of small arms and is also registered as a "Manufacturer" and as a "Broker" with the United States Department of State - Directorate of Defense Trade Controls (DDTC), Bureau of Political-Military Affairs, in accordance with 22 U.S.C. 2778-2780 of the Arms Export Control Act (AECA) and the International Traffic in Arms Regulations (ITAR).

# MCR®

## MISSION CONFIGURABLE RIFLE

**THE REVOLUTIONARY FIGHTLITE® MCR®** (Mission Configurable Rifle) is in a class of its own and provides exceptional flexibility for its users. Through implementation of a unique and patented upper receiver group, the FightLite® design team has upgraded America's favorite firearm into an accurate and rugged semi-automatic (select-fire available for MIL/LE) rifle that can be user-configured in seconds without tools to adapt to virtually any mission profile. Key features include gas-piston/pusher rod operation for ultra-reliability in adverse conditions, a true Quick-Change™ barrel that can be swapped by the user without tools in as little as 3-seconds and a patented Dual Feed® system that operates reliably with both standard AR-15/M16 box magazines and M27 linked ammunition common to the M249 SAW. Magazines are inserted into the lower receiver in a fashion normal to the AR-15/M4, while ammunition belts are easily loaded "brass to the brass" by simply lifting the feed cover and laying the belt into the feed tray. The MCR® belt-feed mechanism is a reliable and powerful two step shuttle feed derived from the legendary MG-42/M240 and has demonstrated enough belt pull to reliably lift a free hanging 200-round belt without stalling. The lightweight MCR® is equipped with a MIL-STD 1913 rail on the feed cover for mounting sights and optics and also features a co-planar MIL-STD 1913 or optional M-LOK pattern handguard for the mounting of bipods, lights, lasers, forward grips and other modern accessories. The user-adjustable short-stroke gas-piston system is tailored to support suppressor use and directs most of the propellant gases and fouling forward and out of the muzzle allowing the MCR® to remain less fouled in adverse conditions and during extended periods of use. True Quick-Change™ MCR® barrels are chambered in .223/5.56 NATO and are available in 12.5" and 16.25" inch lengths for maximum mission flexibility - from CQB through open terrain. Sound suppressor and grenade launcher capable, the MCR® is designed from the ground up for a lifetime of hard use and is simple to maintain in the field

without tools or special equipment. And for decreased training time and reduced logistical footprint, the MCR® shares the excellent ergonomics and over 50% part commonality with the standard AR-15/M4 making it easier to support in the field. FightLite® Industries also offers an optional "Drop-On" MCR® Upper Receiver upgrade kit for users that need to upgrade their existing AR-15, M16, or M4 rifle or carbine. The MCR® upgrade kit is installed in minutes and readily fits most MIL-SPEC AR-15/M16 and M4 lower receivers with no gunsmithing or permanent modification required to the host lower. The compact MCR® is the lightest and most portable belt-fed in the world and provides users with an unprecedented combination of mission flexibility, ruggedness and reliability unmatched by any other weapon. Precision manufactured in the USA from high-strength aerospace alloys by highly skilled American craftsmen; the quality, workmanship, MIL-SPEC finish and attention to detail provided in the FightLite® MCR® is second to none and will provide its users with a lifetime of accurate and reliable performance. MCR® - One Weapon, Any Mission!®



### SPECIFICATIONS:

<b>CALIBER:</b>	.223 / 5.56 mm NATO
<b>WEIGHT:</b>	8.5 lbs / 3.86 kgs (Empty)
<b>BARREL:</b>	12.5" & 16.25" / 318 & 413 mm, 4150 CrMoV, Threaded 1/2x28, 1:7 RH Twist
<b>OAL:</b>	28.25 - 36.03" / 718 - 915 mm
<b>ROF:</b>	700-850 RPM Cyclic Rate
<b>MAGAZINE:</b>	Accepts all STANAG AR-15 / M4 Magazines, M27 Linked Ammo, or SAW Box Magazines
<b>OPERATION:</b>	Closed Bolt, Short-Stroke Gas-Piston
<b>SAFETY:</b>	Safe - Semi - Auto AR-15 / M4 Selector Switch
<b>FINISH:</b>	Hardcoat Anodized & MIL-SPEC Manganese Phosphate



SCAN HERE TO LEARN MORE



# MGR<sup>®</sup>

## MISSION CONFIGURABLE RIFLE



**BARREL RELEASE:** 3-second Quick-Change™ barrel system (no tools required).



**FEED TRAY:** Billet machined steel feed tray for M27 linked .223/5.56 mm NATO ammunition.



**FEED PAWL:** Powerful two-step shuttle feed system for extreme belt pull.



**CHARGING HANDLE:** Side-mounted charger with snag-free folding charging handle.

**BARREL:** 4150 CrMoV steel barrel with QPQ / nitride finish for maximum corrosion and wear resistance, 1/2x28 threaded.



**GAS-PISTON:** Short-stroke gas-piston operation with pusher rod for extreme reliability in adverse conditions. Adjustable regulator for gas settings: OFF - Suppressed - Normal - Adverse Condition.



**QD PORTS:** Front handguard bulkhead provides (3) QD sling swivel ports, left / neutral / right justified for 2-point sling attachment.



**CHAMBER:** Sustained-fire bolt and barrel extension feature tangential radii at lug roots and tips to reduce stress and increase shear strength for heavy-duty performance.



### "DROP-ON" UPGRADE

Patented "Drop-On" Dual Feed® upper receiver assembly for AR-15/M4 type rifles fits all MIL-SPEC lowers without modification.



**LOWER:** Forged 7075-T6 lower receiver is precision machined to exact tolerances and accepts ALL AR-15 / M4 magazines.



**SAFETY:** Universal and ambidextrous pictogram selector markings understood in all languages.

**BUTTSTOCK:** 6-position telescoping stock assy. with MIL-SPEC receiver extension tube & staked castle nut.

**TAKEDOWN:** 1/4" push-pin takedown for easy maintenance.

**FINISH:** Patented and precision machined Dual Feed® billet upper receiver is Type III, Class 2 Anodized black per MIL-A-8625F.



# MCR®

## MISSION CONFIGURABLE RIFLE ACCESSORIES



**MCR® 12.5" ADJUSTABLE HEAVY BARREL**

CALIBER:	LENGTH:	PROFILE:	THREAD:	TWIST:	FINISH:	GAS SYSTEM:	GAS REGULATOR:	INCLUDES:	COMPATIBILITY:
5.56mm NATO	12.5"	Heavy	1/2x28 TPI	1:7 RHT	Nitride	Mid-Length (Piston)	4 Position Adjustable	Dovetail Cover	MCR®



**MCR® 16.25" ADJUSTABLE HEAVY BARREL**

CALIBER:	LENGTH:	PROFILE:	THREAD:	TWIST:	FINISH:	GAS SYSTEM:	GAS REGULATOR:	INCLUDES:	COMPATIBILITY:
5.56mm NATO	16.25"	Heavy	1/2x28 TPI	1:7 RHT	Nitride	Mid-Length (Piston)	4 Position Adjustable	Dovetail Cover	MCR®



**MCR® 12.5" ADJUSTABLE HEAVY BARREL WITH CARRY HANDLE**

CALIBER:	LENGTH:	PROFILE:	THREAD:	TWIST:	FINISH:	GAS SYSTEM:	GAS REGULATOR:	INCLUDES:	COMPATIBILITY:
5.56mm NATO	12.5"	Heavy	1/2x28 TPI	1:7 RHT	Nitride	Mid-Length (Piston)	4 Position Adjustable	Dovetail Cover, Barrel Handle	MCR®



**MCR® 16.25" ADJUSTABLE HEAVY BARREL WITH CARRY HANDLE**

CALIBER:	LENGTH:	PROFILE:	THREAD:	TWIST:	FINISH:	GAS SYSTEM:	GAS REGULATOR:	INCLUDES:	COMPATIBILITY:
5.56mm NATO	16.25"	Heavy	1/2x28 TPI	1:7 RHT	Nitride	Mid-Length (Piston)	4 Position Adjustable	Dovetail Cover, Barrel Handle	MCR®



**MCR® LINKED MAGAZINE ADAPTER**



**MCR® 100RD LINKED AMMO SOFT MAG**



**MCR® 200RD LINKED AMMO BOX MAG**



**MCR® USGI, M27 5.56MM NATO LINKS**



**MCR® BOLT REHAB KIT**



**MCR® EXTENDED BOLT CATCH**



**MCR® FULL LENGTH STOCK SPACER**



**MCR® QUICK-CHANGE™ BARREL HANDLE ASSEMBLY**



**MCR® FEED ROLLER ASSEMBLY**



**MCR® BOLT ASSEMBLY**



**MCR® RIP BRAKE™ 5.56MM**



**MCR® DUAL FEED® BOLT CARRIER ASSEMBLY, FULL-AUTO**

# DFX™

## DUAL-FEED® CONVERSION


**BARREL:** 4150 CrMoV steel barrel with QPQ / nitride finish for maximum corrosion and wear resistance, 1/2x28 threaded.

**HANDGUARD:** Heavy-duty, free-floating fixed barrel system with a slimline MIL-STD 1913 rail handguard for enhanced accuracy.

**GAS-PISTON:** Short-stroke gas-piston operation with pusher rod for extreme reliability in adverse conditions.

**FEED TRAY:** Billet machined steel feed tray for M27 linked .223/5.56mm NATO ammunition.

**FEED PAWL:** Powerful two step shuttle feed system for extreme belt pull.



**CHAMBER:** Sustained-fire bolt and barrel extension feature tangential radii at lug roots and tips to reduce stress and increase shear strength for heavy-duty performance.

**FINISH:** Patented and precision machined Dual Feed® billet upper receiver is Type III, Class 2 Anodized black per MIL-A-8625F.

**TAKEDOWN:** 1/4" push-pin takedown for easy maintenance.



### "DROP-ON" UPGRADE

Patented "Drop-On" Dual Feed® upper receiver assembly for AR-15/M4 type rifles fits all MIL-SPEC lowers without modification.

## FEATURES:

The Revolutionary and patent-pending FightLite® DFX™ (Dual Feed® Conversion) is a compact and lightweight "drop-on" upper receiver group that readily fits all MIL-Spec AR15/M16 or M4 pattern lower receivers and delivers reliable, belt-feed performance at your fingertips! In addition to feeding from M27 linked ammunition, the innovative DFX™ retains the ability to seamlessly transition to standard box type AR15/M16 magazines at user discretion, hence its patented Dual Feed® capability! The new DFX™ is specifically designed for responsible armed citizens, law enforcement and professional security personnel who wish to upgrade their rifle or carbine for increased performance and function. Standard features include gas-piston operation for increased reliability in all weather conditions, a heavy-duty, free-floating fixed barrel system for enhanced accuracy, and a free-floating, slimline MIL-STD 1913 rail handguard system for mounting lights, lasers, grips, bipods, and other accessory items. The high-performance DFX™ bolt and barrel extension group is designed from the ground up to safely withstand the relentless and punishing demands of the sustained fire role. No permanent modification is required to the lower receiver for installation which is accomplished in minutes, and everything that is necessary is included with the DFX™ kit, which consists of a detailed operator's manual, a powerful recoil spring for reliable stripping of linked ammunition, a modified bolt catch for use with the DFX™ upper, and 100 brand new USGI M27 ammunition links to get you started. 100% invented, designed, and made in our great USA, our new DFX™ Dual-Feed® upper is supported by a robust supply chain of in-stock spare parts and accessory items. It is further backed by an experienced design staff and professional shooters, machinists, and craftsmen who are particularly skilled in the art of accurate, sustained-fire weapon systems.

## SPECIFICATIONS:

<b>CALIBER:</b>	.223 / 5.56 mm NATO
<b>WEIGHT:</b>	6.15 lbs / 2.79 kgs (Upper Only)
<b>BARREL:</b>	Free-Floating Fixed 16.25" / 413 mm, 4150 CrMoV, Threaded 1/2x28, 1:7 RH Twist
<b>OAL:</b>	26" (660 mm)
<b>ROF:</b>	700-850 RPM Cyclic Rate (on Select Fire Lowers)
<b>MAGAZINE:</b>	Accepts all STANAG AR-15 / M4 Magazines, M27 Linked Ammo, or SAW Box Magazines
<b>OPERATION:</b>	Closed Bolt, Short-Stroke Gas-Piston
<b>HANDGUARD:</b>	Heavy-Duty, Slimline MIL-STD 1913 Quad Rail
<b>FINISH:</b>	Hardcoat Anodized & MIL-SPEC Manganese Phosphate



SCAN HERE TO LEARN MORE



# SCR®

## SPORT CONFIGURABLE RIFLE

**BARREL:** 4150 CrMoV steel barrel with QPQ / nitride finish for maximum corrosion and wear resistance.

**MUZZLE:** 16.25" Barrel with optional 1/2x28 muzzle threads and thread protector.

**OPTIC & ACCESSORY INTERFACE:**

Flat-top MIL-STD 1913 upper body with free floating M-LOK pattern forend accepts most modern optics, night vision, lights, lasers, and thermal devices.

**BUTTSTOCK:** Modern, high-impact strength synthetic buttstock with stipple textured grip area for rock steady control in all weather conditions.

**BUTTPAD:** Removable, recoil-reducing buttpad provides access to convenient internal storage compartment.

**SLING SWIVEL:** Ambidextrous mounting points for quick detach slings.



### LOWER ASSEMBLIES

Assemble your own SCR® rifle with our standalone SCR® Lower Receiver assemblies. Compatible with any AR-15 / M4 Mil-Spec upper receivers!



SCR® LOWER RECEIVER [BK]



SCR® LOWER RECEIVER [OD]



SCR® LOWER RECEIVER [FDE]

**SAFETY:** Tactile push-button cross bolt style, ergonomically placed for ease of use and operation.

**MAGAZINE:** Accepts all standard pattern (STANAG) AR-15 / M4 detachable magazines.

**RECEIVER:** 7075-T6 receiver is precision machined to exact tolerances and features 1/4" captive takedown pins for flexible caliber conversion.

### FEATURES:

The innovative and patented FightLite SCR® (Sport Configurable Rifle) blends the strength, reliability, accuracy and rugged all-weather characteristics of America's longest serving infantry rifle with the classic lines of an American Sporter. SCR® models feature modern furniture, including high-impact synthetic Buttstocks and free-floating FightLite® M-LOK Handguards. Equipped with a MIL-STD 1913 flat top upper receiver that accepts most modern optics, night vision and thermal devices; the SCR® is designed to perform under the most demanding field, competitive shooting and tactical conditions. Its multi-caliber, modular arrangement permits users to instantly change calibers in the field by simply pressing two pins and exchanging one upper receiver assembly for another. Rugged, lightweight and accurate, the FightLite SCR® accepts most Modern Sporting Rifle parts and accessories including magazines, upper receivers, barrels, bolts, handguards, sights and optics. Designed for optimal configuration, the all-weather SCR® Rifle supports a variety of caliber options including .223/5.56, 300 BLK, 7.62x39, 6.8SPC, 6.5 Grendel, .350 LEGEND, .450 Bushmaster and more. Supported by a full line of high performance FightLite® accessories, the SCR® is engineered and manufactured in the USA of the highest quality aircraft grade alloys by American craftsmen. The weatherproof and dependable FightLite SCR® is guaranteed to provide a lifetime of accurate shooting and outdoor pleasure. SCR® - One Rifle, Any Season!®

### SPECIFICATIONS:

<b>CALIBER:</b>	5.56 mm NATO / 300 BLK / Multi-Caliber
<b>WEIGHT:</b>	5.9 - 6.2 lbs / 2.68 - 2.81 kgs
<b>BARREL:</b>	16.25" / 413 mm, 4150 CrMoV, Unthreaded / Threaded 1/2x28
<b>OAL:</b>	36.5 - 37.75" / 927 - 959 mm
<b>STOCK:</b>	High-Strength Synthetic
<b>MAGAZINE:</b>	Accepts all STANAG AR-15 / M4 magazines
<b>OPERATION:</b>	Closed Bolt, Semi-Automatic
<b>SAFETY:</b>	Push-Button Cross Bolt
<b>FINISH:</b>	Hardcoat Anodized & MIL-SPEC Manganese Phosphate



SCAN HERE TO LEARN MORE



# SCR® PISTOL MODELS

## LOWER ASSEMBLIES

Assemble your own SCR® pistol with our standalone SCR® Lower Receiver assemblies. Compatible with any AR-15 / M4 Mil-Spec upper receivers!



SCR® RAIDER LOWER [BK]



SCR® BANDITO® LOWER [FOE]



SCR® BANDITO® LOWER [OD]

SCR® RAIDER 5.56mm



SCR® BANDITO® 5.56mm



Free floating handguard with MIL-STD 1913 and M-LOK interface.



Multi-caliber compatible design.



Ambidextrous mounting points for QD sling swivels on both grip styles.

## FEATURES:

Through creative engineering and a quest for uncompromising performance, the revolutionary SCR® Pistol family is a class of its own and successfully bridges the capability gap between a handgun and carbine. Featuring direct-gas operation, a rotating bolt, and a free floated barrel for optimal accuracy; the semi-automatic Raider and Bandito® blend their diminutive size and portability with the reliability and weatherproof ruggedness of America's longest serving military rifle. Lightweight, powerful, and accurate, SCR® Pistols are available in both 5.56mm and .300BLK, delivering overmatch performance against common pistol-caliber handguns and shotguns at extended shooting distances. Designed for optimal configuration by the user, SCR® Pistols are compatible with many AR-15 parts and accessories; including magazines, upper receivers, barrels, bolts, optics and more. SCR® pistols are manufactured in the USA from the highest quality aerospace grade alloys and finished with non-reflective, Mil-Spec coatings for maximum corrosion resistance. Our pistol barrels are nitrided from the factory, and threaded 1/2x28 TPI on 5.56mm barrels and 5/8x24 TPI on .300BLK barrels to readily accept the most common muzzle devices. Designed to perform flawlessly under the most demanding field conditions, SCR® pistols are guaranteed to provide their user's with a lifetime of accurate and reliable service.

## SPECIFICATIONS:

<b>CALIBER:</b>	5.56 mm NATO / 300 BLK / Multi-Caliber
<b>WEIGHT:</b>	3.9 lbs / 1.77 kgs (Raider), 4.2 lbs / 1.91 kgs (Bandito®)
<b>BARREL:</b>	7.25" / 184 mm, 4150 CrMoV, Threaded 1/2x28 (5.56 mm) or 5/8x24 (300BLK)
<b>OAL:</b>	20.25" / 514 mm (Raider), 21.25" / 540 mm (Bandito®)
<b>STOCK:</b>	High-Strength Synthetic
<b>MAGAZINE:</b>	Accepts all STANAG AR-15 / M4 magazines
<b>OPERATION:</b>	Closed Bolt, Semi-Automatic
<b>SAFETY:</b>	Push-Button Cross Bolt
<b>FINISH:</b>	Hardcoat Anodized & MIL-SPEC Manganese Phosphate



SCAN HERE TO LEARN MORE



# HERRING®

## MODEL 2024™ MODERN LEVER-ACTION



**MUZZLE:** 16.25" Barrel with optional 1/2x28 muzzle threads and thread protector.

**OPTIC & ACCESSORY INTERFACE:** Flat-top MIL-STD 1913 upper body with free floating M-LOK pattern forend accepts most modern optics, night vision, lights, lasers, and thermal devices.

**RECEIVER:** 7075-T6 receiver is precision machined to exact tolerances and features 1/4" captive takedown pins for flexible caliber conversion.

**BUTTSTOCK:** Modern, high-impact strength synthetic buttstock with stipple textured grip area for rock steady control in all weather conditions.

**BUTTPAD:** Removable, recoil-reducing buttpad provides access to convenient internal storage compartment.

**SLING SWIVEL:** Ambidextrous mounting points for quick detach slings

**BARREL:** 4150 CrMoV steel barrel with QPQ / nitride finish for maximum corrosion and wear resistance.

**SAFETY:** Tactile push-button cross bolt style, ergonomically placed for ease of use and operation.

**MAGAZINE:** Accepts all standard pattern (STANAG) AR-15 / M4 detachable magazines.

**LEVER:** Ambidextrous & rugged large loop lever provides rapid, silk-smooth operation with or without gloves for both left and right-handed users.



Free floating Handguard with MIL-STD 1913 and M-LOK Interface.



Multi-caliber compatible design.



Compatible with all MIL-SPEC AR-15/M4 upper receivers.

### FEATURES:

The Patented HERRING® Model 2024™ is a family of high-performance, extremely accurate, and modular lever-action firearms that provide for flexible caliber and magazine reconfiguration at the user-level, without tools to support virtually any shooting profile. HERRING® is a clean-sheet revival of the lever-action concept and significantly advances the state-of-the-art for lever-action rifles and pistols bringing them fully into the 21st Century. Designed for optimal configuration, the all-weather HERRING® Model 2024™ is engineered with performance, accuracy, configurability, ergonomics, ease-of-use, optical compatibility, and hard-working utility in mind. It leverages the vast MSR accessory industry for simple caliber exchange, barrel lengths, optical sights, silencers and accessory mounting needs. The HERRING® Model 2024 supports a variety of caliber options including .22LR, 9mm, 10mm, 5.7x28mm, .223/5.56mm, 300 BLK, 7.62x39mm, 6.8SPC, 6.5 Grendel, .350 LEGEND, .450 Bushmaster and more. Due to its modern magazine-fed design, the HERRING® Model 2024™ accepts all standard pattern (STANAG) detachable magazines with capacities of 5, 10, 20, 30, 40, 60, and more; and it supports the use of modern, high velocity "Spitzer" point and hollow point ammunition. Unlike traditional lever-action rifles the HERRING® Model 2024™ can be easily unloaded via simple removal of the magazine and a single cycling of the action to remove any chambered round. Supported with a full line of performance accessories and manufactured of the highest quality aircraft grade alloys by American craftsmen, the dependable HERRING® Model 2024™ is a thorough modernization of the lever-action rifle and marries the proven accuracy, adaptability, and high performance of the MSR with the established power and all-American rugged dependability of the lever-action repeating rifle. One Rifle, Any Season!®

### SPECIFICATIONS:

<b>CALIBER:</b>	Multi-Caliber
<b>WEIGHT:</b>	5.7 lbs / 2.59 kgs
<b>BARREL:</b>	16.25" / 413 mm, 4150 CrMoV, Threaded 1/2x28
<b>OAL:</b>	37.75" / 959 mm
<b>STOCK:</b>	High-Strength Synthetic
<b>MAGAZINE:</b>	Accepts all STANAG AR-15 / M4 magazines
<b>OPERATION:</b>	Closed Bolt, Lever-Action with Robust, Patented Primary Extraction System
<b>SAFETY:</b>	Push-Button Cross Bolt
<b>FINISH:</b>	Hardcoat Anodized & MIL-SPEC Manganese Phosphate



SCAN HERE TO LEARN MORE



# HERRING®

## MODEL 2024™ MODERN LEVER-ACTION PISTOL

**MUZZLE:** 7.25" barrel with 1/2x28 (5.56 mm) or 5/8x24 (300BLK) muzzle threads and thread protectors.

**OPTIC & ACCESSORY INTERFACE:** Flat-top MIL-STD 1913 upper body with free floating M-LOK pattern forend accepts most modern optics, night vision, lights, lasers, and thermal devices.

**GRIP:** Modern, high-impact strength synthetic grip with stipple texture area for rock steady control in all weather conditions.

**RECEIVER:** 7075-T6 receiver is precision machined to exact tolerances and features 1/4" captive takedown pins for flexible caliber conversion.



HERRING® PISTOL [OD]



HERRING® PISTOL [FDE]



**BARREL:** 4150 CrMoV steel barrel with QPQ / nitride finish for maximum corrosion and wear resistance.

**SLING SWIVEL:** Ambidextrous mounting points for quick detach slings on synthetic models

**SAFETY:** Tactile push-button cross bolt style, ergonomically placed for ease of use and operation.

**MAGAZINE:** Accepts all standard pattern (STANAG) AR-15 / M4 detachable magazines.

**LEVER:** Ambidextrous & rugged large loop lever provides rapid, silk-smooth operation with or without gloves for both left and right-handed users.



Ambidextrous mounting points for QD sling swivels on grip.



Multi-caliber compatible design.



Compatible with all MIL-SPEC AR-15/M4 upper receivers.

### FEATURES:

The Patented HERRING® Model 2024™ is a family of high-performance, extremely accurate, and modular lever-action firearms that provide for flexible caliber and magazine reconfiguration at the user-level, without tools to support virtually any shooting profile. HERRING® is a clean-sheet revival of the lever-action concept and significantly advances the state-of-the-art for lever-action rifles and pistols bringing them fully into the 21st Century. Designed for optimal configuration, the all-weather HERRING® Model 2024™ is engineered with performance, accuracy, configurability, ergonomics, ease-of-use, optical compatibility, and hard-working utility in mind. It leverages the vast MSR accessory industry for simple caliber exchange, barrel lengths, optical sights, silencers and accessory mounting needs. The HERRING® Model 2024™ supports a variety of caliber options including .22LR, 9mm, 10mm, 5.7x28mm, .223/5.56mm, 300 BLK, 7.62x39mm, 6.8SPC, 6.5 Grendel, .350 LEGEND, .450 Bushmaster and more. Due to its modern magazine-fed design, the HERRING® Model 2024™ accepts all standard pattern (STANAG) detachable magazines with capacities of 5, 10, 20, 30, 40, 60, and more; and it supports the use of modern, high velocity "Spitzer" point and hollow point ammunition. Unlike traditional lever-action rifles the HERRING® Model 2024™ can be easily unloaded via simple removal of the magazine and a single cycling of the action to remove any chambered round. Supported with a full line of performance accessories and manufactured of the highest quality aircraft grade alloys by American craftsmen, the dependable HERRING® Model 2024™ is a thorough modernization of the lever-action rifle and marries the proven accuracy, adaptability, and high performance of the MSR with the established power and all-American rugged dependability of the lever-action repeating rifle. One Rifle, Any Season!®

### SPECIFICATIONS:

<b>CALIBER:</b>	5.56 mm NATO / 300 BLK / Multi-Caliber
<b>WEIGHT:</b>	4.6 lbs / 2.09 kgs
<b>BARREL:</b>	7.25" / 184 mm, 4150 CrMoV, Threaded 1/2x28 (5.56 mm) or 5/8x24 (300BLK)
<b>OAL:</b>	21.25" / 540 mm
<b>STOCK:</b>	High-Strength Synthetic
<b>MAGAZINE:</b>	Accepts all STANAG AR-15 / M4 magazines
<b>OPERATION:</b>	Closed Bolt, Lever-Action with Robust, Patented Primary Extraction System
<b>SAFETY:</b>	Push-Button Cross Bolt
<b>FINISH:</b>	Hardcoat Anodized & MIL-SPEC Manganese Phosphate



SCAN HERE TO LEARN MORE



# MXR®

## CALIBER CONVERTIBLE CARBINE

**OPTIC & ACCESSORY INTERFACE:** Flat-top MIL-STD 1913 upper body and lower forend with M-LOK interfaces at 3 & 9 o'clock positions to mount most modern optics, night vision, lights, lasers, and thermal devices.

**BOLT:** CNC Machined from high-strength alloy with protective finish and Heat treated for easy maintenance and caliber conversion.

**RECEIVER:** Monolithic construction and CNC machined from lightweight aerospace Aluminum alloy with Type III, Class 2 hardcoat anodized finish to MIL-A-8625F specifications.

**BUTTSTOCK:** Standard AR-15 / M4 receiver extension allows the use of MIL-SPEC buffer tubes or MIL-STD 1913 adapters.

**MUZZLE:** 5 - 16.25" Barrels with optional 1/2x28 muzzle threads and thread protector.

**BARREL:** Quick Change without tools for easy maintenance and caliber conversion. Made from 4150 CrMoV Steel with anti-corrosion finish.

**LOWER:** Injection molded from lightweight, high-impact polymer for a lifetime of hard use with serrated, integral barrier stop in front mag well area. Optional Billet Aluminum Lower available.

**SAFETY:** Left side AR-15 / M4 style switch with Ambidextrous pictogram selector markings.

**MAGAZINE:** Magazine convertible at the user level to accept a variety of magazine types including Glock, Sig Sauer, Beretta, S&W, CZ, FN, Walther, and many others.

**USER-CONTROL:** Ambidextrous magazine release, charging handle, and bolt release. Lower is compatible with AR-15 / M4 fire control components.



Quick and tool-free Barrel, Caliber, and magazine pattern conversion



Multi-caliber compatible design



Completely ambidextrous, tool-free modularity

### FEATURES:

The patented MXR® platform is primarily chambered in 9mm NATO and is caliber convertible at the user level without tools to accommodate 7 different calibers. Supplied with Glock® pattern magazines, the MXR® is also convertible at the user level to accept common pistol magazines from a variety of manufacturers. Engineered and produced in the USA of aerospace grade materials combined with high-impact polymer components for a lifetime of hard use in abusive environments; the MXR® features MIL-STD 1913 rails at the 6 and 12 o'clock positions with M-LOK interfaces at 3-9 positions of its monolithic receiver for optimum strength and accessory retention. Featuring reliable, time-proven blowback operation from a closed bolt and a quick-change threaded barrel for suppressor use; the MXR® can be field stripped in seconds without tools to provide for easy takedown and maintenance. Further customization is provided with the MXR®'s use of AR-15 / M4 compatible fire control group, grip, and receiver extension tube interfaces to suit user preferences and ergonomics. The compact, lightweight and reliable FightLite® MXR® leads the PCC/Extended Range Pistol market with an accurate and rugged weapon that streamlines logistics and reduces operator burden by providing complete ammunition and magazine interchangeability between their choice of everyday sidearm and their PCC/Extended Range Pistol. Available in pistol, carbine and select-fire submachine gun models suitable for civilian, law enforcement and military use. MXR® - One Weapon, ANY Mission!®

### SPECIFICATIONS:

<b>CALIBER:</b>	9mm NATO / Multi-Caliber
<b>WEIGHT:</b>	3.25 - 4.75 lbs / 1.47 - 2.15 kgs
<b>BARREL:</b>	5 - 16.25" / 127 - 413 mm, 4150 CrMoV, Threaded 1/2x28
<b>OAL:</b>	16.25 - 31.25" / 413 - 794 mm
<b>STOCK:</b>	Magpul® MDE, SBA3 Brace, or None w/ MIL-STD 1913 Mount Only
<b>MAGAZINE:</b>	Glock® Pattern / Magazine Convertible
<b>OPERATION:</b>	Closed Bolt, Semi-Automatic Blowback
<b>SAFETY:</b>	Left Side AR-15 / M4 Safety Selector Switch
<b>FINISH:</b>	Hardcoat Anodized & MIL-SPEC Manganese Phosphate



# **FIGHTLITE® INDUSTRIES**

PO BOX 120789  
MELBOURNE, FL 32912 USA

T 321.242.8410  
F 321.242.8411

SALES@FIGHTLITE.COM  
FIGHTLITE.COM



©Copyright FightLite® Industries / ARES Defense Systems, Inc. 2025 All Rights Reserved

