





L-Shaped Grill Station - With Seating


www.tremron.com



RIGHT Facing - Front Isometric




LEFT Facing - Front Isometric



RIGHT Facing - Back Isometric

RIGHT FACING

Page 3



LEFT Facing - Back Isometric

LEFT FACING

Page 13

Outdoor Grill Station Quantity Totals:

Stonegate Unit quantities as follows:

- Large Unit "A" - 16"/14" = 56 Units
- Medium Unit "B" - 12"/10" = 54 Units
- Small Unit "C" - 6"/4" = 57 Units

For **Accessories** - see page 2

General Note:



In consideration of freeze / thaw issues during the cold weather season it is recommended that this outdoor Built-In Grill Station element be protected from rain, snow and ice as necessary.



L-Shaped Grill Station - With Seating


www.tremron.com

ACCESSORIES Sold Separately



See **page 10 or 20** for access door details.

Access Door w/Vents
Model FPI - D, D/S




See **page 12 or 22** for grill filler piece dimensions.

Grill Filler Piece


Stonegate Note:

This Outdoor Living Element design uses Stonegate No-Cut Designs accessories. See Stonegate No-Cut accessories list for qualifying manufacturers and models.




Note:

This built-in grill head insert shown for display purposes only.




Built-In Grill Head Insert



RIGHT Facing Counter Top

See **page 12** for right facing counter top dimensions.




LEFT Facing Counter Top

See **page 22** for left facing counter top dimensions.



L-Shaped Grill Station - With Seating

www.tremron.com



Grill Station Back Isometric


Outdoor Grill Station Quantity Totals:

Stonegate Unit quantities as follows:

- Large Unit "A" - 16"/14" = 56 Units
- Medium Unit "B" - 12"/10" = 54 Units
- Small Unit "C" - 6"/4" = 57 Units

Note:

Structural support for block units over openings not shown for visual purposes.



Grill Station Front Isometric


General Note:

In consideration of freeze / thaw issues during the cold weather season it is recommended that this outdoor Built-In Grill Station element be protected from rain, snow and ice as necessary.



L-Shaped Grill Station - With Seating

www.tremron.com




Grill Station Back Rotated Elevation

Grill Station Front Rotated Elevation




L-Shaped Grill Station - With Seating

Foundation Isometric



Grill Station 6" (Min.) Crushed Stone or Reinforced Concrete Leveling Pad

Foundation Plan







L-Shaped Grill Station - With Seating

www.tremron.com

1st Course Isometric



1st Course Plan



Ventilation Note:

The grill head insert manufacturer may recommend ventilation of the interior grill station area from a potential gas build up. If so, depending on the recommendations, one or two blocks from either the 1st course or 2nd course may be removed as needed. Only remove blocks from one chosen course. Blocks marked with criss cross hatching are designated for removal as required on this course. As needed a small animal screen insert can be supplied to place in the block removal area.

If the 2nd course is to be used for venting, place and carefully compact crushed stone or similar material to form a dense floor in the entire 1st course interior open area of the grill station.


The removed 2nd course blocks may be place in the 1st course interior open area in conjunction with fill material or in the grill station element itself, as needed.




L-Shaped Grill Station - With Seating

www.tremron.com

2nd Course Isometric



2nd Course Plan



Ventilation Note:

The grill head insert manufacturer may recommend ventilation of the interior grill station area from a potential gas build up. If so, depending on the recommendations, one or two blocks from either the 1st course or 2nd course may be removed as needed. Only remove blocks from one chosen course. Blocks marked with criss cross hatching are designated for removal as required on this course.

As needed a small animal screen insert can be supplied to place in the block removal area.

If the 2nd course is to be used for venting, place and carefully compact crushed stone or similar material to form a dense floor in the entire 1st course interior open area of the grill station.


The removed 2nd course blocks may be place in the 1st course interior open area in conjunction with fill material or in the grill station element itself, as needed.



L-Shaped Grill Station - With Seating

www.tremron.com


3rd Course Isometric



Keystone Stonegate Units (Typ.)

2nd Course Below

3rd Course Plan







L-Shaped Grill Station - With Seating

www.tremron.com

4th Course Isometric



4th Course Plan






L-Shaped Grill Station - With Seating


www.tremron.com

5th Course Isometric



5th Course Plan

Keystone Stonegate Units (Typ.)



Access Door Installation Note:


Align the access door in the door opening so that the access door top support flanges of the door frame are resting on top of the 5th course blocks. Make sure the top support flanges are bearing equally on the blocks on both sides of the opening and they also are 5" back from the outside face of the blocks to the center of the flange so the 6th course block pin connecting channels will be centered over the top support flanges. After the 6th course blocks are placed, if needed, reposition the access door assembly and secure in place as instructed.




L-Shaped Grill Station - With Seating

www.tremron.com

6th Course Isometric



6th Course Plan




[illegible]


Unless otherwise directed install and secure counter top with approved adhesive or bonding agent.

6th Course
Counter Top Plan

Filler piece is from 5th course layout below.
It is to be made from the same material as the counter top, (1"± thick). Secure filler piece with approved adhesive or bonding agent.




Grill Filler Piece Plan View Detail





L-Shaped Grill Station - With Seating

www.tremron.com



Grill Station Base Back Isometric


Outdoor Grill Station Quantity Totals:

Stonegate Unit quantities as follows:

- Large Unit "A" - 16"/14" = 54 Units
- Medium Unit "B" - 12"/10" = 55 Units
- Small Unit "C" - 6"/4" = 57 Units

Note:

Structural support for block units over openings not shown for visual purposes.



Grill Station Base Front Isometric


General Note:

In consideration of freeze / thaw issues during the cold weather season it is recommended that this outdoor Built-In Grill Station element be protected from rain, snow and ice as necessary.




L-Shaped Grill Station - With Seating

www.tremron.com



Grill Station Front Rotated Elevation




Grill Station Back Rotated Elevation



L-Shaped Grill Station - With Seating


www.tremron.com

Foundation Isometric



Grill Station 6" (Min.) Crushed Stone or
Reinforced Concrete Leveling Pad

Foundation Plan






L-Shaped Grill Station - With Seating

www.tremron.com

1st Course Isometric




Ventilation Note:

The grill head insert manufacturer may recommend ventilation of the interior grill station area from a potential gas build up. If so, depending on the recommendations, one or two blocks from either the 1st course or 2nd course may be removed as needed. Only remove blocks from one chosen course. Blocks marked with criss cross hatching are designated for removal as required on this course. As needed a small animal screen insert can be supplied to place in the block removal area.

If the 2nd course is to be used for venting, place and carefully compact crushed stone or similar material to form a dense floor in the entire 1st course interior open area of the grill station.

The removed 2nd course blocks may be place in the 1st course interior open area in conjunction with fill material or in the grill station element itself, as needed.

1st Course Plan






L-Shaped Grill Station - With Seating

www.tremron.com

2nd Course Isometric



Ventilation Note:

The grill head insert manufacturer may recommend ventilation of the interior grill station area from a potential gas build up. If so, depending on the recommendations, one or two blocks from either the 1st course or 2nd course may be removed as needed. Only remove blocks from one chosen course. Blocks marked with criss cross hatching are designated for removal as required on this course.


As needed a small animal screen insert can be supplied to place in the block removal area.

If the 2nd course is to be used for venting, place and carefully compact crushed stone or similar material to form a dense floor in the entire 1st course interior open area of the grill station.

The removed 2nd course blocks may be place in the 1st course interior open area in conjunction with fill material or in the grill station element itself, as needed.

Block Removal as Req. (Typ.)
Replace with Small Unit
This Position only
(See Ventilation Note)

2nd Course Plan







L-Shaped Grill Station - With Seating

www.tremron.com

3rd Course Isometric



3rd Course Plan







L-Shaped Grill Station - With Seating

www.tremron.com

4th Course Isometric




4th Course Plan





L-Shaped Grill Station - With Seating

www.tremron.com




Access Door Installation Note:

Align the access door in the door opening so that the access door top support flanges of the door frame are resting on top of the 5th course blocks.


Make sure the top support flanges are bearing equally on the blocks on both sides of the opening and they also are 5" back from the outside face of the blocks to the center of the flange so the 6th course block pin connecting channels will be centered over the top support flanges. After the 6th course blocks are placed, if needed, reposition the access door assembly and secure in place as instructed.


5th Course Plan






L-Shaped Grill Station - With Seating

www.tremron.com




Grill Filler Piece Note:
Filler piece is from 5th course layout below.
It is to be made from the same material as the counter top, (1"± thick). Secure filler piece with approved adhesive or bonding agent.



Grill Filler Piece Plan View Detail

6th Course
Counter Top Isometric

6th Course Counter Top Plan

